

Product datasheet for **RG206188**

AADACL1 (NCEH1) (NM_020792) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	AADACL1 (NCEH1) (NM_020792) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	AADACL1
Synonyms:	AADACL1; NCEH
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG206188 representing NM_020792 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**

ATGAGCAGCTGCCGCGGGCAGAAAGTTGCCGGAGGTCTCCGGTGGTATCGCCCTTCTCTTTGCCAGC
CCGCTGGCGAGCCGAGCCGGGGCAAGATGAGGTCGTCTGTCTCTGCTCACC GCCCTGGTGGCGCTGGC
CGCCTATTACGTCTACATCCCGCTGCCTGGCTCCGTGTCCGACCCCTGGAAGCTGATGCTGCTGGACGCC
ACTTTCCGGGGTGACAGCAAGTGAGTAACCTGATCCACTACCTGGGACTGAGCCATCACCTGCTGGCAC
TGAATTTTATCATTGTTTCTTTGGCAAAAAAGCGCGTGGTCTTCTGCCCAAGTGAAGGTGACCGACAC
AGACTTTGATGGTGTGGAAGTCAGAGTGTTTGAAGGCCCTCCGAAGCCGAAGAGCCACTGAAACGCAGC
GTCGTTTATATCCACGGAGGAGGCTGGGCCTTGCAAGTGCAAAAATCAGGTATTATGATGAGCTGTGTA
CAGCAATGGCTGAGGAATTGAATGCTGTGATTGTTCCATTGAATACAGGCTAGTTCCAAAGGTTTATTT
TCCTGAGCAAAATTCATGATGTTGTACGGGCCACAAAGTATTTCTGAAGCCAGAAGTCTTACAGAAGTAT
ATGGTTGATCCAGGCAGAATTTGCATTTCTGGTGACAGTGCTGGTGAAATCTGGCTGCTGCCCTTGGAC
AACAGTTTACTCAAGATGCCAGCCTAAAAATAAGCTCAAACACAAGCTTTAATTTATCCAGTTCTTCA
AGCTTTAGATTTTAACACACCATCTTATCAGCAAAATGTGAACACCCCAATCCTGCCCGCTATGTCATG
GTGAAGTATTGGTGGACTACTTCAAAGCAACTATGACTTTGTGCAGGCAATGATCGTTAACAATCACA
CTTCACTTGATGTGGAAGAGGCTGCTGCTGTGAGGCCCGCTCTAAACTGGACATCCCTCTTGCTGTCATC
CTTCACAAAGAACTACAAGCCTGTTGTACAGACCACAGGCAATGCCAGGATTGTCCAGGAGCTTCTCAG
TTGCTGGATGCCCGCTCCGCCCACTATTGCAGACCAGGCAGTGCTGCAGCTCTCCCAAAGACCTACA
TTCTGACGTGTGAGCATGATGTCCTCAGAGACGATGGCATCATGTATGCCAAGCGTTTGGAGAGTGCCGG
TGTGGAGGTGACCCTGGATCACTTTGAGGATGGCTTTCACGGATGTATGATTTTCACTAGCTGGCCACC
AACTTCTCAGTGGGAATCCGACTAGGAATAGTTACATCAAGTGGCTAGATCAAAACCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG206188 representing NM_020792
 Red=Cloning site Green=Tags(s)


MSSCRGQKVAGGLRVVSPFPLCQPAGEPSRGKMRSSCVLLTALVALAAYVYIPLPGSVSDPWKMLLDA
 TFRGAQQVSNLIHYLGLSHLLALNFIIVSFGKKSAAVSAQVKVTDTFDGVFVRVFEGPPKPEEPLKRS
 VVYIHGGGWALASAKIRYYDELCTAMAEELNAVIVSIEYRLVPKYVFPEQIHDVVRATKYFLKPEVLQKY
 MVDPRICISGDSAGGNLAAALGQQFTQDASLKNKLQALYIPVLQALDFNTPSYQQNVNTPILPRYVM
 VKYWVDYFKGNYDFVQAMIVNNHTSLDVEEAAAVRARLNWTSLLPASFTKNYKPVVQTTGNARIVQELPQ
 LLDARSAPLIADQAVLQLLPKTYILTCEHDVLRDDGIMYAKRLESAGVEVTLDFHEDGFHGCMIFTSWPT
 NFSVGIRTRNSYIKWLDQNL

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_020792

ORF Size: 1320 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_020792.3](#), [NP_065843.3](#)

RefSeq Size: 4289 bp

RefSeq ORF: 1227 bp

Locus ID: 57552


UniProt ID: [Q6PIU2](#)

Cytogenetics: 3q26.31

Protein Families: Transmembrane

Gene Summary: Hydrolyzes 2-acetyl monoalkylglycerol ether, the penultimate precursor of the pathway for de novo synthesis of platelet-activating factor. May be responsible for cholesterol ester hydrolysis in macrophages, thereby contributing to the development of atherosclerosis. Also involved in organ detoxification by hydrolyzing exogenous organophosphorus compounds. May contribute to cancer pathogenesis by promoting tumor cell migration.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG206188