

Product datasheet for RG206217

Fbx32 (FBXO32) (NM 148177) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Fbx32 (FBXO32) (NM_148177) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: Fbx32

Synonyms: Fbx32; MAFbx

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG206217 representing NM_148177

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAATATTTTGGAAAAAGTGGTACTGAAAGTCCTTGAAGACCAGCAAAACATTAGACTAATAAGGGAAC
TACTCCAGACCCTCTACACATCCTTATGTACACTGGTCCAAAGAGTCGGCAAGTCTGTGCTGGTCGGGAA
CATTAACATGTGGGTGTATCGGATGGAGACGATCTCCCACTGGCAGCAGCAGCAGCTGAACAACATTCAGATC
ACCAGGCCTGCCTTCAAAAGGCCTCACCTTCACTGACCTGCCTTTGTGCCTACAACTGAACATCATGCAGA
GGCTGAGCGACGGGCGGGACCTGGTCAGCCTGGGCCAGGCTGCCCCCGACCTGCACGTGCTCAGCGAAGA
CCGGCTGCTGTGGAAGAAACTCTGCCAGTACCACTTCTCCGAGCGGAGATCCGCAAACGATTAATTCTG
TCAGACAAAGGGCAGCTGGATTGGAAGAAGATGTATTTCAAACTCGTCCGATGTTACCCAAGGAAAGAGC
AGTATGGAGATACCCTTCAGCTCCGCAAACACTGTCACATCCTTTCCTGGAAGGGCACTGACCATCCGTG
CACTGCCAATAACCCAGAGAGGCTGCTCCGTTTCACTTTCACCCCAGGACTTTATCAACTTGTTCAAGTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG206217 representing NM_148177

Red=Cloning site Green=Tags(s)

MNILEKVVLKVLEDQQNIRLIRELLQTLYTSLCTLVQRVGKSVLVGNINMWVYRMETILHWQQQLNNIQI TRPAFKGLTFTDLPLCLQLNIMQRLSDGRDLVSLGQAAPDLHVLSEDRLLWKKLCQYHFSERQIRKRLIL SDKGQLDWKKMYFKLVRCYPRKEQYGDTLQLRKHCHILSWKGTDHPCTANNPESCSVSLSPQDFINLFKF

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_148177

ORF Size: 630 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 148177.1</u>, <u>NP 680482.1</u>


RefSeq Size: 1212 bp
RefSeq ORF: 633 bp
Locus ID: 114907
Cytogenetics: 8q24.13
Domains: F-box



Gene Summary:

This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbxs class and contains an F-box domain. This protein is highly expressed during muscle atrophy, whereas mice deficient in this gene were found to be resistant to atrophy. This protein is thus a potential drug target for the treatment of muscle atrophy. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jun 2011]

Product images:



Circular map for RG206217