

Product datasheet for **RG206458**

SPINLW1 (EPPIN) (NM_020398) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: SPINLW1 (EPPIN) (NM_020398) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: SPINLW1
Synonyms: CT71; CT72; dJ461P17.2; SPINLW1; WAP7; WFDC7
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG206458 representing NM_020398
Red=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGATCTTCTGGACTTTTGGCCTCCTGGTGTATTTCGTCCTTAGCGAATGTCCAGGGACCTGGTC
TGACTGATTGGTTATTTCCAGGAGATGTCCAAAATCAGAGAAGAATGTGAATCCAAGAAAGGGATGT
GTGTACAAAGGACAGACAATGCCAGGACAACAAGAAGTGTGTCTTCAGCTGCGGAAAAAATGTTTA
GATCTCAAACAAGATGTATGCGAAATGCCAAAAGAACTGGCCCTGCCTGGCTTATTTCTTCATTGGT
GGTATGACAAGAAAGATAATACTTGCTCCATGTTGTCTATGGTGGCTGCCAGGAAACAATAACAACCT
CCAATCCAAGCCAACCTGCTGAACACCTGCAAGAATAAACGCTTTCCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG206458 representing NM_020398
Red=Cloning site **Green**=Tags(s)
MGSSGLLSLLVLFVLLANVQGPGLTDWLFPRRCPKIREECEVFQERDVCTKDRQCQDNKKCCVFSCGKKCL
DLKQDVCEMPKETGPCLAYFLHWWYDKDNTCSMFVYGGCQGNNNFQSKANCLNTCKNKRFP

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_020398

ORF Size: 399 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_020398.4](#)

RefSeq Size: 1961 bp

RefSeq ORF: 402 bp

Locus ID: 57119
UniProt ID: [O95925](#)
Cytogenetics: 20q13.12
Protein Families: Secreted Protein

Gene Summary: This gene encodes an epididymal protease inhibitor, which contains both kunitz-type and WAP-type four-disulfide core (WFDC) protease inhibitor consensus sequences. Most WFDC genes are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene is a member of the WFDC gene family and belongs to the telomeric cluster. The protein can inhibit human sperm motility and exhibits antimicrobial activity against *E. coli*, and polymorphisms in this gene are associated with male infertility. Read-through transcription also exists between this gene and the downstream WFDC6 (WAP four-disulfide core domain 6) gene. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2014]

Product images:



Circular map for RG206458