

Product datasheet for **RG206531**

RAMP2 (NM_005854) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: RAMP2 (NM_005854) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: RAMP2
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG206531 representing NM_005854
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCTCGCTCCGGGTGGAGCGCGCCGGCGCCCGCTCTCCCTAGGACCCGAGTCGGGCGCCGGCAG
CGCTCCGCTCCTCCTCTGCTGGGCGTGTCTGAATCCCCACGAGGCCCTGGCTCAGCCTCTTCCCAC
CACAGGCACACAGGGTCAGAAGGGGGACGGTGAAGAACTATGAGACAGCTGTCCAATTTGCTGGAAT
CATTATAAGGATCAAATGGATCCTATCGAAAAGGATTGGTGGACTGGCCATGATTAGCAGGCCTTATA
GCACCTCGGAGATTGCCTGGAGCACTTGCAGAGTTGTTTGCACCTGGGCTTCCCAATCCCTTGGCAGA
GAGGATCATCTTTGAGACTCACCAGATCCACTTTGCCAACTGCTCCCTGGTGCAGCCACCTTCTCTGAC
CCCCAGAGGATGTACTCCTGGCCATGATCATAGCCCCATCTGCCTCATCCCCTCCTCATCACTCTTG
TAGTATGGAGGAGTAAAGACAGTGAGGCCAGGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG206531 representing NM_005854
Red=Cloning site Green=Tags(s)

MASLRVERAGGPRLPRTRVGRPAALRLLLLLGAVLNPHEALAQPLPTTGTPGSEGTVKKNYETAVQFCWN
HYKDQMDPIEKDWDWAMISRPYSTLRDCLHF AELFDLGFNPLAERIIFETHQIHANCSLVQPTFSD
PPEDVLLAMIIAPICLIPFLITLVVWRSKDSEAQA

TRTRPLE - GFP Tag - V

Chromatograms: https://cdn.origene.com/chromatograms/ja2139_a12.zip

Restriction Sites: SgfI-MluI



[View online >](#)

Cloning Scheme:


ACCN: NM_005854

ORF Size: 525 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_005854.3](#)

RefSeq Size: 808 bp

RefSeq ORF: 528 bp

Locus ID: 10266

UniProt ID: [O60895](#)

Cytogenetics: 17q21.2


Domains: RAMP

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Vascular smooth muscle contraction

Gene Summary: The protein encoded by this gene is a member of the RAMP family of single-transmembrane-domain proteins, called receptor (calcitonin) activity modifying proteins (RAMPs). RAMPs are type I transmembrane proteins with an extracellular N terminus and a cytoplasmic C terminus. RAMPs are required to transport calcitonin-receptor-like receptor (CRLR) to the plasma membrane. CRLR, a receptor with seven transmembrane domains, can function as either a calcitonin-gene-related peptide (CGRP) receptor or an adrenomedullin receptor, depending on which members of the RAMP family are expressed. In the presence of this (RAMP2) protein, CRLR functions as an adrenomedullin receptor. The RAMP2 protein is involved in core glycosylation and transportation of adrenomedullin receptor to the cell surface. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG206531