

## **Product datasheet for RG206667**

## NKX2.3 (NKX2-3) (NM\_145285) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: NKX2.3 (NKX2-3) (NM\_145285) Human Tagged ORF Clone

Tag: TurboGFP Symbol: NKX2.3

Synonyms: CSX3; NK2.3; NKX2.3; NKX2C; NKX4-3

Mammalian Cell Neomycin

Selection:


**Vector:** pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





**ACCN:** NM\_145285

ORF Size: 1092 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 145285.3</u>

 RefSeq Size:
 2117 bp

 RefSeq ORF:
 1095 bp

 Locus ID:
 159296

 UniProt ID:
 Q8TAU0

 Cytogenetics:
 10q24.2

Domains:

**Protein Families:** Transcription Factors

**Gene Summary:** This gene encodes a homeodomain-containing transcription factor. The encoded protein is a

member of the NKX family of homeodomain transcription factors. Studies of similar proteins


in mouse and rat have indicated a potential role in cellular differentiation.[provided by

RefSeq, Mar 2010]

homeobox



## **Product images:**



Circular map for RG206667