

## Product datasheet for **RG206745**

### Plzf (ZBTB16) (NM\_006006) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Plzf (ZBTB16) (NM_006006) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Plzf
Synonyms:	PLZF; ZNF145
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RG206745 representing NM\_006006  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGATCTGACAAAAATGGGCATGATCCAGCTGCAGAACCTAGCCACCCACGGGGCTACTGTGCAAGG  
CCAACCAGATGCGGCTGGCCGGGACTTTGTGCGATGTGGTCATCATGGTGACAGCCAGGAGTTCCACGC  
CCACCGGACGGTCTGGCCTGCACCAGCAAGATGTTTGAGATCCTCTCCACCGCAATAGTCAACTAT  
ACTTTGGACTTCTCTCGCCAAAGACCTTCAGCAGATTCTGGAGTATGCATATACAGCCACGCTGCAAG  
CCAAGGCGGAGGACCTGGATGACCTGCTGTATGCGGCCGAGATCCTGGAGATCGAGTACCTGGAGGAACA  
GTGCTGAAGATGCTGGAGACCTCCAGGCCTCAGACGACAATGACACGGAGGCCACCATGGCCGATGGC  
GGGGCCGAGGAAGAAGAGGACCGCAAGGCTCGGTACCTCAAGAACATCTCATCTCGAAGCATTCCAGCG  
AGGAGAGTGGGTATGCCAGTGTGGCTGGACAGAGCCTCCCTGGGCCATGGTGGACCAGAGCCCTTCAGT  
CTCCACTTCATTTGGTCTTTCAGCCATGAGTCCCACCAAGGCTGCAGTGGACAGTTTGATGACCATAGGA  
CAGTCTCTCCTGCAGGGAACCTTCAGCCACCTGCAGGGCCCGAGGAGCCAACTCTGGCTGGGGGTGGGC  
GGCACCTGGGGTGGCTGAGGTGAAGACGGAGATGATGCAGGTGGATGAGGTGCCAGCCAGGACAGCCC  
TGGGGCAGCCGAGTCCAGCATCTCAGGAGGGATGGGGACAAGTTGAGGAAAGAGGCAAAGAGGGGGCT  
GGGACCCCGACTCGAAGCAGCGTCATCACCAGTGTAGGGAGCTACACTATGGGCGAGAGGAGAGTGCCG  
AGCAGGTGCCACCCCGACTGAGGCTGGCCAGGCCCCCACTGGCCGACCTGAGCACCCAGCACCCCGCC  
TGAGAAGCATCTGGGCATCTACTCCGTGTTGCCAACCACAAGGCTGACGCTGTATTGAGCATGCCGTCT  
TCCGTGACCTCTGGCCTCCAGTGCAGCCTGCCCTGGCTGTCTCCATGGACTTCAGCACCTATGGGGGGC  
TGCTGCCCGAGGCTTCATCCAGAGGGAGCTGTTGAGCAAGCTGGGGGAGCTGGCTGTGGGCATGAAGTC  
AGAGAGCCGGACCATCGGAGAGCAGTGCAGCGTGTGTGGGTGAGCTTCTGATAACGAGGCTGTGGAG  
CAGCACAGGAAGCTGCACAGTGGGATGAAGACGTACGGGTGCGAGCTCTGCGGGAAGCGGTTCTGGATA  
GTTTGGGCTGAGAAATGCACTTACTGGCTCATTACGCGGGTGCCAAAGCCTTTGTCTGTGATCAGTGCGG  
TGCACAGTTTTGGAAGGAGGATGCCCTGGAGACACACAGGCAGACCCATACTGGCACTGACATGGCCGTC  
TTCTGTCTGTGTGGGAAGCGCTTCCAGGCGCAGAGCGCACTGCAGCAGCACATGGAGGTCCACGCGG  
GCGTGCGCAGCTACATCTGCAGTGAAGTCAACCGCACCTCCCCAGCCACACGGCTCTCAAACGCCACCT  
GCGCTCACATACAGGCGACCACCCTACGAGTGTGAGTTCTGTGGCAGCTGCTTCCGGGATGAGAGCACA  
CTCAAGAGCCACAACGCATCCACACGGGTGAGAAACCCTACGAGTGCAATGGCTGTGGCAAGAAGTTCA  
GCCTCAAGCATCAGCTGGAGACGCACTATAGGGTGACACAGGTGAGAAGCCCTTTGAGTGAAGCTCTG  
CCACCAGCGCTCCCGGACTACTCGGCCATGATCAAGCACCTGAGAACGCACAACGGCGCCTCGCCCTAC  
CAGTGCACCATCTGCACAGAGTACTGCCCCAGCCTCTCCTCCATGCAGAAGCACATGAAGGGCCACAAGC  
CCGAGGAGATCCCGCCGACTGGAGGATAGAGAAGACGTACCTCTACCTGTGCTATGTG

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG206745 representing NM\_006006  
 Red=Cloning site Green=Tags(s)



MDLTKMGMIQLNPSHTGLLCKANQMRLAGTLCDDVIMVDSQEFHAHRTVLACTSKMFEILFHRNSQHY  
 TLDFLSPKTFQQILEYAYATLQAKAEDLDDL YAAEILEIEYLEEQCLKMLETIQASDDNDTEATMADG  
 GAEEEEDRKARYLKNIFI SKHSSEESGYASVAGQSLPGPMVDQSPSVSTSFGLSAMSPTKAAVDSLMTIG  
 QSLLQGTLPAGPEEPTLAGGGRHPGVAEVKTEMMQVDEVP SQDSPGAAESSISGGMGDKVEERGKEGP  
 GTPTRSSVITSARELHYGREESAEQVPPAEAGQAPTGRPEHPAPPPEKHLGIYSVLPNHKADAVLSMPS  
 SVTSGLHVQPALAVSMDYSTYGGLLPQGF IQRELFSKLGELAVGMKSESRTIGEQCSVCVELPDNEAVE  
 QHRKLHSGMKTYGCELCGKRF LDSLRLRMHLLAHSAGAKAFVCDQCGAQFSKEDALETHRQTHGTDMAV  
 FCLLCGKRFQAQSALQQHMEVHAGVRSYICSECNRTFPSHTALKRHLRSHTGDHPYECFCGSCFRDEST  
 LKSHKRIHTGEKPYECNGCGKFS LKHQLETHYRVHTGEKPFECKLCHQSRDYSAMIKHLRTHNGASPY  
 QCTICTEYCPSSLSSMQKHMKGHKPEEIPPDWRIEKTYLYLCYV

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




ACCN: NM\_006006

ORF Size: 2019 bp

<b>OTI Disclaimer:</b>	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_006006.6</a>
<b>RefSeq Size:</b>	2417 bp
<b>RefSeq ORF:</b>	2022 bp
<b>Locus ID:</b>	7704
<b>UniProt ID:</b>	<a href="#">Q05516</a>
<b>Cytogenetics:</b>	11q23.2
<b>Domains:</b>	BTB, zf-C2H2
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Protein Pathways:</b>	Acute myeloid leukemia, Pathways in cancer
<b>Gene Summary:</b>	This gene is a member of the Krueppel C2H2-type zinc-finger protein family and encodes a zinc finger transcription factor that contains nine Kruppel-type zinc finger domains at the carboxyl terminus. This protein is located in the nucleus, is involved in cell cycle progression, and interacts with a histone deacetylase. Specific instances of aberrant gene rearrangement at this locus have been associated with acute promyelocytic leukemia (APL). Alternate transcriptional splice variants have been characterized. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG206745