

Product datasheet for **RG206890**

SRRM1 (NM_005839) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SRRM1 (NM_005839) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SRRM1
Synonyms:	160-KD; POP101; SRM160
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG206890 representing NM_005839
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACGCGGGATTTTTCCGCGGAACAAGTGCAGAACAGGATAATCGGTTAGCAACAAACAGAAGAAAC
 TACTGAAGCAGCTGAAATTTGCAGAATGCCTAGAAAAAAGGTGGACATGAGCAAAGTAAATTTGGAGGT
 TATAAAGCCTTGATAACAAAAAGAGTAACGGAAATCCTTGGGTTTGAAGATGATGTTGTGATTGAGTTT
 ATATTCACCAGCTGGAAGTGAAGAATCCAGACTCCAAAATGATGCAAATCAACCTGACTGGATTTTTGA
 ATGAAAAAATGCTCGAGAATTTATGGGAGAACTGTGGCCCTGCTGCTAAGTGCACAAGAAAACATCGC
 GGGAAATCCCTTCTGCTTCTAGAACTGAAGAAAGAAGAAATAAAACAAAGACAGATTGAACAAGAAAA
 CTGGCATCTATGAAAAAGCAAGATGAAGACAAAGATAAAAGAGATAAGGAAGAAAAAGAAAGCAGCAGAG
 AAAAAAGGGAGCGGTCTCATAGCCCAAGAAGACGCAAATCCAGATCTCCTTCCCCTAGAAGACGATCTTC
 CCCTGTCAGGAGAGAGAAAAGCGCAGTCATTCTCGATCTCCCCGTACAGAACCAAGAGCCGGAGTCTCT
 TCCCCTGCTCCAGAAAAGAGAAAAAACTCCAGAGCTCCAGAACCTTCAGTGAAGTAAAGAAACCTT
 CAGTACAAGAGGCTACTTCTACTAGTGACATTCTGAAAGTTCCCAAACCTGAACCTATACAGAGCCTAA
 AGAACCTTCTCCGAAAAAATTCAAAAAAGAAAAGGAGAAGGAGAAGACCCCAACCACGATCTCGGTCA
 CGCTCAAATCAAGATCCCGGACGCGGTCCCGCTCCTTCTCACACTCGACCTAGACGGCGCCATAGAT
 CCCGATCAAGATCGTATTCACCTAGAAGGCGGCCAAGCCCAAGAAGGCGGCCATCTCCTCGAAGAAGAAC
 TCCGCCAAGAAGAATGCCTCCTCCCAAGGCATAGAAGGAGTAGATCTCCAGTAAGACGAAGAAGACGT
 TCGTCAGCATCCTTGTCTGGGAGTAGCTCATCCTCTTCATCTCGTTCACGGTACCACCAAAGAAGC
 TCCCAAGAGACATCCAGCCCCCTCGAAAACTCGTAGTTATCTCCTTCAGCAAGTCCCTCCAAGGCG
 AAGGCACAGGCCATCACCTCCTGCAACTCCACCACCAAAACTCGGCATTCCCCTACACCCAGCAGTCA
 AACCGTACAAGAAAAAGTCGTGTTTCTGTGTCTCCAGGGAGAACTTCAGTAAAGTGACAAAACATAAAG
 GTACTGAGAAAAGAGAATCCCCTTACCAGCACCGAAGCCTAGAAAAGTAGAGTTATCTGAATCGGAAGA
 AGATAAAGGTGGCAAAATGGCTGCAGCAGATTCTGTGCAGCAGAGACGCAATACAGACGACAAAACCG
 CAGTCTTCATCTGACTCTGGCTCCTCCTCCTCCTCAGAAGATGAACGACCAAGAGATCCCATGTGAAGA
 ATGGTGAGGTTGGCAGGCGGGAGACATTCCTTCCCAGGAGTCTTCCATCACCACGAAAGCGCCA
 AAAAGAGACTTCCCCTCGTGGTAGACGGAGGAGAAGTCCATCCCCACCACCCACGAGGAGGACTCCTTCTC
 CCTTCTCCGCCCCCTCCTCCTGACGGCGCAGGACTCCCACACCACCCACGACGAAGGACTCCTTCTC
 CTCCTCCACGTCGCGCTCACCTTCTCCTAGAAGATACTCCTCCAATACAGAGGAGATACTCCTCTC
 TCCACCTCCAAGAGAAGAACGGCTTACCTCCTCCCCCTCCTAAACGAAGAGCATCACCATCTCCACCA
 CCAAAGCGGGGGTCTCCATTCTCCACCTCCCAAAACAAGAGCTCCCCAGTCACCAAGAGACGTTTAC
 TTTCATTATCATCCAAGCATAGGAAAGGCTTCCCAAGCCGCTTACCCGGGAGGCCGATCACCACA
 ACCAAACAACGGCATTCCGCTCACCACGGCTCGAGCTCCTCAGACCTCCTCAAGTCTCCACCCGTT
 CGAAGAGGAGCGTCGTATCACCCCAAGAAGGAGTCCCGTCTCCAAGTACTAGGCCATTAGGAGAG
 TCTCCAGGACTCCGGAACCTAAAAAGATAAAAAAGGCTGTTCCCAAGCCACAGTCTGTAAGAAGGTT
 CTCATCCTCCGATCTGTCTCCGGTCTCCTGAGCCAGCAGCTAAAAAGCCCCAGCACCTCCATCCCCC
 GTCCAGTCTCAGTACCCTCTACAAACTGGTACCAGCTGTACCGGTCAAAAAGGCCAAAAGCCCAACAC
 CGAGCCATCACCGCAAGAAATTCAGATCAGGAAGGAGTGGAAAGAAAAAGAAAGAAAGAAAGGACAA
 GAAACACAAAAGGATAAGAAGCACAAGAAGCACAACAAAACACAAGAAGGAAAAGGCTGTGGCTGCAGCT
 GCTGCAGCTGCTGTGACCCCTGCAGCCATTGCAGCTGCCACAACCACATTAGCACAGGAAGGCCAGTGG
 CAGCGCCAGGCCGAAGAAGGAGACTGAAAGTGAAGCTGAAGATAACCTTGATGATTTAGAAAAGCACCT
 CGGTGAAAAGGCCCTGAGATCAATGAGGAAGGCCCAAGTGTCCCCACGTCT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – **GTTTAA**

Protein Sequence: >RG206890 representing NM_005839
 Red=Cloning site Green=Tags(s)


MDAGFFRGTSAEQDNRFSNKQKLLKQLKFAECLEKKVDMKVNLEVIKPWITKRVTEILGFEDDVVIEF
 IFNQLVKNPDSKMMQINLTGFLNGKNAREFMGELWPLLLSAQENIAGIPSAFLELKKKEIKQRQIEQEK
 LASMKKQDEDKDKRDKEEKESSREKRERSHSPRRRKSRSPPRRSSPVRREKRSHRSRPHRTKSRSP
 SPAPEKKEKTPPEPSVKVKEPSVQEATSTSDILKVPKPEPIPEPKEPSPEKNSKKEKEKEKTQPRSR
 RSKSRSTRSRSPSHTRPRRRHRSRSRSPRRRPSRRRPSRRRTPPRRMPPPRHRRSRSPVRRRRR
 SSASLSGSSSSSSSRSPPKPPKRTSSPPKTRRLSPSASPPRRRHRPSPATPPPKTRHSPTPQQS
 NRTRKSRVSVSPGRTSGKVTKHKGTEKRESPPAPKPRKVELSESEEDKGGKMAAADSVQQRRQYRRQNQ
 QSSSDSGSSSEDERPKRSHVKNGEVGRRRRHSPRSASPSPRKRQKETSPRGRRRSPSPPTRRRRS
 PSPAPPPRRRTPTPPPRRTPSPPPRRRSPSPRRYSPIQRRYSPPPKRRTASPPPPKRRASPSPP
 PKRRVSHSPPPKQRSSPVTKRRSPSLSSKHRKGSPPSRSTREARSPQPNKRHSPSPRPRAPQTSSSPPV
 RRGASSPQRQSPSPSTRPIRRVSRTPPEKKIKKAASPSQSVRRVSSSRVSGSPEPAACKPPAPPSP
 VQSQSPSTNWSAPVPVKKAKSPTSPSPPRNSDQEGGGKKKKKKKDKKKKKDKKKKKHKKHKKKAVAAA
 AAAAVTPAAIAAATTTLAQEEPVAPEPKKETESEADNLDDLEKHLREKALRSMRKAQVSPQS

TRTRPLE - GFP Tag - V

Restriction Sites:


SgfI-MluI

Cloning Scheme:



ACCN:	NM_005839
ORF Size:	2712 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005839.3 , NP_005830.2
RefSeq Size:	3952 bp
RefSeq ORF:	2715 bp
Locus ID:	10250
UniProt ID:	Q8IYB3
Cytogenetics:	1p36.11
Domains:	PWI
Gene Summary:	Part of pre- and post-splicing multiprotein mRNP complexes. Involved in numerous pre-mRNA processing events. Promotes constitutive and exonic splicing enhancer (ESE)-dependent splicing activation by bridging together sequence-specific (SR family proteins, SFRS4, SFRS5 and TRA2B/SFRS10) and basal snRNP (SNRP70 and SNRPA1) factors of the spliceosome. Stimulates mRNA 3'-end cleavage independently of the formation of an exon junction complex. Binds both pre-mRNA and spliced mRNA 20-25 nt upstream of exon-exon junctions. Binds RNA and DNA with low sequence specificity and has similar preference for either double- or single-stranded nucleic acid substrates.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG206890