

## **Product datasheet for RG207261**

## BID (NM\_001196) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** BID (NM\_001196) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: BID

Synonyms: FP497

Mammalian Cell Neomycin

Selection:

Vector:

pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG207261 representing NM\_001196

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCTTAGCCAGAAATGGGATGGAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Sequence:** >RG207261 representing NM\_001196

Red=Cloning site Green=Tags(s)


MCSGAGVMMARWAARGRAGWRSTVRILSPLGHCEPGVSRSCRAAQAMDCEVNNGSSLRDECITNLLVFGF LQSCSDNSFRRELDALGHELPVLAPQWEGYDELQTDGNRSSHSRLGRIEADSESQEDIIRNIARHLAQVG DSMDRSIPPGLVNGLALQLRNTSRSEEDRNRDLATALEQLLQAYPRDMEKEKTMLVLALLLAKKVASQTP SLLRDVFHTTVNFINQNLRTYVRSLARNGMD


TRTRPLE - GFP Tag - V

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





ACCN: NM 001196

**ORF Size:** 723 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001196.2</u>, <u>NP 001187.1</u>

RefSeq Size: 2214 bp
RefSeq ORF: 588 bp
Locus ID: 637
UniProt ID: P55957

Cytogenetics: 22q11.21

**Protein Families:** Druggable Genome

**Protein Pathways:** Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Natural killer cell

mediated cytotoxicity, p53 signaling pathway, Pathways in cancer, Viral myocarditis

**Gene Summary:** This gene encodes a death agonist that heterodimerizes with either agonist BAX or antagonist


BCL2, and thus regulate apoptosis. The encoded protein is a member of the BCL-2 family of cell death regulators. It is a mediator of mitochondrial damage induced by caspase-8 (CASP8);

CASP8 cleaves this encoded protein, and the COOH-terminal part translocates to

mitochondria where it triggers cytochrome c release. Multiple alternatively spliced transcript

variants have been found. [provided by RefSeq, Aug 2020]

## **Product images:**



Circular map for RG207261