

Product datasheet for **RG207271**

SFRS5 (SRSF5) (NM_001039465) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SFRS5 (SRSF5) (NM_001039465) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SFRS5
Synonyms:	HRS; SFRS5; SRP40
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG207271 representing NM_001039465 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTGAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAGTGGCTGTCGGGTATTCATCGGGAGACTAAATCCAGCGGCCAGGGAGAAGGACGTGGAAAGATTCT
 TCAAGGGATATGGACGGATAAGAGATATTGATCTGAAAAGAGGCTTTGGTTTGTGGAATTTGAGGATCC
 AAGGGATGCAGATGATGCTGTGTATGAGCTTGATGAAAAGAAGTCTGTAGTGAAAGGGTTACTATTGAA
 CATGCTAGGGCTCGGTCACGAGGTGGAAGAGGTAGAGGACGATACTCTGACCGTTTTAGTAGTCGCAGAC
 CTGAAATGATAGACGAAATGCTCCACCTGTAAGAACAGAAAATCGTCTTATAGTTGAGAATTTATCCTC
 AAGAGTCAGCTGGCAGGATCTCAAAGATTTTCATGAGACAAGCTGGGGAAGTAACGTTTGGCGATGCACAC
 CGACCTAAATTAATGAAGGGTGGTTGAGTTGCCTCTTATGGTGACTTAAAGAATGCTATTGAAAAAC
 TTTCTGAAAAGGAAATAATGGGAGAAAAATAAATTAATTGAAGGCAGCAAAAGGCACAGTAGGTCAAG
 AAGCAGGTCTCGATCCCGGACCAGAAGTTCCTTAGGTCTCGTAGCCGATCCCGTTCCCGTAGTCGCAAA
 TCTTACAGCCGGTCAAGAAGCAGGAGCAGGAGCCGGAGCCGAGCAAGTCCCGTTCTGTTAGTAGGTCTC
 CCGTGCCTGAGAAGAGCCAGAAACGTGGTTCTTCAAGTAGATCTAAGTCTCCAGCATCTGTGGATCGCCA
 GAGGTCCCGTCCCGATCAAGGTCCAGATCAGTTGACAGTGGCAAT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


[View online »](#)


Protein Sequence: >RG207271 representing NM_001039465
Red=Cloning site Green=Tags(s)

MSGCRVFIGRLNPAAREKDVERFFKGYGRIRDIDLKRGFGFVEFEDPRDADDAVYELDGKELCSERVITIE
HARARSRGGGRGRYSDRFSSRRPRNDRRNAPPVRTENRLIVENLSSRVSWQDLKDFMRQAGEVTFADAH
RPKLNEGVEFASYGDLKNAIEKLSGKEINGRKIKLIEGSKRHSRSRSRSRSTRSSRSRSRSRSRSRK
SYSRSRSRSRSRSRSRSVSRSPVPEKSQKRGSSRSRKSPASVDRQRSRSRSRSRSVDSGN

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001039465

ORF Size: 816 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001039465.2
RefSeq Size:	1651 bp
RefSeq ORF:	819 bp
Locus ID:	6430
UniProt ID:	Q13243
Cytogenetics:	14q24.1
Protein Pathways:	Spliceosome
Gene Summary:	The protein encoded by this gene is a member of the serine/arginine (SR)-rich family of pre-mRNA splicing factors, which constitute part of the spliceosome. Each of these factors contains an RNA recognition motif (RRM) for binding RNA and an RS domain for binding other proteins. The RS domain is rich in serine and arginine residues and facilitates interaction between different SR splicing factors. In addition to being critical for mRNA splicing, the SR proteins have also been shown to be involved in mRNA export from the nucleus and in translation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2016]

Product images:



Circular map for RG207271