

## Product datasheet for **RG207288**

### JAZF1 (NM\_175061) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	JAZF1 (NM_175061) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	JAZF1
Synonyms:	TIP27; ZNF802
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG207288 representing NM_175061 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGACAGGCATCGCCGCCCTCTTCTTCTCCAATACCTGCCGATTCGGGGCTGCGGACTCCACTTCC  
CCACCCTGGCCGACCTCATCGAGCACATCGAGGACAACCACATCGATACAGATCCACGGTTTTAGAAAA  
ACAAGAATTACAGCAGCCAACCTATGTTGCCCTGAGTTACATAAATAGATTCATGACAGATGCTGCCCGC  
CGAGAGCAGGAGTCCCTAAAGAAGAAGATTCAGCCGAAGCTCTCGCTGACTCTGTCCAGCTCAGTGTCTC  
GAGGGAATGTGTCCACTCCCCACGCCACAGCAGTGAAGCCTTACTCCCCCGTGACCCACCCATCAC  
CCCTCCTCTTATTCCGCAGCAGCACTCCGACAGGCAGCGAGTATGGCGAGGAGGAGGTGGACTATGAG  
GAGTCGGACAGCGATGAGTCCTGGACCACAGAGAGTGCCATCAGCTCCGAAGCCATCCTCAGCTCCATGT  
GCATGAATGGAGGGGAAGAGAAGCCTTTTGCCTGCCAGTTTCTGGATGTAAAAAGAGATACAAGAATGT  
GAATGGCATAAAGTATCACGCTAAGAAATGGTCACAGAACAGATTTCGTGTCCGCAAACCATTCAAGTGT  
CGCTGTGGGAAGAGTTACAAGACAGCTCAGGGCCTGCGGCACCACACAATCAATTTCCATCCCCGGTGT  
CGGCTGAGATTATCAGGAAGATGCAGCAA

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG207288 representing NM\_175061  
Red=Cloning site Green=Tags(s)

MTGIAAASFFSNTCRFGGGLHFPTLADLIEHIEDNHIDTDPVLEKQELQQPTYVALSYINRFMTDAAR  
 REQESLKKKIQPKLSLTLSSSVSRGNVSTPPRHSSGSLTPPVTPPITPSSSFRSSTPTGSEYGEEDVDYE  
 ESDSDSWTTESAISSAILSSMCMNGGEEKPFACVPVGCKKRYKNVNGIKYHAKNGHRTQIRVRKPFKC  
 RCGKSYKTAQGLRHHTINFHPPVSAEIIIRKMQQ

TRTRPLE - GFP Tag - V


**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**



**ACCN:** NM\_175061

**ORF Size:** 729 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_175061.2](#), [NP\\_778231.1](#)

**RefSeq Size:** 3210 bp

**RefSeq ORF:** 732 bp

**Locus ID:** 221895

**UniProt ID:** [Q86VZ6](#)

**Cytogenetics:** 7p15.2-p15.1

**Protein Families:** Druggable Genome, Transcription Factors

**Gene Summary:** This gene encodes a nuclear protein with three C2H2-type zinc fingers, and functions as a transcriptional repressor. Chromosomal aberrations involving this gene are associated with endometrial stromal tumors. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized [provided by RefSeq, Jul 2008]