

Product datasheet for RG207376

Cklfsf8 (CMTM8) (NM_178868) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids Product Name: Cklfsf8 (CMTM8) (NM_178868) Human Tagged ORF Clone Tag: TurboGFP Cklfsf8 Symbol: Synonyms: CKLFSF8; CKLFSF8-V2 Mammalian Cell Neomycin Selection: Vector: pCMV6-AC-GFP (PS100010) E. coli Selection: Ampicillin (100 ug/mL) **ORF** Nucleotide >RG207376 representing NM_178868 Red=Cloning site Blue=ORF Green=Tags(s) Sequence: TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC ATGGAGGAGCCGCAGCGCCCGCTCGCACACAGTCACCACCACCGCCAGCTCCTTCGCAGAGAACTTCT CCACCAGCAGCAGCAGCTTCGCCTACGACCGGGAGTTCCTCCGCACCCTGCACGGCTTCCTCATCGTGGC CGAGATCGTTCTGGGGCTGCTGGTATGGACGCTTATTGCTGGAACTGAGTACTTCCGGGTCCCAGCATTT GGCTGGGTCATGTTTGTAGCTGTATCTTACTGGGTCCTCACCGTCTTCTTCCTCATTATCTACATAACAA TGACCTACACCAGGATTCCCCAGGTGCCCTGGACAACAGTGGGCCTGTGCTTTAACGGCAGTGCCTTCGT CTTGTACCTCTCTGCCGCTGTTGTAGATGCATCTTCCGTCTCCCCTGAGAGGGACAGTCACAACTTCAAC AGCTGGGCGGCCTCATCGTTCTTTGCCTTCCTGGTCACCATCTGCTACGCTGGAAATACATATTTCAGTT TTATAGCATGGAGATCCAGGACCATACAG ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA >RG207376 representing NM_178868 **Protein Sequence:** Red=Cloning site Green=Tags(s) MEEPQRARSHTVTTTASSFAENFSTSSSSFAYDREFLRTLHGFLIVAEIVLGLLVWTLIAGTEYFRVPAF GWVMFVAVSYWVLTVFFLIIYITMTYTRIPQVPWTTVGLCFNGSAFVLYLSAAVVDASSVSPERDSHNFN SWAASSFFAFLVTICYAGNTYFSFIAWRSRTIQ TRTRPLE - GFP Tag - V **Restriction Sites:** Sgfl-Mlul




View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cloning Scheme:




ACCN:	NM_178868
ORF Size:	519 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 178868.3</u> , <u>NP 849199.2</u>
RefSeq Size:	1185 bp
RefSeq ORF:	522 bp
Locus ID:	152189

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Cklfsf8 (CMTM8) (NM_178868) Human Tagged ORF Clone – RG207376
UniProt ID:	<u>Q8IZV2</u>
Cytogenetics:	3p22.3
Protein Families:	Transmembrane
Gene Summary:	This gene belongs to the chemokine-like factor gene superfamily, a novel family that is similar to the chemokine and the transmembrane 4 superfamilies. This gene is one of several chemokine-like factor genes located in a cluster on chromosome 3. This gene acts as a tumor suppressor, and plays a role in regulating the migration of tumor cells. The encoded protein is thought to function as a a negative regulator of epidermal growth factor-induced signaling. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Feb 2016]

Product images:



Circular map for RG207376

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US