

Product datasheet for **RG207614**

Vesicle docking protein p115 (USO1) (NM_003715) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Vesicle docking protein p115 (USO1) (NM_003715) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Vesicle docking protein p115
Synonyms:	P115; TAP; VDP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG207614 representing NM_003715
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGAATTTCTCCGCGGGTAATGGGGGTGAGAGTCCCGACCCAGCACACAGAAGCCGAGACGATTC
 AAAAGCTTTGTGACAGAGTAGCTTCATCTACTTTATTGGATGATCGAAGAAATGCTGTTCTGCTCTCAA
 ATCATTATCTAAGAAATACCGCTTGGAAGTGGGTATACAAGCTATGGAACATCTTATTCATGTTTTACAA
 ACAGATCGTTCAGATTCTGAAATAATAGGTTATGCTTTGGACACACTATATAATATAATATCTAATGAAG
 AAGAAGAAGTAGAAGAAATTCACAAGACAGAGTGAAGATTTGGGAAGCCAATTTACAGAAATTTTCAT
 TAAGCAGCAGGAAATGTCACTCTTCTGTTATCTTTATTGGAGGAGTTTGATTTCCATGTCCGCTGGCCT
 GGTGTGAAGCTTCTACTTCTCTTTAAAACAAGTGGCCTCAGGTGCAACAAATATTTTATGTCAGTC
 CTATGGGTGTTTCAAGATTGATGGACTTACTAGCGGATTCAGGGAAGTTATACGTAATGATGGCGTCTT
 ACTACTGCAGGCACTAACAAGAAGCAATGGTGAATCCAGAAATTTGTTGCTTTTAAAAATGCTTTTCGAG
 AGACTACTGGACATTATTCAGAGGAGGGGAACAGTGATGGAGGTATAGTAGTTGAAGATTGTTTGATTT
 TGCTCCAAAACCTTATTAATAAACAACTCCAATCAAAATTTTTTAAAGAAGGCTCATATATTCAACG
 TATGAAACCTTGGTTTGAAGTTGGAGATGAAAATCTGGCTGGTCTGCACAGAAAGTGACCAATCTACAT
 CTAATGCTACAGCTTGTTCGTGATTGGTATCTCCACCAACCCTCCTGGTGCTACCAAGTACGCTGCCAGA
 AGGCTATGTTCCAGTGTGGGTATTGCAGCAGCTTTGACTATCCTAATGGCTACTGGGGTTCTGCTGA
 TATCCTGACTGAGACCATAAATACTGTATCAGAAGTTATTCGAGGCTGCCAAGTAAACCAAGACTACTTT
 GCATCTGTAATGCACCTTCAAACCCACCAAGACCGGCAATTGTAGTACTTCTCATGTCCATGGTTAATG
 AAAGGCAGCCATTTGTTTTGCGCTGTGCTGTTCTCTATTGTTTCCAGTGTTTCTGTATAAAACCAAAA
 AGGACAAGGAGAAATCGTGTCAACACTTTTACCTTCTACCATTTGATGCAACAGGTAATTCAGTTTCAGCT
 GGCCAGTTATTATGTGGAGGTTTGTCTTACTGATTCACTTTCAAAGTGGTGTGCTGTGGCCCTTG
 CCCATGCGTTGCAAGAAATGCCACCCAGAAAGACAGTTGCTCAGGTTCAACTTGCTACAAGTATTGG
 CAACCTCCAGTTTCTTACTTCAACAGTGCACCAATATCTTTACAGGGAAGCAAAATACAAACAAGA
 GTTGGATTATTAATGTTGCTTTGTACCTGGCTAAGCAATTGTCCATTGCAGTAACGCATTTTCTCACA
 ATTCAGCAATGTTCCATTCCTTACAGGACAAATGCAGAAATCTTGGAAGAAGAGCAGTTGGTCCA
 AGGCTTATGTGCCCTTTGTTGGCATTTCGATTTATTTCAATGATAACTCACTTGAGAGCTACATGAAA
 GAGAAGCTAAAACAAGTATTGAGAAGAGGATTGGCAAGAGAATTTATAGAGAACTAGGATTTATTA
 GCAACATGAGTTGTATTCCAGAGCATCTCAGAAACCCAGCCAACTTTCCAGTCCAGAAATACATGAT
 ATTTGATCATGAGTTTACGAAGCTGGTAAAAGAACTTGAAGGTGTTATAACTAAGGCTATTTATAAGTCC
 AGTGAAGAAGATAAAAAAGAAGAAGAGGTGAAAAAACATTAGAACAGCATGACAATATTGTGACTCACT
 ACAAAAATATGATTCGAGAGCAAGATCTCCAACCTGAGGAATTAAGGCAGCAGGTTTCTACATTAATG
 TCAAAATGAACAGCTCCAGACGGCAGTCACACAGCAAGTATCACAGATCCAGCAGCACAAAGACCAGTAT
 AATCTTCTTAAATACAGCTAGGAAAAGACAATCAGCATCAAGGTTCTTACAGTGAGGGGGCTCAGATGA
 ATGGCATTTCAGCCAGAAGAAATGGTAGATTGCGAGAAGAGATAGAAGAATTAACGTAATCAGGAAC
 TTTACAAAGCCAGCTGACTGAAAAGGACTCTATGATTGAAAATATGAAATCTTCCAAACATCTGGCACA
 AATGAACAGTCTTCAGCAATAGTTTCAGCTAGAGATTCTGAACAAGTTGCAGAATTAACAGGAAGTGG
 CAACTTTAAAGTCTCAGTTAAACTCACAATCTGTGGAGATCACCAAACTACAGACAGAAAAGCAGGAAC
 GTTACAGAAAACAGAAGCGTTTGCAAAATCAGTTGAGGTACAAGGAGAGACCGAGACTATAATAGCCACC
 AAACTACTGATGTAGAAGGAAGACTGTCAGCATTATTACAAGAGACCAAGAGTTAAAGAATGAAATTA
 AAGCTCTGTCTGAGGAAAGAACTGCCATTAAAGAGCAGCTGGATTCATCTAATAGTACCATTGCCATTTT
 ACAAAGTGAAGAGACAACTAGAGTTGGAAATACAGATTCTAAAAAGAACAAGATGATCTCTTGGTG
 CTCTTGGCCGATCAAGATCAGAAAATACTGTCATTGAAGAATAAACTCAAGGATCTTGGTCATCCAGTTG
 AAGAAGAGGATGAACCTGAATCTGGAGACCAAGAGGATGAGGATGATGAAAGTGAAGATCCTGGCAAGGA
 TCTAGATCATATC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG207614 representing NM_003715
 Red=Cloning site Green=Tags(s)


MNFLRGVMGGQSAGPQHTEAETIQKLCDRVASSTLLDDRRNAVRALKSLSKKYRLEVGIQAMEHLIHVLQ
 TDRSDSEIIGYALDTLYNIISNEEEVEENSTRQSEDLSQFTEIFIKQQENVTLTLLSLEEFDFHVRWP
 GVKLLTSLKQLGPQVQIILVSPMGVSRLMDLLADSREVIRNDGVLLQLALTRNGAIQKIVAFENAFE
 RLLDIISEEGNSDGGIVVEDCLILLQNLKNNNSNQNFKEGSYIQRMPWFVEVDENSGWSAQKVTNLH
 LMLQLVRVLVSPTNPPGATSSCQKAMFQCGLLQQLCTILMATGVPADILTETINTVSEVIRGCQVNDYF
 ASVNAPSNPPRAIIVLLMSMVNERQPFVLRCAVLYCFQCFLYKNQKGQGEIVSTLLPSTIDATGNSVSA
 GQLLCGGLFSTDLSNWCAVALAHALQENATQKEQLLRVQLATSIGNPPVSLQCTNLSQGSKIQTR
 VGLMLLCTWLSNCPIAVTHFLHNSANVPFLTGOIAENLGEEQLVQGLCALLLGISYFNDNSLESYMK
 EKLKQLIEKRIGKENFIEKLGFIKHELYSRASQKPQPNFPSPEYIMFDHEFTKLKVELEGVITKAIYKS
 SEEDKKEEEVKKTLEQHDNIVTHYKNMIREQDLQLEELRQQVSTLKCQNEQLQTAVTQQVSQIQQHKDQY
 NLLKIQLGKDNQHQGSYSEGAQMNGIQPEEIGRLREEIEELKRNQELLQSQLTEKDSMIENMKSSQTSQT
 NEQSSAIVSARDSEQVAELKQELATLKSQLSQSVEITKLQTEKQELLQKTEAFKSVVEVQGETETIIAT
 KTTDVEGRLSALLQETKELKNEIKALSEERTAIKEQLDSSNSTIAILQTEKDKLELEITDSKKEQDILLV
 LLADQDQKILSLKNKLDLGHVPVEEEDLESGDQEDDEDESDPGKDL DHI

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_003715

ORF Size: 2886 bp

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003715.2 , NP_003706.1
RefSeq Size:	3998 bp
RefSeq ORF:	2889 bp
Locus ID:	8615
UniProt ID:	O60763
Cytogenetics:	4q21.1
Domains:	Uso1_p115_head, Uso1_p115_C
Gene Summary:	The protein encoded by this gene is a peripheral membrane protein which recycles between the cytosol and the Golgi apparatus during interphase. It is regulated by phosphorylation: dephosphorylated protein associates with the Golgi membrane and dissociates from the membrane upon phosphorylation. Ras-associated protein 1 recruits this protein to coat protein complex II (COPII) vesicles during budding from the endoplasmic reticulum, where it interacts with a set of COPII vesicle-associated SNAREs to form a cis-SNARE complex that promotes targeting to the Golgi apparatus. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2014]

Product images:



Circular map for RG207614