

## Product datasheet for **RG207626**

### SERCA2 (ATP2A2) (NM\_170665) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	SERCA2 (ATP2A2) (NM_170665) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SERCA2
Synonyms:	ATP2B; DAR; DD; SERCA2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG207626 representing NM_170665 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGAACGCGCACACCAAGACGGTGGAGGAGGTGCTGGGCCACTTCGGCGTCAACGAGAGTACGGGGC  
TGAGCCTGGAACAGGTCAAGAAGCTTAAGGAGAGATGGGGCTCCAACGAGTTACCGGCTGAAGAAGGAAA  
AACCTTGCTGGAACCTTGATTGAGCAGTTTGAAGACTTGCTAGTTAGGATTTTATTACTGGCAGCATGT  
ATATCTTTTGTGGCTTGGTTGAAGAAGGTGAAGAAACAATTACAGCCTTTGTAGAACCTTTGTAA  
TTTTACTCATATTAGTAGCCAATGCAATTGTGGGTGTATGGCAGGAAAGAAATGCTGAAAATGCCATCGA  
AGCCCTTAAGGAATATGAGCCTGAAATGGGCAAAGTGTATCGACAGGACAGAAAGAGTGTGCAGCGGATT  
AAAGCTAAAGACATAGTTCCTGGTGATATTGTAGAAAATTGCTGTTGGTGACAAAGTTCCTGCTGATATA  
GGTTAACTTCCATCAAATCTACCACACTAAGAGTTGACCAGTCAATTCTCACAGGTGAATCTGTCTCTGT  
CATCAAGCACACTGATCCCGTCCCTGACCCACGAGCTGTCAACCAAGATAAAAAGAACAATGCTGTTTTCT  
GGTACAAACATTGCTGCTGGGAAAGCTATGGGAGTGGTGGTAGCAACTGGAGTTAACACCGAAATGGCA  
AGATCCGGGATGAAATGGTGGCAACAGAACAGGAGAGAACACCCCTTCAGCAAAAAGTATGAAATTTGG  
GGAACAGCTTTCCAAAGTCATCTCCCTTATTTGCATTGCAGCTGGATCATAAATTTGGCACTTCAAT  
GACCCGGTTCATGGAGGTCCTGGATCAGAGGTGCTATTTACTACTTTAAAATTGCAGTGGCCCTGGCTG  
TAGCAGCCATTCCCTGAAGGTCTGCCTGCAGTCATCACCACCTGCCTGGCTCTTGGAACTCGCAGAATGGC  
AAAGAAAAATGCCATTGTTTCAAGCCTCCCGTCTGTGAAAACCTTGGTTGACTTCTGTTATCTGCTCA  
GACAAGACTGGTACACTTACAACAAACCAGATGTCAGTCTGCAGGATGTTCAATCTGGACAGAGTGGAAAG  
GTGATACTTGTCCCTTAATGAGTTTACCATAACTGGATCAACTTATGCACCTATTGGAGAAGTGCATAA  
AGATGATAAACAGTGAATTGTCACCAGTATGATGGTCTGGTAGAATTAGCAACAATTTGTGCTCTTTGT  
AATGACTCTGCTTTGGATTACAATGAGGCAAAGGGTGTGTATGAAAAAGTTGGAGAAGCTACAGAGACTG  
CTCTCACTGCCTAGTAGAGAAGATGAATGATTTGATACCGAATTGAAGGGTCTTTCTAAAATAGAACG  
TGCAAATGCCTGCAACTCAGTCATTAACAGCTGATGAAAAGGAATTCACTCTAGAGTTTTCACGTGAC



[View online »](#)

AGAAAGTCAATGTCGGTTTACTGTACACAAATAAACCAAGCAGGACATCAATGAGCAAGATGTTTGTGA  
 AGGGTGCTCCTGAAGGTGCATTGACAGGTGCCCCACATTCGAGTTGGAAGTACTAAGTTCTATGAC  
 CTCTGGAGTCAAACAGAAGATCATGTCTGTCATTTCGAGAGTGGGGTAGTGGCAGCGACACTGCCGATGC  
 CTGGCCCTGGCCACTCATGACAACCCACTGAGAAGAGAAGAAATGCACCTTGAGGACTCTGCCAACTTTA  
 TAAATATGAGACCAATCTGACCTTCGTTGGCTGCGTGGGCATGCTGGATCCTCCGAGAATCGAGGTGGC  
 CTCTCCGTGAAGCTGTGCCGCAAGCAGGCATCCGGGTATCATGATCACTGGGACAACAAGGGCACT  
 GCTGTGGCCATCTGTGCCCGCATCGGCATCTTCGGGAGGATGAGGACGTGACGTCAAAGCTTTACAG  
 GCCGGGAGTTTATGAACTCAACCCCTCCGCCAGCGAGACGCCTGCCTGAACGCCCGCTGTTTTGCTCG  
 AGTTGAACCCCTCCACAAGTCTAAAATCGTAGAATTTCTCAGTCTTTTATGAGATTACAGCTATGACT  
 GGCGATGGCGTGAACGATGCTCCTGCTCTGAAGAAAGCCGAGATTGGCATTGCTATGGGCTCTGGCACTG  
 CGGTGGCTAAAACCGCTCTGAGATGGTCTGGCGGATGACAACCTCTCCACCATTGTGGCTGCCGTTGA  
 GGAGGGGGGGCAATCTACAACAACATGAAACAGTTCATCCGCTACCTCATCTCGTCCAACGTCCGGGAA  
 GTTGTCTGATTTTCTGACAGCAGCCCTTGGATTTCCCGAGGCTTTGATTCCTGTTTCACTGCTCTGGG  
 TCAATCTGGTGACAGATGGCCTGCCTGCCACTGCACTGGGTTCAACCCCTCTGATCTGGACATCATGAA  
 TAAACCTCCCGAACCCTAAAGGAACATTGATCAGCGGGTGGCTTTTTCCGTTACTTGGCTATTGGC  
 TGTACGTCCGGCCTGCTACCGTGGGTGCTGCTGCATGGTGGTTTATTGCTGCTGACGGTGGTCCAGAG  
 TGTCTTCTACCAGCTGAGTCATTTCTACAGTGTAAAGAGGACAACCCGGACTTTGAAGCGTGGATTG  
 TGCAATCTTTGAATCCCATACCCGATGACAATGGCGCTCTCTGTTCTAGTAACTATAGAATGTGTAAC  
 GCCCTCAACAGCTTGCCGAAAACAGTCTTGTCTGAGGATGCCCCCTGGGAGAACATCTGGCTCGTGG  
 GCTCCATCTGCCTGTCCATGTCCTCCACTTCTGATCCTCTATGTCGAACCCCTGCCACTCATCTTCCA  
 GATCACACCGTGAACGTGACCCAGTGGCTGATGGTGTGAAAATCTCCTTGGCCGTGATTCTCATGGAT  
 GAGACGCTCAAGTTTGTGGCCGCAACTACCTGGAACCTGGTAAAGAGTGTGTGCAGCCTGCCACCAAT  
 CCTGCTCGTTCTCGGCATGCACCGATGGGATTTCTGGCCGTTTGTGCTGCTCATAATGCCCTGGTGAT  
 CTGGGTCTATAGCACAGACACTAACTTTAGCGATATGTTCTGGTCT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:**

>RG207626 representing NM\_170665  
 Red=Cloning site Green=Tags(s)

MENAHKTVEEVLGHFGVNESTGLSLEQVKKLKERWGSNELPAEEGKTLLELVIEQFEDLLVRILLAAC  
 ISFVLAWFEEGEETITAFVEPFVILLILVANAIIVGVWQERNAENAIEALKEYEPEMGKVYRQDRKSVQRI  
 KAKDIVPGDIVEIAGVDKVPADIRLTSIKSTTLRVDQSILTGESVSVIKHTDPVDPDRAVNQDKKNMLFS  
 GTNIAAGKAMGVVATGVNTEIGKIRDEMVAEQERTPLQKLEDFGEQLSKVISLICIAVWIINIGHFN  
 DPVHGGSWIRGAIYYFKIAVALAVAAIPEGLPAVITTTCLALGTRMAKKNAIVRSLPSVETLGCSTVICS  
 DKTGTLTTNQMSVCRMFLDRVEGDTCSLNEFTITGSTYAPIGEVHKDDKPVNCHQYDGLVELATICALC  
 NDSALDYNEAKGVYKVEATETAL TCLVEKMNVFDELKGLSKIERANACNSVIKQLMKKEFTLEFSRD  
 RKSMSVYCTPNKPSRTSMSKMFVKGAPGVIDRCTHIRVGSTKVPMTSGVKQKIMSVIREWGSGLTLRC  
 LALATHDNPLRREEMHLED SANFIKYETNLTFVGCVGMLDPPRIEVASSVKLCRQAGIRVIMITGDNKGT  
 AVAICRRIGIFGQDEDTVSKAFTGREFDELNPSAQORDACLNARCFARVEPSHKSKIVEFLQSFDEITAMT  
 GDGVNDAPALKKAEIGIAMSGTAVAKTASEMVLADDFSTIVAAVEEGRAIYNNMKQFIRYLISSNVGE  
 VVICFLTAALGFPEALIPVQLLWVNLVTDGLPATALGFNPPDLDIMNKPPRNPKLEPLISGWLFFRYLAIG  
 CYVGAATVGAAWWFIAADGGPRVSFYQLSHFLQCKEDNPDFEGVDCAIFESPYPMALSVLVTIEMCN  
 ALNSLSENQSLLRMPWENIWL VGSICLSMSLHFLILYVEPLPLIFQITPLNVTQWLMVLKISLPVILMD  
 ETLKFVARNYLEPGKECVQATKSCSFSACTDGISWPFVLLIMPLVIWVYSTDTNFSDMFWS

TRTRPLE – GFP Tag – V

**Restriction Sites:**

SgfI-MluI

Cloning Scheme:



ACCN: NM\_170665

ORF Size: 3126 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_170665.4</a>
<b>RefSeq Size:</b>	4205 bp
<b>RefSeq ORF:</b>	3129 bp
<b>Locus ID:</b>	488
<b>UniProt ID:</b>	<a href="#">P16615</a>
<b>Cytogenetics:</b>	12q24.11
<b>Domains:</b>	E1-E2_ATPase, Cation_ATPase_N, Hydrolase, Cation_ATPase_C
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Alzheimer's disease, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Calcium signaling pathway, Cardiac muscle contraction, Dilated cardiomyopathy, Hypertrophic cardiomyopathy (HCM)
<b>Gene Summary:</b>	<p>This gene encodes one of the SERCA Ca(2+)-ATPases, which are intracellular pumps located in the sarcoplasmic or endoplasmic reticula of the skeletal muscle. This enzyme catalyzes the hydrolysis of ATP coupled with the translocation of calcium from the cytosol into the sarcoplasmic reticulum lumen, and is involved in regulation of the contraction/relaxation cycle. Mutations in this gene cause Darier-White disease, also known as keratosis follicularis, an autosomal dominant skin disorder characterized by loss of adhesion between epidermal cells and abnormal keratinization. Other types of mutations in this gene have been associated with various forms of muscular dystrophies. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]</p>

Product images:



Circular map for RG207626