

Product datasheet for **RG207976**

Solo (SESTD1) (NM_178123) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Solo (SESTD1) (NM_178123) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Solo
Synonyms:	SOLO
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG207976 representing NM_178123
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGAGGCCTCAGTAATATTACCCATTCTGAAGAAAAAAGTAGCCTTCTTTTCAGGAGGAAAGGACAGAC
GGAGTGGCCTCATTTTGACAATTCATTATGCCTCGAACAGACAAATATGGATGAGCTGAGTGTACCTT
AGACTTCTACTCAGCATTCCAAGTGAGAAGTGTAAAGGCTAGAGGATTTACCGTGATTGTGGATGGCAGA
AAATCACAGTGGAAATGTGGTGAAAAACAGTAGTCGTAATGTACAGAATGTTGTTCCAGCTGAGGTGCC
TTGTTTGTGTGGTAAAGCCAGATGAATTCTGGGATAAGAAAGTAACGCATTTTTGTTTTTGAAGGAGAA
GGATAGACTTGGCTTTGAGGTTATTTAGTGTCCGCCAACAAATTGACTCGTTATATAGAACCATGCCAA
TTAACAGAAGATTTTGGTGGGAGTCTCACATATGATCACATGGACTGGTTAAATAAGAGGCTGGTTTTTG
AGAAGTTTACAAAGGAATCTACATCATTATTAGATGAAGTGGCTTTGATTAAACAATGGAAGTGATAAAGG
AAATCAGCAAGAGAAAGAAAGGTCTGTGGATTTAACTTTCTCCATCGTTGATCCTGAAACAGTTCCT
CAGACAGGGCATGAATTGTTGTCCGAATTACAGCAGCGTCGATTTAATGGCTCAGACGGAGGGTTTCAT
GGTCTCCTATGGATGATGAACTTCTGCACAGCCACAGGTTATGAAATTATTAGATTCACCTCCGAGAGCA
ATATACCCGCTACCAGGAAGTTTGTAGGCAACGTAGCAAGCGCACACAGTTAGAAGAGATTAACAGAAAG
GTAATGCAGGTGGTGAAGTGGCTAGAAGGGCCTGGATCAGAACTAAGAGCCAGTGGGGCATTGGAG
ACTCCATTAGGGCCTCCCAGGCCCTACAGCAGAAACACGAAGAGATTGAGAGCCAGCACAGTGAATGGTT
TGCAGTGTATGTGGAACCTAATCAGCAAATGCAGCACTTGAATGCTGGCGATGAGGAAGATCTGTG
GAACTAAAGTCACTGCAGCAACAACCTAGTGTGTTGTTATCGACAGGCCAGTCAGCTGGAATTTAGGC
AAAATCTCTTACAAGCAGCTCTTGAATTTTCAATGGTGTGGCCCAAGATTTGCTCAGCAGTTGGATGGCTT
ATTAGGGATGTTGTGCGTAGATGTAGCACCAGCTGATGGAGCATCGATTACGAAACTTTAAACTGCTT
GAAGAGAAGCTGAAAAGTGTGATGTGGGATTGCAAGTTTGCCTGAAAAAGGTCAAGGTCTCCTGGATC
AGATCTCCAATCAGGCATCCTGGCCTATGAAAAGGATGTAACCATGAAAAATAAGAAAAATGTGGACCA
CATACAAGGAGTATGGAAGATATGCAGCTTAGAAAAACAAGATGTGAAGACATGGTAGATGTGCGAAGG
TTAAAGATGCTTCAGATGGTGCAGTTGTTTAAATGTGAAGAAGATGCTGCCAGGCAGTAGAATGGCTAA
GTGAACTTCTGGATGCTCTGCTTAAGACTCACATCAGATTGGGCGATGATGCTCAAGAAACGAAAGTTTT
GCTGGAAAAGCATAGAAAATTTGTTGATGTTGCACAGAGCACTTATGACTATGGCAGGCAGTTGCTACAG
GCCACAGTTGTGTTATGCCAATCTTTGCGCTGCACCTTCTCGGTCTCTGGGATACACTTCTCGACTGA
ACAGAGTATGAAAACAATTTACAATAGCATCTGAAGAGAGAGTACATAGATTGAAAATGGCTATTGCATT
TCACTCAAATGCTGAAAAGATTTTGCAGGACTGTCCAGAAGAGCCTGAAGCTATTAATGATGAGGAGCAA
TTTGATGAAAATGAAGCAGTTGGGAAATCACTTTTGGATAGATTAAGTGTCCAGTAGTTTATCCTGATG
GAACCGAACAAATTTTTGGGAGTCCAAGTGACATGGCTTCTACTGCAGAAAACATCAGAGACAGGATGAA
ACTAGTTAATCTCAAAGGCAGCAGCTGAGACATCCTGAAATGGTGACCACAGAGAGC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG207976 representing NM_178123
 Red=Cloning site Green=Tags(s)

```
MEASVILPILKKKLAFSLGGKDRRSLILTIPLCLEQTNMDELSVTLDFLLSIPSEKCKARGFTVIVDGR
KSQWNVVKTVVVMLQNVVPAEVSLLVCVVKPDEFWDKKVTDFCFWKEKDRLGFEVILVLSANKLTRYIEPCQ
LTEDFGGSLTYDHMDWLNKRLVFEKFTKESTLLDELALINNGSDKGNQEQEKERSVDLNFPSVDPETVL
QTGHELLSELQRRFNGSDGGVSWSPMDELLAQFPQVMKLLDSLREQYTRYQEVCQRQRKRTQLEEIQQK
VMQVYNWLEGPGEQLRAQWIGDSIRASQALQQKHEEIESQSEWFVAVYVELNQIAALLNAGDEEDLV
ELKSLQQQLSDVCYRQASQLEFRQNLQAALFEHGVADLSQQLDGLLGMCLVDVAPADGASIQTLKLL
EEKLSVDVGLQGLREKGGQLLDQISNQASWAYGKDVTIENKENVDHIQGYMEDMQLRKQRCEMVDVRR
LKMLQMVQLFKCEEDAAQAVEWLSLELDALLKTHIRLGDDAQETKVLLEKHKRFVDVAQSTYDYGRLLQ
ATVVLQSLRCTSRSSGDTLPRLNRVWKQFTIASEERVHREMAIAFHSNAEKILQDCPEEPEAINDEEQ
FDEIEAVGKSLDLRLTVPVVYPDGTEQYFGSPSDMASTAEINIRDRMKLVNLKRQQLRHPPEMVTES
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_178123

ORF Size: 2088 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_178123.2](#)

RefSeq Size: 3234 bp

RefSeq ORF: 2091 bp

Locus ID: 91404


UniProt ID: [Q86VW0](#)

Cytogenetics: 2q31.2

Protein Families: Druggable Genome

Gene Summary: May act as the primary docking protein directing membrane turnover and assembly of the transient receptor potential channels TRPC4 and TRPC5. Binds phospholipids such as phosphatidylinositol monophosphates, phosphatidylinositol diphosphates (PIP2s) and phosphatidic acid, but not less polar lipids including phosphatidylcholine, phosphatidylserine, and phosphatidylinositol. The binding to PIP2s is calcium dependent. Might be involved in the plasma membrane localization of CTNNB1.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG207976