

## Product datasheet for **RG208063**

### RBP3 (NM\_002900) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	RBP3 (NM_002900) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RBP3
Synonyms:	D10S64; D10S65; D10S66; IRBP; RBPI; RP66
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG208063 representing NM_002900 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGATGAGAGAATGGGTTCTGCTCATGTCCGTGCTCTGTGGCCTGGCTGGCCCCACACACCTGTTCC  
AGCCAAGCCTGGTCTGGACATGGCCAAGGTCCTCTGGATAACTACTGCTTCCCGGAGAACCTGCTGGG  
CATGCAGGAAGCCATCCAGCAGGCCATCAAGAGCCATGAGATTCTGAGCATCTCAGACCCGAGACGCTG  
GCCAGTGTGCTGACAGCCGGGTGCAGAGCTCCCTGAACGATCCTCGCCTGGTTCATCTCCTATGAGCCCA  
GCACCCCGAGCCTCCCCACAAGTCCCAGCACTACCAGCCTCTCAGAAGAGGAAGTCTGCTGCCTGGCT  
GCAAAGGGGCCTCCGCCATGAGGTTCTGGAGGGTAATGTGGGCTACCTGCGGGTGGACAGCGTCCCGGGC  
CAGGAGGTGCTGAGCATGATGGGGAGTTCCTGGTGGCCACGTGTGGGGGAATCTCATGGGCACCTCCG  
CCTTAGTGCTGGATCTCCGGCACTGCACAGGAGGCCAGGTCTCTGGCATTCCCTACATCATCTCCTACCT  
GCACCCAGGGAACACCATCTGCACGTGGACACTATCTACAACCGCCCTCCAACACCACCAGGAGATC  
TGGACCTTGCCCCAGGTCTGGGAGAAAGGTACGGTGCCGACAAGGATGTGGTGGTCTCACCAGCAGCC  
AGACCAGGGCGTGGCCGAGGACATCGCGCACATCCTTAAGCAGATGCGCAGGGCCATCGTGGTGGGCGA  
GCGGACTGGGGGAGGGGCCCTGGACCTCCGGAAGCTGAGGATAGCGGAGTCTGACTTCTTCTCACGGTG  
CCCGTGTCCAGGTCCCTGGGGCCCTTGGTGGAGGCAGCCAGCAGTGGGAGGGCAGCGGGGTGCTGCCCT  
GTGTGGGACTCCGGCCGAGCAGGCCCTGGAGAAAGCCCTGGCCATCCTCACTCTGCGCAGCGCCCTTCC  
AGGGGTAGTCCACTGCCTCCAGGAGTCTGAAGGACTACTACACGCTGGTGGACCGTGTGCCACCCTG  
CTGACGACTTGCCAGCATGGACTTCTCCACGGTGGTCTCCGAGGAAGATCTGGTCAACAGCTCAATG  
CCGGCCTGCAGGCTGCGTCTGAGGATCCAGGCTCCTGGTGCAGCCATCGGGCCACAGAACTCCTTC  
TTGGCCCCGCCCCGACGCTGCAGCCGAAGACTACCAGGGGTGGCCCCAGAGTTGCTGAGGACGAGGCT  
ATCCGGCAAGCACTGGTGGACTCTGTGTCCAGGTGTGGTGTGCCAGGCAATGTGGGCTACCTGCGCT  
TCGATAGTTTTGCTGACGCTCCGTCTGGGTGTGTGGCCCCATATGCTCTGCGCCAGGTGTGGGAGCC  
GCTACAGGACACGGACCTCATCATGGACTGCGCCACAACCTGGAGGGCCATCCTCTGCTGTGCC



[View online »](#)

CTGCTCCTGTCCTACTTCCAGGGCCCTGAGGCCGGCCCGTGCACCTCTTACCACCTATGATCGCCGCA  
CCAACATCACGCAGGAGCACTTCAGCCACATGGAGCTCCCAGGCCACGCTACAGCACCCAACTGGGGT  
GTATCTGCTCACCAGCCACCGCACCGCCACGGCCGAGGAGTTGCGCTTCTTATGCAGTCGCTGGG  
TGGGCCACACTGGTAGGTGAGATCACCGCGGGCAACCTGCTGCACACCCGCACGGTGCCGCTGCTGGACA  
CACCCGAAGGCAGCCTCGCGCTACCGTGCCGGTCTCACCTTCATCGACAATCACGGCGAGGCCTGGCT  
GGGTGGTGGAGTGGTCCCGATGCCATCGTCTGGCCGAGGAGCCCTGGACAAAGCCAGGAAGTGGCT  
GAGTTCACCAAAGCCTGGGGCCCTGGTGGAGGGCACAGGGCACCTGCTGGAGGCCACTATGCTCGGC  
CAGAGGTCGTGGGCAGACCAGTGCCCTCTGCGGGCCAAGCTGGCCAGGGCGCCTACCGCACAGCTGT  
GGACTTGGAGTCTCTGGCCTCTCAGCTCACAGCAGACCTCCAGGAGGTGTCTGGGGACCACCGCTTGCTA  
GTGTTCCACAGCCCTGGCGAGCTGGTGGTAGAGGAAGCACCCACCACCCCTGCTGTCCCTCTCCAG  
AGGAGCTCACCTACCTATTGAGGCCCTGTTCAAGACAGAGGTGCTGCCCGCCAGCTGGGCTACCTGCG  
TTTTGACCCATGGTGAAGTGGAGACAGGGAAGGCCGTGGGGCCACAGCTGGTGGCGCTGGTATGGCAA  
CAGCTGGTGGACACGGCTGCGCTGGTATCGACCTGCGCTACAACCCTGGCAGCTACTCCACGGCCATCC  
CGCTGCTCTGCTCTACTTCTTTGAGGCAGAGCCCGCCAGCACCTGTATTCTGTCTTTGACAGGGCCAC  
CTCAAAGTACGGAGGTGTGGACCTTGCCCGAGGTGCGCCGCGCCAGCGCTACGGCTCACACAAGGACCTC  
TACATCCTGATGACCACACCAGTGGCTCTGCGGCCGAGGCCCTTGCACACACCATGCAGGACCTGCAGC  
GGGCCACGGTCATTGGGGAGCCACGGCCGGAGGCGCACTCTCTGTGGGCATCTACCAGGTGGGCAGCAG  
CCCCTTATATGCATCCATGCCACCCAGATGGCCATGAGTGCCACCACAGGCAAGGCCTGGGACCTGGCT  
GGTGTGGAGCCCGACATCACTGTGCCATGAGCGAAGCCCTTCCATAGCCAGGACATAGTGGCTCTGC  
GTGCCAAGGTGCCACGGTGTGCAGACGGCCGGGAAGCTGGTGGCTGATAACTATGCCTCTGCCGAGCT  
GGGGGCCAAGATGGCCACCAAAGTGGAGCGGTCTGCAGAGCCGCTACTCCAGGGTGACCTCAGAAGTGGCC  
CTAGCCGAGATCCTGGGGGTGACCTGCAGATGCTCTCCGGAGACCCACACCTGAAGGCAGCCCATATCC  
CTGAGAATGCCAAGGACCGCATTCTGGAATTGTGCCATGCAGATCCCTTCCCCTGAAGTATTTGAAGA  
GCTGATCAAGTTTTCTTCCACACTAACGTGCTTGAGGACAACATTGGCTACTTGAGTTTTGACATGTTT  
GGGGACGGTGAGCTGCTACCCAGGTCTCCAGGCTGCTGGTGGAGCACATCTGGAAGAAGATCATGCACA  
CGGATGCCATGATCATCGACATGAGGTTCAACATCGGTGGCCCCACATCTCCATTCCCCTTTGTGCTC  
CTACTTCTTTGATGAAGGCCCTCCAGTTCTGCTGGACAAGATCTACAGCCGGCCTGATGACTCTGTCAGT  
GAACTCTGGACACACGCCAGGTTGTAGGTGAACGCTATGGTCCAAGAAGAGCATGGTCATTCTGACCA  
GCAGTGTGACGGCCGGCACCGCGGAGGAGTTCACCTATATCATGAAGAGGCTGGGCCGGGCCCTGGTCAT  
TGGGGAGGTGACCAGTGGGGCTGCCAGCCACCACAGACCTACCAGTGGATGACACCAACCTCTACCTC  
ACTATCCCACGGCCCGTTCTGTGGGGCCTCGGATGGCAGCTCCTGGGAAGGGTGGGGTGACACCCC  
ATGTGGTTGTCCCTGCAGAAGAGGCTCTCGCCAGGGCCAAGGAGATGCTCCAGCACACACCAGCTGAGGGT  
GAAGCGGAGCCAGGCCTGCAGGACCACCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG208063 representing NM\_002900  
 Red=Cloning site Green=Tags(s)

```
MMREWLLMSVLLCGLAGPHTLFPQSLVLDMAKVLLDNYCFPENLLGMQEAIQQAIKSHEILSISDPQTL
ASVLTAGVQSSSLNDPRLVISYEPSTPEPPPQVPAL TSLSEEELLAWLQRGLRHEVLEGNVGYLRVDSVPG
QEVLSMMGEFLVAHVWGNLMTGSALVLDLRHCTGGQVSGIPYIISYLHPGNTILHVDTIYNRPSNTTTEI
WTL PQVLGERYGADKDVVLTSSQTRGVAEDIAHILKQMRRAIVVGERTGGGALDLRKLRIGESDFFFTV
PVSRSGLPLGGGQWEGSGVLPCVGTPAEQALEKALAILTLRSALPGVVHCLQEVLDKDYTYLVDRVPTL
LQHLASMDFSTVVSEEDLVTKLNAGLQAASEDPRLLVRAIGTETPSWPAAPDAAAEDSPGVAPELPEDEA
IRQALVDSVVFQVSVLPGNVGYLRFDSFADASVGLVAPYVLRQVWEPLQDTEHLIMDLRHNPGGSSAVP
LLL SYFQGEAGPVHLFTTYDRRTNITQEHFSHMLPGPRYSTQRGVYLLTSHRTATAEEFAFLMQSLG
WATLVGEITAGNLLHTRTVPLLDTPESLAL TVPVLTTFIDNHGEAWLGGGVVPAIVLAEALDKAQEVL
EFHQSLGALVEGTGHLLEAHYARPEVVGQTSALLRAKLAQGAYRTAVDLESLASQLTADLQEVSGDHRLL
VFHSPGELVVEEAPPPPAVPSPEELTYLIEALFKTEVLPQGLGYLRFDAMAELETGKAVGPQLVRLVWQ
QLVDTAALVIDLRYNPGSYSTAIPLLC SYFFAEPRQHLYSVFD RATSKVTEVWTL PQVAGQRYGSHKDL
YILMSHTSGSAAEFAHTMQDLQRATVIGEPTAGGALSVGIYQVGS SPLYASMP TQMAMSATTGKAWDLA
GVEPDITVPMSEALSIAQDIVALRAKVPTVLQTAGKLVADNYASAELGAKMATKLSGLQSRYSRVTSEVA
LAEILGADLQMLSGDPHLKAHIPENAKDRIPGIVPMQIPSPVEFEELIKFSFHTNVLEDNIGYLRDFDMF
GDGELLTQVSRLLEVIHWKIMHTDAMIIDMRFNIGGPTSSIPILCSYFFDEGPPVLLDKIYSRPDSSVS
ELWTHAQVVGERYGSKSMVILTSSVTAGTAEFTYIMKRLGRALVIGEVTSGGCQPPTYHVDNTNLYL
TIPTARSVGASDGSSWEGVGVTPHVVPAAEALARAKEMLQHNQLRVKRSPLQDHL
```

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_002900

**ORF Size:** 3741 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_002900.2](#), [NP\\_002891.1](#)

**RefSeq Size:** 4289 bp

**RefSeq ORF:** 3744 bp

**Locus ID:** 5949


**UniProt ID:** [P10745](#)

**Cytogenetics:** 10q11.22

**Protein Families:** Secreted Protein

**Gene Summary:**

Interphotoreceptor retinol-binding protein is a large glycoprotein known to bind retinoids and found primarily in the interphotoreceptor matrix of the retina between the retinal pigment epithelium and the photoreceptor cells. It is thought to transport retinoids between the retinal pigment epithelium and the photoreceptors, a critical role in the visual process. The human IRBP gene is approximately 9.5 kbp in length and consists of four exons separated by three introns. The introns are 1.6-1.9 kbp long. The gene is transcribed by photoreceptor and retinoblastoma cells into an approximately 4.3-kilobase mRNA that is translated and processed into a glycosylated protein of 135,000 Da. The amino acid sequence of human IRBP can be divided into four contiguous homology domains with 33-38% identity, suggesting a series of gene duplication events. In the gene, the boundaries of these domains are not defined by exon-intron junctions, as might have been expected. The first three homology domains and part of the fourth are all encoded by the first large exon, which is 3,180 base pairs long. The remainder of the fourth domain is encoded in the last three exons, which are 191, 143, and approximately 740 base pairs long, respectively. [provided by RefSeq, Jul 2008]

**Product images:**


Circular map for RG208063