

## **Product datasheet for RG208160**

## RFT1 (NM\_052859) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** RFT1 (NM\_052859) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: RFT1

Synonyms: CDG1N

Mammalian Cell Neomycin

Selection:


**Vector:** pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





**ACCN:** NM\_052859

ORF Size: 1623 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com varies depending on the nature of the gene.



**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

N-Glycan biosynthesis

**RefSeq:** <u>NM 052859.4</u>

 RefSeq Size:
 2810 bp

 RefSeq ORF:
 1626 bp

 Locus ID:
 91869

 UniProt ID:
 Q96AA3

 Cytogenetics:
 3p21.1

Domains: Rft-1

**Protein Pathways:** 


**Protein Families:** Transmembrane

Gene Summary: This gene encodes an enzyme which catalyzes the translocation of the Man(5)GlcNAc (2)-PP-

Dol intermediate from the cytoplasmic to the luminal side of the endoplasmic reticulum membrane in the pathway for the N-glycosylation of proteins. Mutations in this gene are associated with congenital disorder of glycosylation type In.[provided by RefSeq, Dec 2008]



## **Product images:**



Circular map for RG208160