

Product datasheet for **RG208384**

NFKB1 (NM_003998) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NFKB1 (NM_003998) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NFKB1
Synonyms:	CVID12; EBP-1; KBF1; NF-kappa-B1; NF-kappaB; NF-kappabeta; NF-kB; NF-kB1; NFkappaB; NFKB-p50; NFKB-p105
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG208384 representing NM_003998
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCAGAAGATGATCCATATTTGGGAAGCGCTGAACAAATGTTTCATTTGGATCCTTCTTTGACTCATA
 CAATATTTAATCCAGAAGTATTTCAACCACAGATGGCACTGCCAACAGCAGATGGCCATACCTTCAAAT
 ATTAGAGCAACCTAAACAGAGAGGATTTTCGTTCCGTTATGTATGTGAAGGCCCATCCCATGGTGGACTA
 CCTGGTGCCTCTAGTGAAAAGAACAAGAAGTCTTACCCTCAGGTCAAATCTGCAACTATGTGGGACCAG
 CAAAGGTTATTGTTCAAGTTGGTCAAAAATGAAAAAATATCCACCTGCATGCCACAGCCTGGTGGGAAA
 ACACTGTGAGGATGGGATCTGCACTGTAAGTCTGGACCAAGGACATGGTGGTCCGGCTTCGAAACCTG
 GGTATACTTCATGTGACAAAGAAAAAGTATTTGAAACTGGAAGCACGAATGACAGAGGCGTGTATAA
 GGGGCTATAATCCTGGACTCTTGGTGCACCCTGACCTTGCTATTTGCAAGCAGAAGGTGGAGGGGACCG
 GCAGCTGGGAGATCGGGAAAAAGAGCTAATCCGCCAAGCAGCTCTGCAGCAGACCAAGGAGATGGACCTC
 AGCGTGGTGCAGCTCATGTTACAGCTTTCTTCCGGATAGCACTGGCAGCTTCAACAAGCGCCTGGAAC
 CCGTGGTATCAGACGCCATCTATGACAGTAAAGCCCCAATGCATCCAACCTTGAATAATTGAAGAATGGA
 CAGGACAGCTGGATGTGTGACTGGAGGGGAGGAAATTTATCTTCTTTGTGACAAAGTTGAGAAAGATGAC
 ATCCAGATTCGATTTTATGAAGAGGAAGAAAAATGGTGGAGTCTGGGAAGGATTTGGAGATTTTCCCCCA
 CAGATGTTTCATAGACAATTTGCCATTGTCTTCAAACCTCAAAGTATAAAGATATTAATATTACAAAACC
 AGCCTCTGTGTTGTCCAGCTTCGGAGGAAATCTGACTTGAAACTAGTGAACCAAAACCTTTCTCTAC
 TATCTGAAATCAAAGATAAAGAAGAAGTGCAGAGGAAACGTGAGAGCTCATGCCAATTTTTCGGATA
 GTTTCGGCGGTGGTAGTGGTGGCGGAGCTGGAGCGGAGGCATGTTGGTAGTGGCGGTGGAGGAGGGGG
 CACTGGAAGTACAGGTCCAGGGTATAGCTTCCACACTATGGATTTCTACTTATGGTGGGATTACTTTC
 CATCTGGAACCTACTAAATCTAATGCTGGGATGAAGCATGGAACCATGGACACTGAATCTAAAAAGGACC
 CTGAAGGTTGTGACAAAAGTGTGACAAAAACTGTAAACCTCTTGGGAAAGTTATTGAAACCACAGA
 GCAAGATCAGGAGCCAGCGAGGCCACCGTTGGGAATGGTGAAGTCACTTAACGTATGCAACAGGAACA
 AAAGAAGAGAGTCTGGAGTTCAAGATAACCTCTTCTAGAGAAGGCTATGCAGCTTGCAGGAGGCATG
 CCAATGCCCTTTTCGACTACGCGGTGACAGGAGACGTGAAGATGCTGCTGGCCGTCACGCCCATCTCAC
 TGCTGTGACAGGATGAGAATGGGACAGTGTCTTACACTTAGCAATCATCCACCTTATTCTCAACTGTG
 AGGGATCTACTAGAAGTCACATCTGGTTGATTTCTGATGACATTATCAACATGAGAAATGATCTGTACC
 AGACGCCCTTGCACTTGCCAGTATCACTAAGCAGGAAGATGTGGTGGAGGATTTGCTGAGGGCTGGGGC
 CGACCTGAGCCTTCTGGACCGCTTGGGTAACCTGTTTTGCACCTAGCTGCCAAAAGAGGACATGATAAA
 GTTCTCAGTATCTTACTCAAGCACAAAAAGGCAGCACTACTTCTTGACCACCCCAACGGGGACGGTCTGA
 ATGCCATTCATCTAGCCATGATGAGCAATAGCCTGCCATGTTGTCTGCTGCTGGTGGCCGCTGGGGCTGA
 CGTCAATGCTCAGGAGCAGAAGTCCGGGCGCACAGCACTGCACCTGGCTGTGGAGCAGCACAACTCTCA
 TTGGCAGGCTGCCTGCTCCTGGAGGGTATGCCATGTGGACAGTACTACCTACGATGGAACCACACCCC
 TGCATATAGCAGCTGGGAGGGTCCACCAGGCTGGCAGCTTCTCAAAGCAGCAGGAGCAGATCCCCT
 GGTGGAGAATTTGAGCCTCTCTATGACCTGGATGACTTTGGGAAAATGCAGGAGAGGATGAAGGAGTT
 GTGCCTGGAACACGCCCTTAGATATGGCCACCAGCTGGCAGGATTTGACATATTAATGGGAAACCAT
 ATGAGCCAGAGTTTACATCTGATGATTTACTAGACAAGGAGACATGAAACAGCTGGCTGAAGATGTGAA
 GCTGCAGCTGTATAAGTTACTAGAAAATCCTGATCCAGACAAAAACTGGGCTACTCTGGCGCAGAAATTA
 GGTCTGGGGATACTTAATAATGCCTTCCGGCTGAGTCTGCTCTTCCAAAAACTTATGGACAATATG
 AGGTCTCTGGGGTACAGTCAGAGAGCTGGTGGAGGCCCTGAGACAAATGGGCTACACCGAAGCAATTGA
 AGTGATCCAGGCAGCCTCCAGCCAGTGAAGACCACCTCTCAGGCCACTCGTGCCTCTCTCGCCTGCC
 TCCACAAGGCAGCAAATAGACGAGCTCCGAGACAGTGACAGTGTCTGCGACAGCGCGTGGAGACATCCT
 TCCGCAAACCTCAGCTTTACCGAGTCTTGACCAGTGGTGCCTCACTGCTAACTCTCAACAAAATGCCCA
 TGATTATGGGCAGGAAGGACCTCTAGAAGGCAAAT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG208384 representing NM_003998
 Red=Cloning site Green=Tags(s)

MAEDDPYLGRPEQMFLDPSLTHITFNPEVFQPQMALPTADGPYLQILEQPKQRGFRFRVYCEGPSHGGL
 PGASSEKNKKSYPQVKICNYVGPAAKIVIVQLVTNGKNIHLHAHSLVGKHCEDGICTVTAGPKDMVVGAFANL
 GILHVTKKKVFETLEARMTEACIRGYNPGLLVHPDLAYLQAEGGGDRQLGDREKELIRQAALQQTKEMDL
 SVVRLMFTAFLPDSTGFSFTRRLEPVVSDAIYDSKAPNASNLKIVRMDRTAGCVTGGEEIYLLCDKVQKDD
 IQIRFYEEEEENGWEGFGDFSPDTHRQFAIVFKTPKYKDINITKPASVFVQLRRKSDLETSEPKPFLY
 YPEIKDKKEEVQRKRQKLMPNFSDSFGGSGAGAGGGMGFSGGGGGTSTGPGYSFPHYGFPTYGGITF
 HPGTTKSNAGMKHGTMDTESKDPGCDKSDDKNTVNLFGKVIETTEQDQEPSEATVGNGEVTLTYATGT
 KEESAGVQDNLFLEKAMQLAKRHANALFDYAVTGDVKMLLAVQRHLTAVQDENGDSVLHLAIIHLHSQLV
 RDLLEVTSGLISDDIINMRNDLYQTPHLAVITKQEDVVEDLLRAGADLSLLDRLGNSVLHLAAKEGHDK
 VLSILLKHKKAALLLDHPNGDGLNAIHLAMMSNSLPCLLLLVAAGADVNAQEKSGRGTALHLAVEHDNIS
 LAGCLLLEGDAHVDSTTYDGTTPHLIAAGRGSTRLAALLKAAGADPLVENFEPLYDLDDSWENAGEDEGV
 VPGTTPDMATSWQVFDILNGKPYEPEFTSDDLQAQGMKQLAEDVKLQLYKLLLEIPDPDKNWATLAQKL
 GLGILNNAFRLSPAPSKTLMNDYEVSGGTVRELVEALRQMGYTEAIEVIQAASSPVKTTSAHSLPLSPA
 STRQQIDELRDSVCDSGVETSFRKLSFTESLTSASLLTLNKMPhDYGQEGPLEGKI

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_003998

ORF Size: 2907 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003998.2 , NP_003989.2
RefSeq Size:	4104 bp
RefSeq ORF:	2910 bp
Locus ID:	4790
UniProt ID:	P19838
Cytogenetics:	4q24
Domains:	RHD, DEATH, ANK, IPT
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Cytosolic DNA-sensing pathway, Epithelial cell signaling in Helicobacter pylori infection, MAPK signaling pathway, Metabolic pathways, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Prostate cancer, RIG-I-like receptor signaling pathway, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway

Gene Summary:

This gene encodes a 105 kD protein which can undergo cotranslational processing by the 26S proteasome to produce a 50 kD protein. The 105 kD protein is a Rel protein-specific transcription inhibitor and the 50 kD protein is a DNA binding subunit of the NF-kappa-B (NFKB) protein complex. NFKB is a transcription regulator that is activated by various intra- and extra-cellular stimuli such as cytokines, oxidant-free radicals, ultraviolet irradiation, and bacterial or viral products. Activated NFKB translocates into the nucleus and stimulates the expression of genes involved in a wide variety of biological functions. Inappropriate activation of NFKB has been associated with a number of inflammatory diseases while persistent inhibition of NFKB leads to inappropriate immune cell development or delayed cell growth. NFKB is a critical regulator of the immediate-early response to viral infection. Alternative splicing results in multiple transcript variants encoding different isoforms, at least one of which is proteolytically processed. [provided by RefSeq, Aug 2020]

Product images:

Circular map for RG208384