

## Product datasheet for **RG208683**

### PEG10 (NM\_001040152) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PEG10 (NM_001040152) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PEG10
Synonyms:	EDR; HB-1; Mar2; Mart2; MEF3L; RGAG3; RTL2; SIRH1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG208683 representing NM_001040152 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGACCGAACGAAGAAGGGACGAGCTCTCTGAAGAGATCAACAACCTTAAGAGAGAAGGTCATGAAGCAGT  
CGGAGGAGAACAACAACCTGCAGAGCCAGGTGCAGAAGCTCACAGAGGAGAACCACCCTTCGAGAGCA  
AGTGAACCCACCCTGAGGATGAGGATGATGACATCGAGCTCCGCGGTGCTGCAGCAGTCTGCCCA  
CCCCCTCAATAGAGGAAGAGTGCCAGAAGACCTCCAGAGAAGTTCGATGGCAACCCAGACATGCTGG  
CTCCTTTCATGGCCAGTGCCAGATCTTCATGGAAAAGAGCACCAGGGATTTCTCAGTTGATCGTGTCCG  
TGTCTGCTTCGTGACAAGCATGATGACCGCCGTGCTGCCGTTGGCCCTCAGCAAAGCTGGAGCGCTCC  
CACTACCTGATGCACAACCTACCCAGCTTTCATGATGGAATGAAGCATGTCTTTGAAGACCTCAGAGGC  
GAGAGGTTGCCAAACGCAAGATCAGACGCTGCGCCAAGGCATGGGGTCTGTGATCGACTACTCCAATGC  
TTTCCAGATGATTGCCAGGACCTGGATTGGAACGAGCCTGCGCTGATTGACCAGTACCACGAGGGCCTC  
AGCGACCACATTCAGGAGGAGCTCTCCACCTCGAGGTCGCCAAGTCGCTGTCTGCTCTGATTGGGCAGT  
GCATTACATTGAGAGAAGGCTGGCCAGGGCTGCTGCAGCTCGCAAGCCACGCTCGCCACCCCGGGCGT  
GGTGTTCCTCACATTGCAAGCCACCACCAGGTAGATCCAACCGAGCCGGTGGGAGGTGCCCGCATGCC  
CTGACGCAGGAAGAAAAGAAAGACGCAGAAAGCTGAACCTGTGCCTCTACTGTGAACAGGAGGTCACT  
ACGCTGACAATTGCTCTGCCAAGGCCTCAAAGTCTTCGCCGGCGGAAACTCCCCGGCCCCGCTG

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG208683 representing NM\_001040152  
Red=Cloning site Green=Tags(s)

MTERRRDELSEEINNLRKVMKQSEENNLQSQVQKLTEENTTLREQVEPTPEDEDDDIELRGAAAAAAP  
 PPPIEEECPEDLPEKFDGNPDM LAPFMAQCQIFMEKSTRDFSVDVRVRCFVTSMMTGRAARWASAKLERS  
 HYL MNYP AFMMEMKHVFEDPQRREVAKRKIRRLRQMGSVIDYSNAFQMI AQDLWNEPALIDQYHEGL  
 SDHIQEELSHLEVAKSLSALIGQCIIHERRLARAAAARKPRSPPRALVLPHIASHHQVDPTPEVGGARMR  
 LTQEEKERRRKLNLCLYCGTGGHYADNCPAKASKSSPAGNSPAPL

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001040152

**ORF Size:** 975 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001040152.2](#)

**RefSeq Size:** 6628 bp

**RefSeq ORF:** 978 bp


**Locus ID:** 23089

**UniProt ID:** [Q86TG7](#)

**Cytogenetics:** 7q21.3

**Gene Summary:** This is a paternally expressed imprinted gene that is thought to have been derived from the Ty3/Gypsy family of retrotransposons. It contains two overlapping open reading frames, RF1 and RF2, and expresses two proteins: a shorter, gag-like protein (with a CCHC-type zinc finger domain) from RF1; and a longer, gag/pol-like fusion protein (with an additional aspartic protease motif) from RF1/RF2 by -1 translational frameshifting (-1 FS). While -1 FS has been observed in RNA viruses and transposons in both prokaryotes and eukaryotes, this gene represents the first example of -1 FS in a eukaryotic cellular gene. This gene is highly conserved across mammalian species and retains the heptanucleotide (GGGAAAC) and pseudoknot elements required for -1 FS. It is expressed in adult and embryonic tissues (most notably in placenta) and reported to have a role in cell proliferation, differentiation and apoptosis. Overexpression of this gene has been associated with several malignancies, such as hepatocellular carcinoma and B-cell lymphocytic leukemia. Knockout mice lacking this gene showed early embryonic lethality with placental defects, indicating the importance of this gene in embryonic development. Additional isoforms resulting from alternatively spliced transcript variants, and use of upstream non-AUG (CUG) start codon have been reported for this gene. [provided by RefSeq, Oct 2014]

Product images:



Circular map for RG208683