

Product datasheet for **RG209196**

RFWD3 (NM_018124) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RFWD3 (NM_018124) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RFWD3
Synonyms:	FANCW; RNF201
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG209196 representing NM_018124
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCTCATGAAGCAATGGAATATGATGTTGAGGTGACAGTTAAATCATGCCGAACAACAGCCAGCTCCTG
 CTGGCATGGCCAGCAGCCAAGGGGGACCAAGCCCTCCTCCAGCCTGTTCTGCTGATGTGGTCAGCAGCCA
 GGGGGTACCATCCATCCTCCAGCCAGCTCCTGCTGAGGTGATCAGCAGCCAAGCGACACCACCCCTGCTC
 CAGCCTGCTCCGCAACTGTCTGTTGACCTGACAGAAGTGAGGTCTTGGGAGAAGACACTGTGGAGAACA
 TCAATCCAAGAACTTCAGAACAACATAGGCAGGGATCTGATGGTAATCACACCATCCCAGCATCTTCGTT
 GCATTCAATGACCAACTTCATCAGCGGACTGCAGAGACTTCATGGCATGCTGGAATTCCTGAGACCTTCA
 TCTTCAAACCACAGTGTAGGGCCAATGAGAACAAGAAGGAGGGTATCTGCTTCACGGAGGGCAAGAGCCG
 GAGGGTCTCAGAGGACAGACAGTGCCAGGTTGAGAGCACCATTGGATGCTTACTTTCAGGTGAGCAGGAC
 CCAGCCTGACTTGCCAGCTACCATTATGATTGAGAGACTAGGAATCCTGTATCTGAAGAGTTGCAGGTG
 TCTAGTAGTTCTGATTCTGACAGTGACAGCTCTGCAGAGTATGGAGGGGTTGTTGACCAGGCAGAGGAAT
 CTGGAGCTGTCAATTTAGAAGAGCAACTAGCAGGTGTCTCAGCAGAGCAAGAAGTTACATGTATCGATGG
 AGGCAAGACCCCTCCCAACAGCCATCTCCCAAGAGTCTGAGCCTCTGTACCTTCTGCTTCTATGGAT
 GAGGAAGAAGGGGACACTTGTACAATATGTCTGGAACAGTGGACCAATGCTGGGGACACCGGCTCTCAG
 CATTACGCTGTGGGCATCTCTTTGGGTATAGGTGCATTTCACGTGGCTTAAAGGACAAGTACGAAAATG
 TCCCCAGTGCAACAAGAAAGCCAGGCACAGTGACATTGTCGTCTTTATGCCGAACCTGAGAGCTTTG
 GACACTAGTGAACAGGAGCGCATGAAAAGTTCCTACTGAAGGAACAGATGCTAAGGAAACAGGCCGAGT
 TAGAATCAGCACAGTGCCGACTCCAAGTGCAGGTCCTCACTGATAAGTGCCTAAGCTTCAAAGGCGTGT
 TCAGGACTTGCAAAAACCTTACGTCAATCAAAAGTCAGAATTTACAGCAACCCAGGGGCTCCCAAGCATGG
 GTCTGAGCTGTCTACCTCCAGCCAGGGCCAGCACAAGCACAAGTACCCTTCCAAAAGACCTTCACAG
 TATCTCAGGCAGGAACTGCCGGATCATGGCATACTGTGATGCTCTGAGCTGCCTGGTGATATCACAGCC
 TTCTCCTCAGGCCTCTTTTCTCCAGGCTTTGGTGTTAAGATGTTGAGTACTGCCAATGAAGAGCAGT
 CAGTACATTCCGATGCATGGCAAACAGATCCGTGGACTGGCGTTTAGCAGTTACCTCAGAGGCTTGCTAC
 TCTCTGCTCCCTAGACAACACTATTAAGTACCAGCCTGGAGACAAATACCGTGGTCCAGACTTATAA
 TGCTGGACGTCTGTCTGGAGCTGTTGCTGGTGTCTTGATGAGGCTAACTACATCTATGCTGGACTGGCC
 AATGGTTCAATTCTGGTATATGACGTGCGAAACACGAGCAGTCATGTGCAGGAGTTAGTAGCTCAGAAAG
 CCAGATGCCCACTGGTCTCCCTGTATACATGCCAGAGCTGCCTCAGCTGCATTTCATATGGTGGGGT
 GCTGGCTGGAACCTTGGAGGATGCTTCATTCTGGGAACAGAAAATGGACTTTTCTCATTGGCCTCATGTG
 CTGCCCTTGGAGCCAGGGGGCTGCATAGACTTTCAGACAGAGAACAGCTCCCGGCACTGTCTTGACCT
 ACAGGCCTGATAAAAATCACACCACCATACGAAGTGTGCTGATGGAAATGTCCTACCGACTGGATGACAC
 TGGAAATCCAATCTGCTCCTGCCAGCCTGTACATACATTTTGGAGGACCTACTTGCAAACTATTGACC
 AAAAATGCCATTTTCAAAGCCAGAGAATGATGGCAACATCCTGGTGTGTAAGGGGATGAAGCAGCAA
 ATTCTGCCCTGCTGTGGGATGCTGCCAGTGGCTCGTTGCTCCAGGACCTACAGACCGATCAGCCTGTGTT
 GGACATCTGCCCATTTGAGGTGAACCGTAACAGCTACTTGGCTACCTTAACAGAGAAGATGGTCCACACC
 TATAAGTGGGAG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG209196 representing NM_018124
 Red=Cloning site Green=Tags(s)

MAHEAMEYDVQVQLNHAEEQPPAPAGMASSQGGPALLQPVPAADVSSQGVPSILQPAPAEVISSQATPPLL
 QPAPQLSVDLTEVEVLGEDTVENINPRTSEQHRQSGDGNHTIPASSLHSMTNFISGLQRLHGMLEFLRPS
 SSNHSVGPMTTRRRVSASRRARAGGSQRTDSARLRAPLDAYFQVSRTQPDLPATTYDSETRNPVSEELQV
 SSSSDSDSDSSAEYGGVVDQAEESGAVILEEQLAGVSAEQEVTCIDGGKTLPKQSPQKSEPLLPASMD
 EEEGDTCTICLEQWTNAGDHRLSALRCGHLFGYRCISTWLKGQVRKCPQC�KKARHSDIVVLYARTLRAL
 DTSEQERMKSSLLKEQMLRKQAELESAQCRLQLQVLTDKCTKLQRRVQDLQKLTSHQSQNLQQPRGSQAW
 VLSCSPSSQGGQHKHKYHFQKFTFTVSQAGNCRIMAYCDALSCLVISQSPQASFLPGFGVKMLSTANMKSS
 QYIPMHGKQIRGLAFSSYLRLGLLSASLDNTIKLTSLETNTVVQTYNAGRPVWSCCWLDEANYIYAGLA
 NGSILVYDVRNTSSHVQELVAQKARCPLVLSYMPRAASAAFPYGGVLAGTLEDASFWEQKMDFSHWPHV
 LPLEPGGCIDFQTENSSRHCLVTYRPDKNHTTIRSVLMEMSYRLDDTGNPICSCQPVHTFFGGPTCKLLT
 KNAIFQSPENDGNILVCTGDEAANSALLWDAASGSLQLDLQTDQPVLDICPFVNRNSYLATLTEKMHVT
 YKWE

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_018124


ORF Size: 2322 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_018124.3</u> , <u>NP_060594.3</u>
RefSeq Size:	4952 bp
RefSeq ORF:	2325 bp
Locus ID:	55159
UniProt ID:	<u>Q6PCD5</u>
Cytogenetics:	16q23.1
Domains:	WD40, RING
Protein Families:	Druggable Genome
Gene Summary:	E3 ubiquitin-protein ligase required for the repair of DNA interstrand cross-links (ICL) in response to DNA damage (PubMed:21504906, PubMed:21558276, PubMed:26474068, PubMed:28575657, PubMed:28575658). Plays a key role in RPA-mediated DNA damage signaling and repair (PubMed:21504906, PubMed:21558276, PubMed:26474068, PubMed:28575657, PubMed:28575658, PubMed:28691929). Acts by mediating ubiquitination of the RPA complex (RPA1, RPA2 and RPA3 subunits) and RAD51 at stalled replication forks, leading to remove them from DNA damage sites and promote homologous recombination (PubMed:26474068, PubMed:28575657, PubMed:28575658). Also mediates the ubiquitination of p53/TP53 in the late response to DNA damage, and acts as a positive regulator of p53/TP53 stability, thereby regulating the G1/S DNA damage checkpoint (PubMed:20173098). May act by catalyzing the formation of short polyubiquitin chains on p53/TP53 that are not targeted to the proteasome (PubMed:20173098). In response to ionizing radiation, interacts with MDM2 and enhances p53/TP53 ubiquitination, possibly by restricting MDM2 from extending polyubiquitin chains on ubiquitinated p53/TP53 (PubMed:20173098).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG209196