

Product datasheet for **RG209308**

RNF111 (NM_017610) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RNF111 (NM_017610) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RNF111
Synonyms:	ARK; hRNF111
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG209308 representing NM_017610
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGC**

ATGTCCTAATGGACTCCTGAATATAAGGAGCTCTACACCTTAAAGTGGATATGAAGAGTGAGATTCCTT
 CTGATGCACCAAAGACACAGGAGAGTCTGAAAGGGATCCTTTTGCATCCAGAGCCCATTGGGGCAGCCAA
 AAGTTTTCTGCAGGAGTTGAGATGATTAATAGTAAAGTGGGAATGAATTCTCTCACCTGTGTGATGAT
 TCTCAAAAGCAAGAGAAGGAAATGAATGGTAACCAAGCAAGAACAAGAAAAAGTCTCGTTGTGAGGAAAA
 AACGCAAAAGCCAGCAGGCTGGCCCTTCGTATGTGCAGAATTGTGTTAAAGAAAACCAAGGAATATTAGG
 ACTGAGGCAACACCTAGGGACACCAAGTATGAAGATAATGATTCTCTTTAGTGATTGCTTTCTTCT
 CCTTCATCTAGTCTGCATTTTGGGGATTCTGATACTGTGACTTCAGATGAGGATAAAGAAGTCTCTGTAA
 GACATTTCCAGACCATTTTGAATGCTAAAAGTAGAAGCCATAGTGCACGGTCTCATAAGTGGCCTCGGAC
 TGAGACAGAATCTGTATCGGGATTGTTAATGAAAAGACCCTGTTACATGGCAGTTTCGTTACGGAGACTT
 CCATGCAGAAAGAGATTTGTAAAAAATAATTCTCACAGAGGACACAGAAACAAAAAGAGAGGATATTAA
 TGCAGAGGAAGAAACGAGAAGTGTAGCTCGAAGAAAATATGCCTTGCTACCTAGTTCTAGTAGTCCAG
 TGAGAATGACCTCAGCAGTGAATCCTCTTCTAGCTCATCAACTGAAGGAGAAGAAGATTTGTTTGTCTTCT
 GCCAGTGAACCAACCAAAACAATCCAGCTGTTCCCTCAGGAAGTATTGATGAAGATGTTGTGGTGATAG
 AAGCTTCTCCACTCCCCAGGTTACTGCCAATGAAGAAATTAATGTTACCTCAACTGACAGTGAAGTGGA
 GATTGTAACAGTTGGAGAAAGCTATCGGTCTCGTTCAACCCTTGGACACTCCAGATCTCATTGGAGCCAG
 GGTTCCAGTTCTCATGCAAGTCGGCCACAGGAGCCACGGAACCGCAGTAGGATTTCTACTGTTATACAGC
 CCTTGAGGCAGAATGCAGCAGAAGTTGTGACCTTACCGTTGATGAAGATGAACCTACTGTAGTACCAAC
 CACTTCTGCAAGAATGGAATCACAAGCTACTAGCGCTTCCATTAAACAATTCAAATCCATCTACCTCTGAG
 CAGGCCTCTGATACTGCTTCAGCTGTCAACAGTAGCCAACTTCCACAGTGTGAGAGACTTCAGCTACTC
 TTACAAGCAATAGTACCACTGGCACTTCTATAGGAGATGACTCAAGGAGAAGTACATCTAGTGCTGTAAC
 GGAAACTGGCCCTCCTGCAATGCCAAGGTTACCTTCTGCTGTCCCCAGCACTCACCATGTGGAGGGTGC
 TCACAGAACCAACCATGCATTAGGACATCCTCATACAAGTTGCTTTCAGCAGCATGGTCACCATTTTCAAC
 ATCATCACCACCACCACATACTCCCCACCCAGCTGTCCAGTTTCTCCTTCTTCTAGTGATCCTGCTTG
 CCCTGTGGAAGACCTCCACAAGTACAAGCACCTTGTGGAGCAAATAGTAGTTCTGGTACCAGCTATCAT
 GAACAGGCATTGCCAGTGGACCTGAGCAACAGTGGTATCAGAAGTCATGGAAGTGGCAGTTTTCATGGAG
 CATCTGCAATTTGACCCCTGCTGCCCTGTTTCTTCTCCGAGCTGCAATCTTTGGCCATCAGGCCGCTGC
 TGCTGCCCAAGTCAACCTTTATCATCAATAGATGGCTATGGATCAAGCATGGTTGCGCAGCCCCAGCCC
 CAGCCCCCTCCACAGCCCTCTCTCTCATCATGTGACATTACATGCCACCCCTTATGCCTTTTGACAA
 GGCCACTTCATCATCAAGCTTCTGCCTGCCCGCATTCTCATGGAACCCCTCCTCAGACTCAGCCTCC
 GCCTCAAGTGGATTATGTTATTCCTCATCTGTACATGCTTTCATTCTCAAATATCTTCTCATGCAACA
 TCTCATCTGTGGCACCACCCACCACTCACTTAGCCAGTACAGCTGCACCAATCCCTCAGCATCTTC
 CTCCTACACACCAGCCAAATTTGCGACCATATCCAGCCACAGCACCTCCAGCACAGAGACTGCATCCTCA
 TGAAGTGATGCAGAGGATGGAAGTTCAAAGGAGGAGGATGATGCAGCATCCAACGCGGGCATGAACGC
 CCCCCACCCATCCACATAGGATGCACCCAACTATGGTCATGGGCATCATATTCTGTGCTCAGACTA
 TGTCTCATACCTCGACAGGCTCCAGAGAGGTCTGCCTGGGAAGTGGGAATTGAAGCTGGAGTGACTGC
 AGCTACTTATACACCTGGTGCATTGCATCCTCACTTGGCCATTATCACGCACCTCCTCGACTTCATCAC
 TTACAATTAGGAGCTCTTCTTTAATGGTTCTGATATGGCAGGCTATCCTCACATCCGTTACATTTTCAT
 CAGGATTGGATGGAACATCATTAGAGGTCCTTTCAGGGGCAATTTTGAAGAACTGATTCATTTGGAAGA
 AAGATTAGGCAATGTCAATCGTGGAGCATCCCAGGGGACAATTGAAAGATGTACATATCCACATAAATAC
 AAAAAGAGGAACTGCACTGCAACAAGATGGGGAAGAAGGGACTGAGGAAGACACAGAGGAAAAATGTA
 CTATCTGTTTGTCTATTTAGAGGAAGGTGAAGATGTGAGACGTCTTCCATGTATGCACCTTTTCCACCA
 AGTGTGTGTTGACCAATGGTTGATTACCAATAAGAAGTGCCCATATGCAGAGTGACATTGAGGCCAG
 CTGCCAAGTGAAGT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG209308 representing NM_017610
 Red=Cloning site Green=Tags(s)


MSQWTPEYKELYTLKVDKSEIPSDAPKTQESLKGILLHPEPIGAASFPAGVEMINSKVGNEFSLHCDD
 SQKQEKEMNGNQEQEQLVVRKKRKSQQAGPSYVQNCVKENQILGLRQHLGTPSDEDNDSSFSDCLSS
 PSSSLHFGSDTDTSDDEDKEVSVRHSQTILNAKSRSHSARSHKWPRTETESVSGLLMKRPCLHGSSLRRL
 PCRKRKFVKNSSQRTQKQKERILMQKKREVLARRKYALLPSSSSSENDLSSSSSSSTEGEEDLFVS
 ASENHQNNPAVPSGSDIDVIVIEASSTPQVTANEEINVTSTDSEVEIVTVGESYRSRSTLGHRSRHSQ
 GSSSHASRPQEPNRSRISTVVIQPLRQNAAEVVDLTVDDEPTVVPTTSARMESQATSASINNSNPSTSE
 QASDTASAVTSSQPSTVSETSATLTSNSTTGTSIGDSSRRTTSSAVTETGPPAMPRLPSCCPQHSPCGGS
 SQNHHALGHPHTSCFQQHGHFQHHHHHHHTHPHAVPVSPFSDPACVERPPQVQAPCGANSSSGTSYH
 EQALPVDLSNSGIRSHGSGSFHGASAFDPCCPVSSRAAIFGHQAAAAAPSQPLSSIDGYGSSMVAQPQP
 QPPPQPSLSSCRHYMPYPYASLTRPLHHQASACPHSHGNPPQTQPPPQVDYVIPHPVHAFHSQISSHAT
 SHPVAPPPPTHLASTAAPIPQHLPPTHQPISSHIPATAPPAQRLHPHEVMQRMVQRRRMMQHPTRAHER
 PPPPHRMHPNYGHGHHIHVPQTMSSHPRQAPERSAWELGIEAGVTAATYTPGALHPLAHYHAPPRLHH
 LQLGALPLMVPDMAGYPHIRYISSGLDGTFRGPFGRNFEELIHLEERLGNVNRGASQGTIERCTYPHKY
 KKRKLHCKQDGEEGTEEDTEEKCTICLSILEEGEDVRRLLPCMHLFHQVCVDQWLITNKKCPICRVDIEAQ
 LPSES

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_017610

ORF Size: 2955 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_017610.6 , NP_060080.6
RefSeq Size:	5556 bp
RefSeq ORF:	2961 bp
Locus ID:	54778
UniProt ID:	Q6ZNA4
Cytogenetics:	15q22.1-q22.2
Domains:	RING
Protein Families:	Druggable Genome
Gene Summary:	The protein encoded by this gene is a nuclear RING-domain containing E3 ubiquitin ligase. This protein interacts with the transforming growth factor (TGF) -beta/NODAL signaling pathway by promoting the ubiquitination and proteosomal degradation of negative regulators, like SMAD proteins, and thereby enhances TGF-beta target-gene transcription. As a modulator of the nodal signaling cascade, this gene plays a critical role in the induction of mesoderm during embryonic development. Alternative splicing of this gene results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2012]

Product images:



Circular map for RG209308