

### **Product datasheet for RG209443**

# Uroplakin Ib (UPK1B) (NM\_006952) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Uroplakin Ib (UPK1B) (NM\_006952) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: Uroplakin Ib

Synonyms: TSPAN20; UPIB; UPK1

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





**ACCN:** NM\_006952

ORF Size: 780 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Uroplakin Ib (UPK1B) (NM\_006952) Human Tagged ORF Clone - RG209443

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 006952.2</u>

 RefSeq Size:
 2060 bp

 RefSeq ORF:
 783 bp

 Locus ID:
 7348

 UniProt ID:
 075841

Cytogenetics:

**Protein Families:** Transmembrane

3q13.32


**Gene Summary:** The protein encoded by this gene is a member of the transmembrane 4 superfamily, also

known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is found in the asymmetrical unit membrane (AUM) where it can form a complex with other transmembrane 4 superfamily proteins. It may play a role in normal bladder epithelial physiology, possibly in regulating membrane permeability of superficial umbrella cells or in stabilizing the apical membrane through AUM/cytoskeletal interactions. The use of alternate polyadenylation sites has been found for this gene.

[provided by RefSeq, Jul 2008]



## **Product images:**



Circular map for RG209443