

## Product datasheet for **RG209456**

### **PDXP (NM\_020315) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** PDXP (NM\_020315) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** PDXP  
**Synonyms:** CIN; dj37E16.5; PLP  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG209456 representing NM\_020315  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCGCGCTGCGAGAGGCTGCGCGGAGCGGCCCTGCGCGACGTGCTGGGCCGGGCGCAGGGGGTCTGT  
 TCGACTGTGACGGGGTGTGTGGAACGGCGAGCGCGCCGTGCCGGGCGCCCCGGAGCTGCTGGAGCGGT  
 GGCGCGGGCCGGCAAGGCGGCTCTGTTTGTGAGCAACAACAGCCGGCGCGCGGCCCGAGCTGGCCCTG  
 CGCTTCGCGCGCCTCGGCTTCGGGGGGCTGCGCGCCGAGCAGCTCTTCAGCTCCGCGCTGTGCGCCGCG  
 GCCTGCTGCGCCAGCGCCTGCCCGGCCCTCCGGACGCGCCGGGCGCCGTGTTCTGCTGGCGGCGAGGG  
 GCTGCGCGCCGAGCTGCGCGCCGCGGGGCTGCGCCTGGCCGGGGACCCGAGCGCGGGGACGGCGCGGCC  
 CCGCGCGTGCGCCCGCTGCTTGTGGGCTACGACGAGCACTTCTCCTTCGCAAGCTGAGGGAGGCGTGC  
 CGCACCTGCGCGACCCCGAGTGCCTACTCGTGGCCACCGACCGTGACCCATGGCACCCGCTGAGCGACGG  
 CAGCCGGACCCCTGGCACCGGGAGCCTGGCCGCTGCACTGGAGACAGCCTCGGGACGCCAGGCCCTGGT  
 GTGGGCAAGCCAGCCCTACATGTTTCGAGTGCATCACGGAGAATTTCAGCATCGACCCCGCACGCACGC  
 TTATGGTGGGTGACCGCCTGGAGACCGACATCCTTTGGCCACCGCTGCGGCATGACCACTGTGCTCAC  
 GCTCACAGGAGTCTCCCGCTAGAAGAGGCCAGGCCACCTAGCGGCCGGCCAGCACGACCTCGTGCC  
 CATTACTATGTGGAGAGCATCGCAGACTTGACAGAGGGGTTGGAGGAC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG209456 representing NM\_020315  
Red=Cloning site Green=Tags(s)

MARCERLRGAALRDVLDGRAQGVLFDCDGVLWNGERAVPGAPPELLERLARAGKAALFVSNNSRRARPELAL  
 RFARLFGGGLRAEQLFSSALCAARLLRQRLPGPPDAPGAVFVLGGGLRAELRAAGLRLAGDPSAGDGAA  
 PRVRAVLVGYDEHFSFAKLREACAHLRDPECLLVATDRDPWHPLSDGSRTPGTGSLAAAVETASGRQALV  
 VGKPSPYMFECITENFSIDPARTLMVGDRLTDILFGHRCGMTTVLTLTGVSRLAEAQAYLAAGQHDLVP  
 HYYVESIADLTEGLED


TRTRPLE - GFP Tag - V

**Chromatograms:** [https://cdn.origene.com/chromatograms/ja3310\\_a10.zip](https://cdn.origene.com/chromatograms/ja3310_a10.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



**ACCN:** NM\_020315


**ORF Size:** 888 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_020315.5</a></u>
<b>RefSeq Size:</b>	2072 bp
<b>RefSeq ORF:</b>	891 bp
<b>Locus ID:</b>	57026
<b>UniProt ID:</b>	<u><a href="#">Q96GD0</a></u>
<b>Cytogenetics:</b>	22q13.1
<b>Domains:</b>	Hydrolase
<b>Protein Pathways:</b>	Metabolic pathways, Vitamin B6 metabolism
<b>Gene Summary:</b>	Pyridoxal 5-prime-phosphate (PLP) is the active form of vitamin B6 that acts as a coenzyme in maintaining biochemical homeostasis. The preferred degradation route from PLP to 4-pyridoxic acid involves the dephosphorylation of PLP by PDXP (Jang et al., 2003 [PubMed 14522954]).[supplied by OMIM, Mar 2008]

**Product images:**



Circular map for RG209456