

## Product datasheet for **RG209730**

### Histone H3.3C (H3F3C) (NM\_001013699) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Histone H3.3C (H3F3C) (NM\_001013699) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** H3-5  
**Synonyms:** H3.5; H3F3C  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG209730 representing NM\_001013699  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCCCGAACCAAGCAGACTGCTCGTAAATCCACCGGTGGGAAAGCCCCCGCAAACAGCTGGCCACGA  
AAGCTGCCAGGAAAAGCACCCCTCTACCTGCGGGGTGAAGCCTCATCGCTACAGGCCTGGGACCGTGGC  
GCTTCGAGAGATTCGTCGTTATCAGAAGTCGACCGAGCTGCTCATCCGGAAGCTGCCCTCCAGAGGTTG  
GTGAGGGAGATCGCGCAGGATTTCAACTGACCTGAGGTTTCAGAGCGCAGTCGTCGGTGCCTGCAGG  
AGGCTAGCGAAGGTACCTGGTGGTCTGTTGGAAGATACTAACCTGTGTGCCATCCACGCTAAGAGAGT  
CACCATCATGCCCAAAGACATCCAGTTGGCTCGCCGGATACGGGGAGAGAGAGCT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG209730 representing NM\_001013699  
Red=Cloning site Green=Tags(s)  
MARTKQTARKSTGGKAPRQLATKAARKSTPSTCGVKPHRYRPGTVALREIRRYQKSTELLIRKLPFQRL  
VREIAQDFNTDLRFQSAVVGALQEASEAYLVGLLEDTNLCAIHAKRVTIMPKDIQLARRIGERA


**TRTRPLE** - GFP Tag - V

**Restriction Sites:** Sgfl-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


ACCN: NM\_001013699

ORF Size: 405 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001013699.1</a> , <a href="#">NP_001013721.1</a>
<b>RefSeq Size:</b>	1070 bp
<b>RefSeq ORF:</b>	408 bp
<b>Locus ID:</b>	440093
<b>UniProt ID:</b>	<a href="#">Q6NXT2</a>
<b>Cytogenetics:</b>	12p11.21
<b>Protein Pathways:</b>	Systemic lupus erythematosus
<b>Gene Summary:</b>	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded by this gene is a replication-independent histone that is a member of the histone H3 family. [provided by RefSeq, Oct 2015]