

Product datasheet for RG209796

TIMP2 (NM_003255) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TIMP2 (NM_003255) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: TIMP2

Synonyms: CSC-21K; DDC8

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG209796 representing NM_003255

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AAGCAGGAGTTTCTCGACATCGAGGACCCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

TIMP2 (NM_003255) Human Tagged ORF Clone - RG209796

Protein Sequence: >RG209796 representing NM_003255

Red=Cloning site Green=Tags(s)


MGAAARTLRLALGLLLLATLLRPADACSCSPVHPQQAFCNADVVIRAKAVSEKEVDSGNDIYGNPIKRIQ YEIKQIKMFKGPEKDIEFIYTAPSSAVCGVSLDVGGKKEYLIAGKAEGDGKMHITLCDFIVPWDTLSTTQ KKSLNHRYQMGCECKITRCPMIPCYISSPDECLWMDWVTEKNINGHQAKFFACIKRSDGSCAWYRGAAPP KQEFLDIEDP


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





ACCN: NM_003255

ORF Size: 660 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 003255.5</u>

 RefSeq Size:
 3670 bp

 RefSeq ORF:
 663 bp

 Locus ID:
 7077

 UniProt ID:
 P16035

 Cytogenetics:
 17q25.3

Domains: NTR

Protein Families: Druggable Genome, Secreted Protein

Gene Summary: This gene is a member of the TIMP gene family. The proteins encoded by this gene family are


natural inhibitors of the matrix metalloproteinases, a group of peptidases involved in

degradation of the extracellular matrix. In addition to an inhibitory role against

metalloproteinases, the encoded protein has a unique role among TIMP family members in its ability to directly suppress the proliferation of endothelial cells. As a result, the encoded protein may be critical to the maintenance of tissue homeostasis by suppressing the proliferation of quiescent tissues in response to angiogenic factors, and by inhibiting protease activity in tissues undergoing remodelling of the extracellular matrix. [provided by

RefSeq, Jul 2008]

Product images:



Circular map for RG209796