

Product datasheet for RG209908

H3.3A (H3F3A) (NM_002107) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	H3.3A (H3F3A) (NM_002107) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	H3.3A
Synonyms:	H3-3B; H3.3A; H3F3; H3F3A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG209908 representing NM_002107 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGCTCGTACAAAGCAGACTGCCCTCAAATCGACCGGTGGTAAAGCACCCAGGAAGCAACTGGCTACAA AAGCCGCTCGCAAGAGTGCGCCCTCTACTGGAGGGGGTGAAGAAACCTCATCGTTACAGGCCTGGTACTGT GGCGCTCCGTGAAATTAGACGTTATCAGAAGTCCACTGAACTTCTGATTCGCAAACTTCCCTTCCAGCGT CTGGTGCGAGAAATTGCTCAGGACTTTAAAACAGATCTGCGCTTCCAGAGCGCAGCTATCGGTGCTTTGC AGGAGGCAAGTGAGGCCTATCTGGTTGGCCTTTTTGAAGACACCAACCTGTGTGCTATCCATGCCAAACG TGTAACAATTATGCCAAAAGACATCCAGCTAGCACGCCGCATACGTGGAGAACGTGCT
	ACGCGTACGCCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	>RG209908 representing NM_002107 <mark>Red</mark> =Cloning site Green=Tags(s)
	MARTKQTALKSTGGKAPRKQLATKAARKSAPSTGGVKKPHRYRPGTVALREIRRYQKSTELLIRKLPFQR LVREIAQDFKTDLRFQSAAIGALQEASEAYLVGLFEDTNLCAIHAKRVTIMPKDIQLARRIRGERA
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:




ACCN:	NM_002107
ORF Size:	408 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE H3.3A (H3F3A) (NM_002107) Human Tagged ORF Clone – RG209908

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 002107.3, NP 002098.1</u>
RefSeq Size:	1117 bp
RefSeq ORF:	411 bp
Locus ID:	3020
UniProt ID:	<u>P84243</u>
Cytogenetics:	1q42.12
Domains:	H3, histone
Protein Pathways:	Systemic lupus erythematosus
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded is a replication-independent member of the histone H3 family. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG209908

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US