OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RG209913

ASK1 (MAP3K5) (NM_005923) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ASK1 (MAP3K5) (NM_005923) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ASK1
Synonyms:	ASK1; MAPKKK5; MEKK5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence:

>RG209913 representing NM_005923
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAGCACGGAGGCGGACGAGGGCATCACTTTCTCTGTGCCACCCTTCGCCCCCTCGGGCTTCTGCACCA
TCCCCGAGGGCGGCATCTGCAGGAGGGGAGGAGCGGCGGCGGTGGGCGAGGGCGAGGAGCACCAGCTGCC
ACCGCCGCCGCCGGGCAGTTTCTGGAACGTGGAGAGCGCCGCTGCCCCTGGCATCGGTTGTCCGGCGGCC
ACCTCCTCGAGCAGTGCCACCCGAGGCCGGGGCAGCTCTGTTGGCGGGGGCAGCCGACGGACCACGGTGG
CATATGTGATCAACGAAGCGAGCCAAGGGCAACTGGTGGTGGCCGAGAGCGAGGCCCTGCAGAGCTTGCG
GGAGGCGTGCGAGACAGTGGGCGCCACCCTGGAAACCCTGCATTTTGGGAAACTCGACTTTGGAGAAACC
ACCGTGCTGGACCGCTTTTACAATGCAGATATTGCGGTGGTGGAGATGAGCGATGCCTTCCGGCAGCCGT
CCTTGTTTTACCACCTTGGGGTGAGAGAAAGTTTCAGCATGGCCAACAACATCATCCTCTACTGTGATAC
TAACTCGGACTCTCTGCAGTCACTGAAGGAAATCATTTGCCAGAAGAATACTATGTGCACTGGGAACTAC
ACCTTTGTTCCTTACATGATAACTCCACATAACAAAGTCTACTGCTGTGACAGCAGCTTCATGAAGGGGT
TGACAGAGCTCATGCAACCGAACTTCGAGCTGCTTCTTGGACCCATCTGCTTACCTCTTGTGGATCGTTT
TATTCAACTTTTGAAGGTGGCACAAGCAAGTTCTAGCCAGTACTTCCGGGAATCTATACTCAATGACATC
AGGAAAGCTCGTAATTTATACACTGGTAAAGAATTGGCAGCTGAGTTGGCAAGAATTCGGCAGCGAGTAG
ATAATATCGAAGTCTTGACAGCAGATATTGTCATAAATCTGTTACTTTCCTACAGAGATATCCAGGACTA
TGATTCTATTGTGAAGCTGGTAGAGACTTTAGAAAAACTGCCAACCTTTGATTTGGCCTCCCATCACCAT
GTGAAGTTTCATTATGCATTTGCACTGAATAGGAGAAATCTCCCTGGTGACAGAGCAAAAGCTCTTGATA
TTATGATTCCCATGGTGCAAAGCGAAGGACAAGTTGCTTCAGATATGTATTGCCTAGTTGGTCGAATCTA
CAAAGATATGTTTTTGGACTCTAATTTCACGGACACTGAAAGCAGAGACCATGGAGCTTCTTGGTTCAAA
AAGGCATTTGAATCTGAGCCAACACTACAGTCAGGAATTAATTATGCGGTCCTCCTCCTGGCAGCTGGAC
ACCAGTTTGAATCTTCCTTTGAGCTCCGGAAAGTTGGGGTGAAGCTAAGTAGTCTTCTTGGTAAAAAGGG
AAACTTGGAAAAACTCCAGAGCTACTGGGAAGTTGGATTTTTTCTGGGGGCCAGCGTCCTAGCCAATGAC

View online »

CACATGAGAGTCATTCAAGCATCTGAAAAGCTTTTTAAACTGAAGACACCAGCATGGTACCTCAAGTCTA
TTGTAGAGACAATTTTAATATATAAGCATTTTGTGAAACTGACCACAGAACAGCCTGTGGCCAAGCAAGA
ACTTGTGGACTTTTGGATGGATTTCCTGGTCGAGGCCACAAAGACAGATGTTACTGTGGTTAGGTTTCCA
GTATTAATATTAGAACCAACCAAAATCTATCAACCTTCTTATTTGTCTATCAACAATGAAGTTGAGGAAA
AGACAATCTCTATTTGGCACGTGCTTCCTGATGACAAGAAAGGTATACATGAGTGGAATTTTAGTGCCTC
TTCTGTCAGGGGAGTGAGTATTTCTAAATTTGAAGAAAGATGCTGCTTTCTTTATGTGCTTCACAATTCT
GATGATTTCCAAATCTATTTCTGTACAGAACTTCATTGTAAAAAGTTTTTTGAGATGGTGAACACCATTA
CCGAAGAGAAGGGGAGAAGCACAGAGGAAGGAGACTGTGAAAGTGACTTGCTGGAGTATGACTATGAATA
TGATGAAAATGGTGACAGAGTCGTTTTAGGAAAAGGCACTTATGGGATAGTCTACGCAGGTCGGGACTTG
AGCAACCAAGTCAGAATTGCTATTAAGGAAATCCCAGAGAGAGACAGCAGATACTCTCAGCCCCTGCATG
AAGAAATAGCATTGCATAAACACCTGAAGCACAAAAATATTGTCCAGTATCTGGGCTCTTTCAGTGAGAA
TGGTTTCATTAAAATCTTCATGGAGCAGGTCCCTGGAGGAAGTCTTTCTGCTCTCCTTCGTTCCAAATGG
GGTCCATTAAAAGACAATGAGCAAACAATTGGCTTTTATACAAAGCAAATACTGGAAGGATTAAAATATC
TCCATGACAATCAGATAGTTCACCGGGACATAAAGGGTGACAATGTGTTGATTAATACCTACAGTGGTGT
TCTCAAGATCTCTGACTTCGGAACATCAAAGAGGCTTGCTGGCATAAACCCCTGTACTGAAACTTTTACT
GGTACCCTCCAGTATATGGCACCAGAAATAATAGATAAAGGACCAAGAGGCTACGGAAAAGCAGCAGACA
TCTGGTCTCTGGGCTGTACAATCATTGAAATGGCCACAGGAAAACCCCCATTTTATGAACTGGGAGAACC
ACAAGCAGCTATGTTCAAGGTGGGAATGTTTAAAGTCCACCCTGAGATCCCAGAGTCCATGTCTGCAGAG
GCCAAGGCATTCATACTGAAATGTTTTGAACCAGATCCTGACAAGAGAGCCTGTGCTAACGACTTGCTTG
TTGATGAGTTTTTAAAAGTTTCAAGCAAAAAGAAAAAGACACAACCTAAGCTTTCAGCTCTTTCAGCTGG
ATCAAATGAATATCTCAGGAGTATATCCTTGCCGGTACCTGTGCTGGTGGAGGACACCAGCAGCAGCAGT
GAGTACGGCTCAGTTTCACCCGACACGGAGTTGAAAGTGGACCCCTTCTCTTTCAAAACAAGAGCCAAGT
CCTGCGGAGAAAGAGATGTCAAGGGAATTCGGACACTCTTTTTGGGCATTCCAGATGAGAATTTTGAAGA
TCACAGTGCTCCTCCTTCCCCTGAAGAAAAAGATTCTGGATTCTTCATGCTGAGGAAGGACAGTGAGAGG
CGAGCTACCCTTCACAGGATCCTGACGGAAGACCAAGACAAAATTGTGAGAAACCTAATGGAATCTTTAG
CTCAGGGGGCTGAAGAACCGAAACTAAAATGGGAACACATCACAACCCTCATTGCAAGCCTCAGAGAATT
TGTGAGATCCACTGACCGAAAAATCATAGCCACCACACTGTCAAAGCTGAAACTGGAGCTGGACTTCGAC
AGCCATGGCATTAGCCAAGTCCAGGTGGTACTCTTTGGTTTTCAAGATGCTGTCAATAAAGTTCTTCGGA
ATCATAACATCAAGCCGCACTGGATGTTTGCCTTAGACAGTATCATTCGGAAGGCGGTACAGACAGCCAT
TACCATCCTGGTTCCAGAACTAAGGCCACATTTCAGCCTTGCATCTGAGAGTGATACTGCTGATCAAGAA
GACTTGGATGTAGAAGATGACCATGAGGAACAGCCTTCAAATCAAACTGTCCGAAGACCTCAGGCTGTCA
TTGAAGATGCTGTGGCTACCTCAGGCGTGAGCACGCTCAGTTCTACTGTGTCTCATGATTCCCAGAGTGC
TCACCGGTCACTGAATGTACAGCTTGGAAGGATGAAAATAGAAACCAATAGATTACTGGAAGAATTGGTT
CGGAAAGAGAAAGAATTACAAGCACTCCTTCATCGAGCTATTGAAGAAAAAGACCAAGAAATTAAACACC
TGAAGCTTAAGTCCCAACCCATAGAAATTCCTGAATTGCCTGTATTTCATCTAAATTCTTCTGGCACAAA
TACTGAAGATTCTGAACTTACCGACTGGCTGAGAGTGAATGGAGCTGATGAAGACACTATAAGCCGGTTT
TTGGCTGAAGATTATACACTATTGGATGTTCTCTACTATGTTACACGTGATGACTTAAAATGCTTGAGAC
TAAGGGGAGGGATGCTGTGCACACTGTGGAAGGCTATCATTGACTTTCGAAACAAACAGACT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG209913 representing NM_005923
Red=Cloning site Green=Tags(s)

MSTEADEGITFSVPPFAPSGFCTIPEGGICRRGGAAAVGEGEEHQLPPPPPGSFWNVESAAAPGIGCPAA
TSSSSATRGRGSSVGGGSRRTTVAYVINEASQGQLVVAESEALQSLREACETVGATLETLHFGKLDFGET
TVLDRFYNADIAVVEMSDAFRQPSLFYHLGVRESFSMANNIILYCDTNSDSLQSLKEIICQKNTMCTGNY
TFVPYMITPHNKVYCCDSSFMKGLTELMQPNFELLLGPICLPLVDRFIQLLKVAQASSSQYFRESILNDI
RKARNLYTGKELAAELARIRQRVDNIEVLTADIVINLLLSYRDIQDYDSIVKLVETLEKLPTFDLASHHH
VKFHYAFALNRRNLPGDRAKALDIMIPMVQSEGQVASDMYCLVGRIYKDMFLDSNFTDTESRDHGASWFK
KAFESEPTLQSGINYAVLLLAAGHQFESSFELRKVGVKLSSLLGKKGNLEKLQSYWEVGFFLGASVLAND
HMRVIQASEKLFKLKTPAWYLKSIVETILIYKHFVKLTTEQPVAKQELVDFWMDFLVEATKTDVTVVRFP
VLILEPTKIYQPSYLSINNEVEEKTISIWHVLPDDKKGIHEWNFSASSVRGVSISKFEERCCFLYVLHNS
DDFQIYFCTELHCKKFFEMVNTITEEKGRSTEEGDCESDLLEYDYEYDENGDRVVLGKGTYGIVYAGRDL
SNQVRIAIKEIPERDSRYSQPLHEEIALHKHLKHKNIVQYLGSFSENGFIKIFMEQVPGGSLSALLRSKW
GPLKDNEQTIGFYTKQILEGLKYLHDNQIVHRDIKGDNVLINTYSGVLKISDFGTSKRLAGINPCTETFT
GTLQYMAPEIIDKGPRGYGKAADIWSLGCTIIEMATGKPPFYELGEPQAAMFKVGMFKVHPEIPESMSAE
AKAFILKCFEPDPDKRACANDLLVDEFLKVSSKKKKTQPKLSALSAGSNEYLRSISLPVPVLVEDTSSSS
EYGSVSPDTELKVDPFSFKTRAKSCGERDVKGIRTLFLGIPDENFEDHSAPPSPEEKDSGFFMLRKDSER
RATLHRILTEDQDKIVRNLMESLAQGAEEPKLKWEHITTLIASLREFVRSTDRKIIATTLSKLKLELDFD
SHGISQVQVVLFGFQDAVNKVLRNHNIKPHWMFALDSIIRKAVQTAITILVPELRPHFSLASESDTADQE
DLDVEDDHEEQPSNQTVRRPQAVIEDAVATSGVSTLSSTVSHDSQSAHRSLNVQLGRMKIETNRLLEELV
RKEKELQALLHRAIEEKDQEIKHLKLKSQPIEIPELPVFHLNSSGTNTEDSELTDWLRVNGADEDTISRF
LAEDYTLLDVLYYVTRDDLKCLRLRGGMLCTLWKAIIDFRNKQT

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_005923

ORF Size: 4122 bp

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005923.3, NP_005914.1
RefSeq Size:	5215 bp
RefSeq ORF:	4125 bp
Locus ID:	4217
UniProt ID:	Q99683
Cytogenetics:	6q23.3
Domains:	pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Amyotrophic lateral sclerosis (ALS), MAPK signaling pathway, Neurotrophin signaling pathway

Gene Summary: Mitogen-activated protein kinase (MAPK) signaling cascades include MAPK or extracellular signal-regulated kinase (ERK), MAPK kinase (MKK or MEK), and MAPK kinase kinase (MAPKKK or MEKK). MAPKK kinase/MEKK phosphorylates and activates its downstream protein kinase, MAPK kinase/MEK, which in turn activates MAPK. The kinases of these signaling cascades are highly conserved, and homologs exist in yeast, Drosophila, and mammalian cells. MAPKKK5 contains 1,374 amino acids with all 11 kinase subdomains. Northern blot analysis shows that MAPKKK5 transcript is abundantly expressed in human heart and pancreas. The MAPKKK5 protein phosphorylates and activates MKK4 (aliases SERK1, MAPKK4) in vitro, and activates c-Jun N-terminal kinase (JNK)/stress-activated protein kinase (SAPK) during transient expression in COS and 293 cells; MAPKKK5 does not activate MAPK/ERK. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG209913