

Product datasheet for **RG210108**

LAIR2 (NM_002288) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: LAIR2 (NM_002288) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: LAIR2
Synonyms: CD306
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG210108 representing NM_002288
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGTCTCCACACCTCACTGCTCTCCTGGGCTAGTGCTCTGCCTGGCCAGACCATCCACACGCAGGAGG
 GGGCCCTCCAGACCTCCATCTCGGCTGAGCCAGGCACTGTGATCTCCCCGGGAGCCATGTGACTTT
 CATGTGCCGGGCGCGTTGGGGTTCAAACATTCGCCTGGAGAGGGAGGATAGAGCCAAGTACAAAGAT
 AGTTATAATGTGTTTCGACTTGGTCCATCTGAGTCAGAGGCCAGATTCCACATTGACTCAGTAAGTGAAG
 GAAATGCCGGGCTTTATCGCTGCCTCTATTATAAGCCCCCTGGATGGTCTGAGCACAGTGACTTCCTGGA
 GCTGCTGGTAAAAGAAAGCTCTGGAGGCCCGGACTCCCCGGACACAGAGCCCGGCTCCTCAGCTGGGACT
 TGCCAGGCACTGAAGCTCCGGATTTGATGCACCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG210108 representing NM_002288
 Red=Cloning site Green=Tags(s)

MSPHLTALLGLVLCLAQTIHTQEGALPRPSISAEPGTVISPGSHVTFMCRGPVGVQTFRLEREDRAKYKD
 SYNVFRLGPSESEARFHIDSVSEGNAGLYRCLYYKPPGWSEHSDFLELLVKESSGGPDPDTEPGSSAGT
 VPGTEASGFADP

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI



[View online »](#)

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_002288.6](#)

RefSeq Size: 702 bp

RefSeq ORF: 459 bp

Locus ID: 3904

UniProt ID: [Q6ISS4](#)

Cytogenetics: 19q13.42

Domains: IG

Protein Families: Secreted Protein

Gene Summary: The protein encoded by this gene is a member of the immunoglobulin superfamily. It was identified by its similarity to leukocyte-associated immunoglobulin-like receptor 1, a membrane-bound receptor that modulates innate immune response. The protein encoded by this locus is a soluble receptor that may play roles in both inhibition of collagen-induced platelet aggregation and vessel formation during placental implantation. This gene maps to a region of 19q13.4, termed the leukocyte receptor cluster, which contains 29 genes in the immunoglobulin superfamily. Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Sep 2013]