OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RG210120

FGF10 (NM_004465) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGF10 (NM_004465) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	FGF10
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence:

>RG210120 representing NM_004465
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGTGGAAATGGATACTGACACATTGTGCCTCAGCCTTTCCCCACCTGCCCGGCTGCTGCTGCTGCTGCT
TTTTGTTGCTGTTCTTGGTGTCTTCCGTCCCTGTCACCTGCCAAGCCCTTGGTCAGGACATGGTGTCACC
AGAGGCCACCAACTCTTCTTCCTCCTCCTTCTCCTCTCCTTCCAGCGCGGGAAGGCATGTGCGGAGCTAC
AATCACCTTCAAGGAGATGTCCGCTGGAGAAAGCTATTCTCTTTCACCAAGTACTTTCTCAAGATTGAGA
AGAACGGGAAGGTCAGCGGGACCAAGAAGGAGAACTGCCCGTACAGCATCCTGGAGATAACATCAGTAGA
AATCGGAGTTGTTGCCGTCAAAGCCATTAACAGCAACTATTACTTAGCCATGAACAAGAAGGGGAAACTC
TATGGCTCAAAAGAATTTAACAATGACTGTAAGCTGAAGGAGAGGATAGAGGAAAATGGATACAATACCT
ATGCATCATTTAACTGGCAGCATAATGGGAGGCAAATGTATGTGGCATTGAATGGAAAAGGAGCTCCAAG
GAGAGGACAGAAAACACGAAGGAAAAACACCTCTGCTCACTTTCTTCCAATGGTGGTACACTCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG210120 representing NM_004465
Red=Cloning site Green=Tags(s)

MWKWILTHCASAFPHLPGCCCCCFLLLFLVSSVPVTCQALGQDMVSPEATNSSSSSFSSPSSAGRHVRSY
NHLQGDVRWRKLFSFTKYFLKIEKNGKVSGTKKENCPYSILEITSVEIGVVAVKAINSNYYLAMNKKGKL
YGSKEFNNDCKLKERIEENGYNTYASFNWQHNGRQMYVALNGKGAPRRGQKTRRKNTSAHFLPMVVHS

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

View online »

Cloning Scheme:



ACCN:	NM_004465
ORF Size:	624 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004465.2
RefSeq Size:	627 bp
RefSeq ORF:	627 bp
Locus ID:	2255
UniProt ID:	O15520

Cytogenetics:	5p12
Domains:	FGF
Protein Families:	Adult stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Secreted Protein, Transcription Factors, Transmembrane
Protein Pathways:	MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton
Gene Summary:	The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein exhibits mitogenic activity for keratinizing epidermal cells, but essentially no activity for fibroblasts, which is similar to the biological activity of FGF7. Studies of the mouse homolog of suggested that this gene is required for embryonic epidermal morphogenesis including brain development, lung morphogenesis, and initiation of lim bud formation. This gene is also implicated to be a primary factor in the process of wound healing. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG210120