

Product datasheet for **RG210263**

EXOC2 (NM_018303) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EXOC2 (NM_018303) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	EXOC2
Synonyms:	NEDFACH; SEC5; SEC5L1; Sec5p
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG210263 representing NM_018303
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGC**

ATGTCTCGATCACGACAACCCCCCTTGTGACCGGCATCTCTCCAAATGAAGGGATACCATGGACGAAGG
 TCACAATCAGGGGAGAAAATCTGGGGACTGGCCCCACCGACCTCATAGGCTTGACATTTGTGGACATAA
 TTGCCTCTGACGGCAGAAATGGATGTCTGCAAGTAAAATAGTATGTCGAGTGGGACAAGCAAAAATGAC
 AAAGGAGACATTATTGTCAACCACTAAGTCAGGTGGCAGAGGAACCTCAACAGTCTCTTTCAAGCTACTCA
 AACCTGAGAAAATAGGCATTTTGGATCAGTCTGCTGTGTGGGTTGATGAAATGAATTATTATGATATGCG
 CACTGACAGGAACAAAGGAATTCGCGCTTGTCTTACGTCTGCTAACCCGCTTGGCATTGAGATTGAA
 AAAAGTAAATTTTCGAGAAGGACTTAGAAATGCTATTCCATGGAATGAGTGTGATTTTACAAGTGAGA
 ATTTCTCAGCAGCCTGGTATCTTATAGAGAATCACTCAAAACACCAAGTTTGGAGCAGCTCAAAATGGCAGT
 CACCAACCTAAAGAGACAGGCTAACAAGAAGAGTGAGGGCAGCCTGGCCTATGTGAAAGGCGGTCTCAGT
 ACATTTCTCGAAGCACAGGATGCCCTCTCAGCCATCCATCAAAAAGTGAAGCAGATGGAACGGAAGAAAG
 TAGAAGGATCCATGACGCAGAACTGGAGAATGTTCTGAACAGAGCAAGTAACTGCAGACACATTGTT
 TCAAGAAGTATTAGTTCGAAAGACAAGGCAGATTCCACTAGAAATGCACTCAATGTGCTTCAGCGATTT
 AAGTTTCTTTCAACCTTCTCTAAATATTGAAAGGAATATTCAAAAGGGTGATTATGATGTGGTTATTA
 ATGATTATGAAAAGGCCAAGTCACTTTTGGGAAAACGGAGGTGCAAGTTTCAAGAAATATTATGCTGA
 AGTAGAAAACAAGGATTGAAGCTTTAAGAGAATTACTTCTGGATAAATTGCTTGAGACACCATCACTTTA
 CATGACCAAAAACGTTACATAAGGTACCTGTCTGACCTTCATGCGTCTGGTGACCTGCTTGGCAATGCA
 TTGGAGCCCAACACAAGTGGATCCTTCAGCTCATGCACAGTTGCAAGAGGGCTACGTGAAAGATCTGAA
 AGGTAACCCAGGCCTGCACAGTCCCATGTTGGATCTTGATAATGATACAGTCCCTCAGTGTGGGCCAT
 CTCAGTCAGACAGCGTCCCTGAAGAGGGGCAGCAGCTTTCAGTCTGGTCGAGACGACAGTGGAGATACA
 AAACCTCCACAGGGTGGCCTTTGTTGAAAAATTGACAAAACCTGCTTTCAGCCAGCTGCCTAACTCTG
 GAACTCTGGATCTCTACGTTAATGGAAGCCTCTTCAGTGAGACTGCTGAGAAGTCAGGCCAGATTGAA
 AGATCAAAGAATGTAAGGCAAAGACAAAATGATTTTAAGAAAATGATTTCAGGAAGTAATGCACTCCCTGG
 TGAAGCTTACCCGCGGAGCCCTGCTTCCCTCAGCATCCGGGATGGGAAGCCAAGCAGTACGGAGGCTG
 GGAGGTGAAGTGCAGCTCTCCGACAGTGGCTCGCTCACGCCATCCAGACTGTAAGACTTACTCATGAA
 TCGTTGACTGCCCTTGAATTCCTAATGACCTGTTACAGACTATCCAGGATCTCATCTTGGATCTCCGAG
 TACGTTGCGTAATGGCCACGTTGCAGCACACGGCGGAAGAAATAAGAGATTAGCTGAAAAAGAAGACTG
 GATTGTTGACAATGAAGGACTGACTTCTTACCATGTCAGTTTGAACAGTGCATCGTGTGTTCTCTGCAG
 TCACTGAAGGGGGTTCTGGAGTGCAAGCCGGGAGAGGCCAGTGTCTTCCAACAACCTAAAACACAGGAGG
 AGGTTTGCCAGCTAAGCATCAATATAATGCAGGTTTTATATACTGTCTGGAACAGTTGAGCACCAAGCC
 TGATGCAGATATAGATACTACACATCTCTCTGTTGATGTTTCTTCCCCTGACTTGTGGAAGTATCCAT
 GAAGACTTCAGCTTGACCTCAGAACAGCGCCTTTTGATAGTCTTAAGTAATTGCTGCTATCTAGAACGTC
 ACACCTTCCTAAATATCGCAGAACATTTTGAAGAGCACAACCTCCAGGGAATAGAAAAATCACACAGGT
 TAGCATGGCCTCATTGAAAGAACTAGATCAAAGACTCTTTGAAAATTACATCGAGTTGAAAGCAGATCCC
 ATCGTTGGCTCCTTAGAACCTGGAATTTATGCAGGATATTTTGATTGGAAGGACTGCCTGCCTCCAACAG
 GTGTCAGAAACTATTTAAAGAAGCACTGGTGAATATAATTGCCGTGCATGCAGAGGTGTTCAACATTTT
 CAAAGAACTGGTCCCTCGGGTACTATCCAAGGTGATAGAAGCAGTTTCTGAAGAGCTCAGTCGACTGATG
 CAGTGTGTTTTCATCCTTCAGCAAAAATGGAGCTTTACAGGCGAGACTTGAAATCTGTGCTTTGAGGGACA
 CTGTGGCTGTTTACCTGACACCCGAAAGCAAGTCAAGTTTAAAGCAGGCTTTGGAAGCCCTGCCCCAGCT
 TTCCAGTGGAGCAGATAAAAAGTTACTGGAAGAGCTCCTGAACAAGTTCAAGAGTAGCATGCACTTGCAG
 CTCACCTGTTTCAAGCAGCTTCTTCAACCATGATGAAAAACA

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG210263 representing NM_018303
Red=Cloning site Green=Tags(s)


MSRSRQPPLVTGISPNEGIPWTKVTIRGENLGTGPTDLIGLTICGHNCLLTAEWMSASKIVCRVGQAKND
KGDIIIVTKSGGRGTSTVSFKLLKPEKIGILDQSAVWVDEMYYDMRTDRNKGIPPLSLRPANPLGIEIE
KSKFSQKDLEMLFHGMSADFTSENFSAAWYL IENHSNTSFEQLKMAVTNLKRQANKKSEGLAYVKGGLS
TFFEAQDALSAIHQKLEADGTEKVEGSMQKLENVLNRSNTADTLFQEVLRKDKADSTRNALNVLQRF
KFLFNLPLNIERNIQKGDYDVVINDYEKAKSLFGKTEVQVFKKYAEVETRIEALRELLLDKLETPSTL
HDQKRYIRYLSDLHASGDPAWQCIGA QHKWILQLMHSCKEGYVKDLKGNPGLHSPMLDLNDTRPSVLGH
LSQTASLKRGSFQSGRDDTWRYKTPHRVAFVEKLTKLVLSQLPNFWKLWISYVNGSLFSETAEKSGQIE
RSKNVRQRQNDFFKMIQEVMSLVKLTRGALLPLSIRDGEAKQYGGWEVKCELSGQWLAAHQTVRLTHE
SLTALEIPNDLLQTIQDLILDLVRVCMATLQHTAEEIKRLAEKEDWIVDNEGLTSLPCQFEQCIVCSLQ
SLKGVLECKPGEASVFQPKTQEEVCQLSINIMQVFIYCLEQLSTKPDADIDTTHLSVDVSSPDLFGSIH
EDFSLTSEQRLLIVLSNCCYLERHTFLNIAEHFEKHNFGIEKITQVSMASLKELDQRLFENYIELKADP
IVGSLEPGIYAGYFDWKDCLPPTGVRNYLKEALVNIIAVHAEVFTISKELVPRVLSKVIEAVSEELSRM
QCVSSFSKNGALQARLEICALRDTVAVYLTPESSFKQALEALPQLSSGADKKLLEELLNFKKSSMHLQ
LTCFQAASSTMMKT

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_018303

ORF Size:	2772 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_018303.6
RefSeq Size:	4458 bp
RefSeq ORF:	2775 bp
Locus ID:	55770
UniProt ID:	Q96KP1
Cytogenetics:	6p25.3
Domains:	IPT
Gene Summary:	The protein encoded by this gene is a component of the exocyst complex, a multi-protein complex essential for the polarized targeting of exocytic vesicles to specific docking sites on the plasma membrane. Though best characterized in yeast, the component proteins and the functions of the exocyst complex have been demonstrated to be highly conserved in higher eukaryotes. At least eight components of the exocyst complex, including this protein, are found to interact with the actin cytoskeletal remodeling and vesicle transport machinery. This interaction has been shown to mediate filopodia formation in fibroblasts. This protein has been shown to interact with the Ral subfamily of GTPases and thereby mediate exocytosis by tethering vesicles to the plasma membrane. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2012]

Product images:



Circular map for RG210263