

Product datasheet for RG210640

RPS15 (NM_001018) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Expression Plasmids |
|------------------------------|---|
| Product Name: | RPS15 (NM_001018) Human Tagged ORF Clone |
| Tag: | TurboGFP |
| Symbol: | RPS15 |
| Synonyms: | RIG; S15 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-AC-GFP (PS100010) |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| ORF Nucleotide Sequence: | <pre>>RG210640 representing NM_001018 Red=Cloning site Blue=ORF Green=Tags(s)</pre> |
| | TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C |
| | ATGGCAGAAGTAGAGCAGAAGAAGAAGCGGACCTTCCGCAAGTTCACCTACCGCGGCGTGGACCTCGACC AGCTGCTGGACATGTCCTACGAGCAGCTGATGCAGCTGTACAGTGCGCGCCAGCGGCGGCGGCTGAACCG GGGCCTGCGGCGGAAGCAGCACTCCCTGCTGAAGCGCCTGCGCAAGGGCCAAGAAGGAGGCGCCGCCCATG GAGAAGCCGGAAGTGGTGAAGACGCACCTGCGGGACATGATCATCCTACCCGAGATGGTGGGCAGCATGG TGGGCGTCTACAACGGCAAGACCTTCAACCAGGTGGAGATCAAGCCCGAGATGATCGGCCACTACCTGGG CGAGTTCTCCATCACCTACAAGCCCGTAAAGCATGGCCGGCC |
| | ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA |
| Protein Sequence: | <pre>>RG210640 representing NM_001018 Red=Cloning site Green=Tags(s)</pre> |
| | MAEVEQKKKRTFRKFTYRGVDLDQLLDMSYEQLMQLYSARQRRRLNRGLRRKQHSLLKRLRKAKKEAPPM EKPEVVKTHLRDMIILPEMVGSMVGVYNGKTFNQVEIKPEMIGHYLGEFSITYKPVKHGRPGIGATHSSR FIPLK |
| | TRTRPLE - GFP Tag - V |
| Restriction Sites: | Sgfl-Mlul |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



Plasmid Map:



| ACCN: | NM_001018 |
|-----------------|---|
| ORF Size: | 435 bp |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| ORIGENE RPS15 (NM_001018) Human Tagged ORF Clone - RG210640 | |
|---|---|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method | 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM 001018.5</u> |
| RefSeq Size: | 531 bp |
| RefSeq ORF: | 438 bp |
| Locus ID: | 6209 |
| UniProt ID: | <u>P62841</u> |
| Cytogenetics: | 19p13.3 |
| Domains: | Ribosomal_S19 |
| Protein Pathways: | Ribosome |
| Gene Summary: | Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S19P family of ribosomal proteins. It is located in the cytoplasm. This gene has been found to be activated in various tumors, such as insulinomas, esophageal cancers, and colon cancers. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. Alternative splicing results in multiple transcript variants. |

[provided by RefSeq, Apr 2015]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US