

## Product datasheet for **RG210734**

### RPL5 (NM\_000969) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	RPL5 (NM_000969) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RPL5
Synonyms:	L5; MSTP030; PPP1R135; uL18
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG210734 representing NM_000969 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGGGTTTGTTAAAGTTGTTAAGAATAAGGCCTACTTTAAGAGATACCAAGTGAATTTAGAAGACGAC  
GAGAGGGTAAAAGTATTATGCTCGGAAACGCTTGGTGATACAAGATAAAAAATAACAACACACC  
CAAATACAGGATGATAGTTCGTGTGACAAACAGAGATATCATTGTGAGATTGCTTATGCCCGTATAGAG  
GGGATATGATAGTCTGCGCAGCGTATGCACACGAAGTCCAAAATATGGTGTGAAGTTGGCCTGACAA  
ATTATGCTGCAGCATATTGACTGGCCTGCTGCTGGCCCGCAGGCTTCTCAATAGTTTGGCATGGACAA  
GATCTATGAAGGCCAAGTGGAGGTGACTGGTGATGAATACAATGTGGAAGCATTGATGGTCAGCCAGGT  
GCCTTCACCTGCTATTTGGATGCAGGCCTGCCAGAAGTCCACTGGCAATAAAGTTTTTGGTGCCTGA  
AGGGAGCTGTGGATGGAGGCTTGTCTATCCCTCACAGTACCAAACGATTCCCTGGTTATGATTCTGAAAAG  
CAAGGAATTTAATGCAGAAGTACATCGGAAGCACATCATGGGCCAGAATGTTGCAGATTACATGCCTGC  
TTAATGGAAGAAGATGAAGATGCTTACAAGAAACAGTTCTCTCAATACATAAAGAACAGCGTAATCCAG  
ACATGATGGAGGAGATGTATAAGAAAGCTCATGCTGCTATACGAGAGAATCCAGTCTATGAAAAGAAGCC  
CAAGAAAGAAGTTAAAAAGAAGAGGTGGAACCGTCCCAAAATGTCCCTTGCTCAGAAGAAGGATCGGGTA  
GCTCAAAAGAAGCAAGCTTCTCAGAGCTCAGGAGCGGGCTGCTGAGAGC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG210734 representing NM\_000969  
 Red=Cloning site Green=Tags(s)

MGFVKVVKNKAYFKRYQVKFRRRREGKTDYYARKRLVIQDKNKYNTPKYRMIVRVVTNRDIICQIAYARIE  
 GDMIVCAAAYAHLPKYGVKVL TNYAAAAYCTGLLLARRLLNRFMDKIYEGQVEVTGDEYNVESIDGQPG  
 AFTCYLDAGLARTTTGNKVFVFGALKGAVDGLSIPHSTKRFPGYDSESKEFNAEVHRKHIMGQNVADYMRC  
 LMEEDDAYKKQFSQYIKNSVTPDMMEEMYKKAHAAIRENPVYEKKPKKEVKKKRWNRPKMSLAQKKDRV  
 AQKKASFLRAQERAAES

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_000969

**ORF Size:** 891 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_000969.3](#), [NP\\_000960.2](#)

**RefSeq Size:** 1035 bp

**RefSeq ORF:** 894 bp

**Locus ID:** 6125

**UniProt ID:** [P46777](#)


**Cytogenetics:** 1p22.1

**Domains:** Ribosomal\_L18p

**Protein Pathways:** Ribosome

**Gene Summary:** Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of four RNA species and approximately 80 structurally distinct proteins. This gene encodes a member of the L18P family of ribosomal proteins and component of the 60S subunit. The encoded protein binds 5S rRNA to form a stable complex called the 5S ribonucleoprotein particle (RNP), which is necessary for the transport of nonribosome-associated cytoplasmic 5S rRNA to the nucleolus for assembly into ribosomes. The encoded protein may also function to inhibit tumorigenesis through the activation of downstream tumor suppressors and the downregulation of oncoprotein expression. Mutations in this gene have been identified in patients with Diamond-Blackfan Anemia (DBA). This gene is co-transcribed with the small nucleolar RNA gene U21, which is located in its fifth intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed throughout the genome. [provided by RefSeq, Mar 2017]

Product images:



Circular map for RG210734