

Product datasheet for **RG211028**

PCDHGB2 (NM_032096) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHGB2 (NM_032096) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PCDHGB2
Synonyms:	PCDH-GAMMA-B2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG211028 representing NM_032096
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGC**

ATGAAAGCGAGCTCAGGGAGGTGCGGGCTGGTGCGGTGGCTGCAGGTACTGTTGCCCTTCCTGTTGTCTT
 TGTCCCCGGGGCTCTCCAGTCCAGATCCGCTATTCAATTCCAGAGGAGCTGGCCAAAACTCGGTCGT
 AGGAAACCTCGCCAAGGATCTGGGGCTCAGCGTCCGGGACTTGCCAGCCCGGAAGCTGCGGGTTAGCGCG
 GAGAAGGAATATTTACAGTAACCCAGAAAGCGGAGACTTACTGTGAGTGACAGAATAGACCGAGAAC
 AGATATGCGGGAAGCAGCCTCTGTGTCTGGATTTGATACTGTGCTGAAAACTCACTAAATATTTT
 CTACATAGCAGTAATTGTGCAGGATATAATGATAATACCCGCTATTCAAACAGACTAAGATTAATTTA
 AAAATTGGCGAATCCACTAAGCCAGGTACAACATTTCACTTGACCCAGCCCTGGATTAGATGTTGGTC
 CTAAGTCACTACAAAGATACCACTTAATGACAACGAGTACTTTGATCTCGCTGAGAAACAGACTCCAGA
 TGGTCGTAATATCCTGAGTTGATTCTAAACACTCTCTGGACAGAGAAGAGCACAGTTTACATCAATTG
 GTCCTCACAGCTGTGGATGGCGGAGACCCACCTCAAAGTGGCACGACCCAAATCCGAATCAAAGTACCG
 ATGCCAACGATAACCTCCAGTGTTCAGCCAGGACGTGTACAGGGTACACCTGAGGGAGGACGTGCCGCC
 GGGCTTCTTTGTGCTTCAAGTGACAGCCACCGACCGGGATGAAGGCATAAACGCAGAGATCACTACTCC
 TTTCATAATGTGGACGAACAAGTGAAACACTTTTTCACTTAAATGAAAAACAGGAGAAATCACGACAA
 AGGATGATTTGGATTTTGAGATTGCAAGTAGTTACACTCTGAGTATCGAAGCAAAAGATCCTGGAGATCT
 AGCAGCCCACTGCAGTATCCAAGTTGAAATTTCTGATGACAACGATTGTGCACCTGAAGTTATTGTGACT
 TCAGTATCTACTCCCCTACCGGAGGATTCGCCACCAGGAACAGTGATCGCCTTGATAAAACAGAGAGACA
 GAGACTCTGGAGAAAATGGAGAAGTTTACTGCCAAGTGTGGGAAATGCCAAGTTATTTTGAATCTTC
 CTCAAAGAACTATTACAACTAGTGACAGACGGCGCTCTGGACCGGGAGGAGATCCAGAATACAATCTC
 ACCATCACAGCCACCGACGGGGCAAGCCGCCCTCTCCTCCAGCATAATTGTACCCCTGCACATCTCCG
 ACGTCAACGATAATGCCCAAGTTTCCAACAGACTTCTACATGGTTACGTGGCAGAGAACAATCCTCC
 TGGCGCTCTATCGCTCAAATCAGTGCCTCTGACCCTGACTTGGGCCCAAGTGGCCAAGTTTCTACTCC
 ATCGTAGCGAGCGACCTGAAGCCGCGGGAGATTTATCCTACGTGTCCGTGAGCGCGCAGAGCGGGGTGG
 TGTTTCGCGCAGCGCGCTTCGATCATGAGCAGCTGCGCGCTTCGAGCTCACACTGCAGGCCCGCGACCA
 GGGCTCGCCCGCTCAGCGCAACGTGAGCCTGCGCGTGTAGTGGCGACCTCAATGACAATGCGCCA
 CGGGTGTGTACCCCGCTGCGGCTGATGGCTCCGCCCTCTTCGATATGGTGCCACGCGCCGAGAGC
 CCGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACGCACTCAGGACACAACGCTTGGCTGTCTACCA
 CGTGCTGCAGGCCAGCGAGCCCGGGCTCTCAGCTGGGGTTGCGCACGGGTGAGGTGCGCACAGCGCT
 GCCTTGGGCGACAGGGACGCGGCCCGCCAGCGCTGCTGGTGGTGTGCGTGATGGAGGACAGCCGCCAC
 TCTCCGTACGGCCACGCTGCACCTAATCTTCGCGGATAGCCTGCAAGAGGTATTGCCAGACCTCAGCGA
 CCGCCGGAGCCCTCTGACCCCAAGGCAAACTGCAGTTTACCTGGTTGTGGCCTTGGCCTTGATCTCA
 GTGCTCTTCTTCGCGGTGATTCTGGCAATCTCCCTGCGCCTGCGACTCTCTCCAGGTCAGATGCTT
 GGGACTGTTTTAGCCTGGTCTCAGCTCCAAGCCTGGACCTGGGGTTCTCCCAATTACAGTGAGGGTAC
 ATTGCCCTATTCTACAACCTGTGTGTTGCCTCACAATCAGCAAGACAGAGTTCAATTTTCTGAACATA
 ACCCCGGAATTGGTTCCCGCGCAAGATCTCGTCTGTGACAATGCCCTTTGGGAACAAAATACAAATCATG
 GAGCCGCTGGGGTCCCTTTGCCTCAGATACTATTTTGAAGGTGAGCTTTAAT

ACGCGTACGCGGCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG211028 representing NM_032096
 Red=Cloning site Green=Tags(s)


```

MKASSGRGCLVRWLQVLLPFLLSLFPGALPVQIRYSIPEELAKNSVVGNLAKDLGLSVRDLPAKLRVSA
EKEYFTVNPESGDLLVSDRIDREQICGKQPLCVLDFDTVAENPLNIFYIAVIVQDINDNTPLFKQTKINL
KIGESTKPGTTFFPLDPALDSVGPNSLQRYHLNDNEYFDLAEKQTPDGRKYPELIKHSLEDREEHSLHQL
VLTAVDGGDPPQSGTTQIRIKVTDANDNPPVFSQDVYRVTLREDVPPGFFVLQVTATDRDEGINAEITYS
FHNVDEQVKHFFNLNEKTGEITTKDDLDFEIASSTLSIEAKDPGDAAHCSIQVEILDNDNCAPEVIVT
SVSTPLPEDSPPGTVIALIKTRDRDSGENGEVYCQVLGNAKFILKSSSKNYYKLVTGALDREEIPEYNL
TITATDGGKPPLSSSIIVTLHISDVNDNAPVFQQTSMVHVAENNPPGASIAQISASDPDLGPSGQVSY
IVASDLKPREILSYVSVSAQSGVVFAQRAFDHEQLRAFELTLQARDQGSPALSANVSLRVLVGDLNDNAP
RVLYPALGPDGSALFDMVPRAAEPGYLVTKVVAVDADSGHNAWLSYHVLQASEPGLFSLGLRTGEVRTAR
ALGDRDAARQLLVAVRDGGQPPLSATATLHLIFADSLQEVLPDLSDRREPSDPQAKLQFYLVALALIS
VLFFLAVILAISLRRLSSRSDAWDCFQPGGLSSKPGPGVLPNYSEGTLPSYNLCVASQSAKTEFNFLNI
TPELVPAQDLVCDNASWEQNTNHAAGVPFASDTILKVSFN
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI


Cloning Scheme:



ACCN:	NM_032096
ORF Size:	2433 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_032096.1, NP_115267.1</u>
RefSeq Size:	2436 bp
RefSeq ORF:	2436 bp
Locus ID:	56103
UniProt ID:	<u>Q9Y5G2</u>
Cytogenetics:	5q31.3
Domains:	CA
Gene Summary:	This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG211028