

Product datasheet for **RG211163**

PTPRS (NM_130853) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PTPRS (NM_130853) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PTPRS
Synonyms:	PTPSIGMA; R-PTP-S; R-PTP-sigma
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG211163 representing NM_130853 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGCCACCTGGGGCCTGGCATGGTGTCTGTGGTTGGTCCCATGGGCCTCCTTGTGGTCTGCTCG
TTGGAGGCTGTGCAGCAGAAGAGCCCCAGGTTATCAAAGAACCAAGGACCAGATCGGCGTGTGGG
GGGTGTGGCCTCTTCGTGTGTGACGGCCACGGGTGACCCCAAGCCACGAGTGACCTGGAACAAGAAGGGC
AAGAAGGTCAACTCTCAGCGCTTGAGACGATTGAGTTTGTGAGAGTGCAGGGCAGTGCTGAGGATCC
AGCCGCTGAGGACACCGGGGATGAAAACGTGTACGAGTGTGTGGCCAGAAGCTCGTTGGGGAGATCAC
AGTCCATGCCAAGCTTACTGTCTCCGAGAGGACCAGCTGCCCTCTGGCTTCCCCAACATCGACATGGGC
CCACAGTTGAAGGTGGTGGAGCGGACACGGACAGCCACCATGCTCTGTGCAGCCAGCGGCAACCCTGACC
CTGAGATCACCTGGTTCAAGGACTTCTGCCTGTGGATCCTAGTGCCAGCAATGGACGCATCAAACAGCT
GCGATCAGGAGCCCTGCAGATTGAAAGCAGTGAGGAAACCGACCAGGGCAAATATGAGTGTGTGGCCACC
AACAGCGCCGGCGTGGCTACTCCTCACCTGCCAACCTTACGTGCGAGTCCGCCGCGTGGCCCCGCGCT
TCTCCATCCTGCCATGAGCCACGAGATCATGCCAGGGGCAACGTGAACATCACCTGCGTGGCCGTGGG
CTCGCCCATGCCATACGTGAAGTGGATGCAGGGGGCCGAGGACCTGACCCCGAGGATGACATGCCCGTG
GGTCGGAACGTGCTGGAACCTCACAGATGTCAAGGACTCGGCCAACTACACCTGCGTGGCCATGTCCAGC
TGGGCGTCATTGAGGCGTTGCTCAGATCACGGTGAAATCTCTCCCAAAGCTCCCGGGACTCCCATGGT
GACTGAGAACACAGCCACCAGCATCACCATCACGTGGGACTCGGGCAACCCAGATCCTGTGTCTATTAC
GTCATCGAATATAAATCCAAGAGCCAAGACGGCCGATCAGATTAAGAGGACATCACCACCACAGTT
ACAGCATCGGCGGCTGAGCCCCAACTCGGAGTACGAGATCTGGGTGTGGCCGTCAACTCCATCGGCCA
GGGGCCCCCAGCGAGTCCGTGGTCAACCGCACAGGCGAGCAGGCCCCGGCCAGCGCGCCGGAACGTG
CAAGCCCCGATGCTCAGCGGACCACCATGATTGTGAGTGGGAGGAGCCGGTGGAGCCCAACGGCCTGA
TCCGCGGCTACCGCTTACTACACCATGGAACCGGAGCACCCCGTGGGCAACTGGCAGAAGCACAACT
GGACGACAGCCTGCTGACCACCGTGGGCGCCTGCTGGAGGACGAGACCTACACCGTGGGGTGTCTGCC



TTCACCTCCGTCGGCGACGGGCCCTCTCGGACCCCATCCAGGTCAAGACGCAGCAGGGAGTGCCGGGCC
 AGCCCATGAACCTGCGGGCCGAGGCCAGGTCCGAGACCAGCATACGCTGTCTTGAGCCCCCGCGGCA
 GGAGAGTATCATCAAGTACGAGCTCCTCTTCCGGGAAGGCGACCATGGCCGGGAGGTGGGAAGGACCTTC
 GACCCGACGACTTCTACGTGGTGGAGGACCTGAAGCCCAACACGGAGTACGCTTCCGCTGGCGGCC
 GCTCGCCGAGGGCTGGGCGCCTTACCCCGTGGTGGCGCAGCGCACGCTGCAGTCCATCTCGCCAA
 GAACTTCAAGGTAAAAATGATCATGAAGACATCAGTTCTGCTCAGCTGGGAGTCCCTGACAACATAAC
 TCACCCACACCTACAAGATCCAGTACAATGGCTCACACTGGATGGATGGCCCTACCACCAAGAAGC
 TCATCACGCACCTCAAGCCCACACCTTCTACAACCTTGTGCTGACCAATCGCGGCAGCAGCCTGGGCGG
 CCTCCAGCAGACGGTCACCGCCTGGACTGCCTTCAACCTGCTCAACGGCAAGCCAGCGTCGCCCCCAAG
 CCTGATGCTGACGGCTTCATCATGGTGTATCTTCTGACGGCCAGAGCCCGTGCCTGTCCAGAGCTATT
 TCATTGTGATGGTGCCACTGCGCAAGTCTCGTGGAGGCCAATTCCTGACCCCGTGGGTAGCCAGAGGA
 CATGGATCTGGAAGAGCTCATCCAGGACATCTCACGGCTACAGAGGCGCAGCCTGCGGCACTCGCTCAG
 CTGGAGGTGCCCGGCCCTATATTGAGCTCGCTTCTGTGCTGCCACCCACGTTCCATCCCGGCGACC
 AGAAGCAGTATGGCGGCTTCGATAACCGGGGCCCTGGAGCCCGGCCACCGTATGCCTCTCGTGTTCG
 CGTGCTTCAAGAGCGAGCCTACCTTTCAGCCAGTCCCTTCTCAGACCCCTTCCAGCTGGATAACCCG
 GACCCCAAGCCATCGTGGATGGCGAGGAGGGCTTATCTGGGTGATCGGCGCTGTGCTGGCCGTGGTCT
 TCATAATCTGCATTGTCATTGCTATCCTGCTCTACAAGAACAACCCGACAGTAAACGCAAGGACTCAGA
 ACCCCGACCAAAATGCCTCCTGAACAATGCCGACCTCGCCCTCACACCCCAAGGACCTGTGGAAATG
 AGACGCATTAACCTCCAGACTCCAGGCATGCTTAGCCACCCGCAATTCATCGCAGACATGGCGGAGC
 ACACGGAGCGGCTCAAGGCCAACGACAGCCTCAAGCTCTCCAGGAGTATGAGTCCATCGACCCTGGACA
 GCATTCACATGGGAACATTCACCTGGAAGTGAACAAGCCGAAGAACCCTATGCCAAGTATCGCC
 TATGACCACTCCCGTGTATCCTCCAGCCATTGAAGGCATCATGGGCAGTGATTACATCAATGCCAACT
 ACGTGGACGGCTACCGGCTCAGAACCGTACATTGCCACGAGGGCCGCTGCCTGAGACCTTTGGGGA
 CTCTGGCGTATGGTGTGGGAGCAGCGGTGCGGACCATCGTATGATGACGCGGCTGGAGGAGAAGTCA
 CGGATCAAGTGTGATCAGTATTGCCCAACAGAGGCACGAGACCTACGGCTTATCCAGGTACAGTTGC
 TAGATACCATCGAGCTGGCCACATTCTGCGTCAGGACATTCTCTGACACAAGAATGGTCCAGTGAAG
 ACGCGAGGTCCGCGAGTCCAGTTACGGCGTGGCCGACCATGGCGTGGCCGAATACCAACGCCCTTC
 CTGGCTTCTGCGGAGAGTCAAGACCTGCAACCCGCGAGATGCCGGCCCATCGTGGTTCAGTGCAGTG
 CCGGTGTGGGCCGACAGGCTGCTTATCGTATCGACGCCATGCTTGGCGGATCAAGCCAGAGAAGAC
 AGTCGATGTCTATGGCCACGTGACGCTCATGAGGTCCAGCGCAACTACATGGTGCAGACGGAGGACCAG
 TACAGTTCATCCACGAGGCCCTGCTGGAGGCCGTGGGCTGTGGCAACACAGAAGTGCCCGCACGACGC
 TCTATGCCTACATCCAGAAGCTGGCCAGGTGGAGCCTGGCGAACACGTCACCTGGCATGGAACCTCGAGT
 CAAGCGGCTGGCTAACTCCAAGGCCACACGTCACGCTTATCAGTGCCAATCTGCCTTGTAAACAAGTTC
 AAGAACCCTGGTGAACATCATGCCCTATGAGAGCACACGGGTCTGTCTGCAACCCATCCGGGGTGTGG
 AGGGCTGACTACATCAACGCCAGCTTATTGATGGCTACAGGCAGCAGAAGGCCTACATCGCGACACA
 GGGGCCGCTGGCGGAGACCACGGAAGACTTCTGGCGCATGCTGTGGGAGAACAATTCGACGATCGTGGT
 ATGCTGACCAAGTGGCGGAGATGGGCCGGGAGAAGTGTACCAGTACTGGCCGGCCGAGCGCTCTGCC
 GCTACAGTACTTTGGTAGATCCGATGGCAGAATAACAATGCCTCAGTATATCTGCGAGAGTTCAA
 GGTACAGATGCCCGGATGGCCAGTCCCGGACTGTCGGCAGTCCAGTTCACAGACTGGCCGGAACAG
 GGTGTGCCAAAGTCGGGGGAGGGCTTATCGACTTCATTGGCCAAGTGCATAAAGACTAAGGAGCAGTTG
 GCCAGGACGCCCCATCTCTGTCCACTGCAAGTGGCGGCTGGGCAGGACGGGCGTCTTATCACGCTTAG
 CATCGTGTGGAGCGGATGCGGTATGAAGGCGTGGTGGACATCTTTCAGACGGTGAAGTGTACGAACC
 CAGCGGCCGCCATGGTGCAGACAGAGGATGAGTACCAGTTCTGTTACCAGGCGGCACTGGAGTACCTCG
 GAAGCTTTGACCACTATGCAACC

AGCGGACCGACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG211163 representing NM_130853
 Red=Cloning site Green=Tags(s)

```



MAPTWGPGMVSVVGPMGLLVLLVGGCAAEEPPRFIKEPKDQIGVSGGVASFVCQATGDPKPRVTWNKKG
KKVNSQRFETIEFDESAGAVLRIQPLRTPRDENVYECVAQNSVGEITVHAKLTVLREDQLPSGFNIDMG
PQLKVVVERTRTATMLCAASGNPDPEITWFKDFLPVDPASANGRIKQLRSGALQIESSEETDQGYECVAT
NSAGVRYSSPANLYVRRVRRVAPRF SILPMSHEIMPGGNVNITCVAVGSPMPYVKWMQGAEDLTPEDDMPV
GRNVLELTDVKDSANYTCVAMSSLGVIEAVAQITVKSLPKAPGTPMVTENTATSITITWDSGNPDVSY
YIEYKSKSQDGPYQIKEDITTTTRYSIGGLSPNSEYEWVSAVNSIGQPPSESVVTRTGEQAPASAPRNV
QARMLSATTMIVQWEEPVEPNLIRGYRVYTTMEPEHPVGNWQKHNVDSSLTTVGSLLLEDETYTVRVLA
FTSVGDGPLSDPIQVKTQQGVGQPMMLRAEARSET SITLSWSPRQESI IKYELLFREGDHGREVGRTF
DPTTSYVVEDLKPNT EYAFRLAARSPQGLGAFTPVVRQRTLQSI SPKNFKVKMIMKTSVLLSWEFPDNYN
SPTPYKIQYNGLTLDVDGRTTKLLITHLKPHTFYNFVL TNRGSSLGGLQQTVAWTFANLLNGKPSVAPK
PDADGFI MVYLPDQSPVPVQSYFIVMVPLRKS RGGQFL TPLGSPEDMDLEELIQDISRLQRRLRHSRQ
LEVPRPYIAARF SVLPPTFHPGDQKQYGGFDNRGLEP GHRYVLFVLA VLKSEPTFAASPFSDPQLDNP
DPOPIVDGEEGLIWWIGPVLAVVFIICIVIAIILLYKNKPD SKRKDSEPRTKCLLNNADLAPHHPKDPVEM
RRINFQTPGMLSHPPPIADMAEHTERL KANDSLKLSQ EYESIDPGQQTWEHSNLEVNKPKNRYANVIA
YDHSRVILQPIEGIMGSDYINANYVDGYRRQ NAYIATQG PLPETFGDFWRMVWEQRSATIVMMTRLEEK
RIKCDQYWPNRGTET YGFIQVTL LDTIELATFCV RTFSLHKNGSSEKREVRQFQFTAWPDHGVPEYTPF
LAF LRRVKT CNPPDAGPIV VHC SAGVGR TGC FIVIDAMLERIKPEKTVDVYGHVTL MRSQRNYMVQTEDQ
YSF IHEALLEAVGCGNTEVPARSLYAYIQKLAQVEPGEHVTGMELEFKRLANSKAHTSRFISANLPCNKF
KNRLVNIMPYESTRVCLQPIRGVEGSDYINASFIDGYRQQKAYIATQGPLAETTEDFWRMLWENNSTIVV
MLTKLREMGREKCHQYWP AERSARYQYFVVDPM AEYNMPQYILREFKVT DARDGQSRTVRQFQFTDWPEQ
GVPKSGEGFIDF IGQVHKTKEQFGQDGPISVHCSAGVGR TGVFITLSIVLERMRYEGVVDIFQTVKMLRT
QRPAMVQTEDEYQFCYQA ALEYLGSFDHYAT
    
```

SGPTRRRLE - GFP Tag - V


Restriction Sites: SgfI-RsrII

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM_130853

ORF Size: 4503 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_130853.2</u> , <u>NP_570923.2</u>
RefSeq Size:	6006 bp
RefSeq ORF:	4506 bp
Locus ID:	5802
UniProt ID:	<u>Q13332</u>
Cytogenetics:	19p13.3
Protein Families:	Druggable Genome, Phosphatase, Transmembrane
Gene Summary:	<p>The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains an extracellular region, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, and thus represents a receptor-type PTP. The extracellular region of this protein is composed of multiple Ig-like and fibronectin type III-like domains. Studies of the similar gene in mice suggested that this PTP may be involved in cell-cell interaction, primary axonogenesis, and axon guidance during embryogenesis. This PTP has been also implicated in the molecular control of adult nerve repair. Four alternatively spliced transcript variants, which encode distinct proteins, have been reported. [provided by RefSeq, Jul 2008]</p>