

Product datasheet for **RG211785**

Cadherin 9 (CDH9) (NM_016279) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cadherin 9 (CDH9) (NM_016279) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CDH9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG211785 representing NM_016279
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGAGGACTTACCATTATATACCATTATTCATCTGGACCTATATGTTCCATACAGTTGACACCATCCTAT
 TACAAGAAAAACCTAACAGTTATTTATCAAGCAAAAAGATAGCGGGTCTGACAAAAGATGACGGTAAAAT
 GCTACGTCGCACCAAGCGTGGCTGGATGTGGAATCAGTCTTCTTATTGGAAGAGTACACAGGTAAGTAC
 ACACAATATGTAGGCAAGCTTCACACTGACCAAGATAAAGGAGATGAAAATTTAAAATACATACTAACAG
 GAGATGGGGCTGGCAGTCTATTTGTTATAGATGAAAATACAGGAGACATTCATGCTGCAAAGAACTAGA
 CAGAGAAGAAAAATCTCTGTACATTCTTCGTGCCAAGGCTATAGACAGAAAACTGGGCGGCAGGTGAA
 CCGGAATCGGAATTTATCATTAAAATACATGATATCAATGACAATGAGCCAAAATTTACAAAAGACTTAT
 AACTGCCAGTGTCTGAAATGTCTGGAGTCCGTACATCTGTTATACAAGTAACTGCAACAGATGCAGA
 TGACGCCAACTATGAAAATAGTCCAAAGTGGTCTATAGCATATTGCAAGGACAGCCATATTTTTAGT
 GACCCAGAATCAGGCATAATAAAAAGTGCATTACCAAGACATGAGCAGAGAAAATAGAGAGCAGTACCAGG
 TTGTTATACAGGCCAAAAGACATGGTGGCCAGATGGGAGGCCCTTCTGGAACCACCACAGTGAACATCAC
 GCTGACAGATGTCAACAACAACCCTCCTCGATTTCCCAAGAGTACGTATCAATTTAATTCTCCTGAGTCT
 GTACCTCTTGAAGTCACTTGGGAAGGATAAAAAGCCAATGACCCTGACGTGGGGGAAAAATGCAGAAATGG
 AGTATAGCATTGCTGAAGGAGATGGTGCAGACATGTTTCGATGTCATCACTGACAAGGATACACAGGAAGG
 GATTATAACTGTCAAACAGAATTTAGATTTTAAAAATCAAATGCTCTATACTTTAAGAGTGGATGCAAGT
 AACACTCACCTGATCCACGATTTTACACCTGGGACCTTTCAAAGATACAGCTGTGGTCAAATATCTG
 TGAAGATATAGATGAGCCTCCTGTGTTCACTAAAGTCTTACTTGTATAGAAGTAAAGTGAAGATGAAA
 GGAGGGCAGTATCATTGGACAGGTTACAGCATAACGATCCAGATGCCAGGAACAATTTAATAAAGTACTCT
 GTTGATCGGCATACTGATATGGACCGTATTTTTGGTATTCAGTCAAGAAAATGGTCTATTTTCACTTTGA
 AAGCCCTTGACCGGGAATCATCTCCTTGGCATAACATCACTGTTACAGCCACAGAAAATAAGTAAACCCAAA
 ACAAAAGTAGCCACATCCCTGTCTTCATCAGAATTCTAGATATAAATGACCATGCTCCGGAATTTGCCATG
 TATTATGAAACATTTGTTTGTGAAAATGCAAAACCTGGGCAGTTGATTACAGACTGTCAGTGTGATGGATA
 AGGATGACCTCCCGAGGTACAAAATCTTTTTTGAACCAAGTCCAGAAATTTACTCTCAATCCGAATTT
 CACCATTGTAGATAATAAAGATAATACAGCAGGAATCATGACTCGGAAAGATGGTACAGTCCGCAACAAA
 ATGAGCACCTACTTATTGCCGATTTTAATCTTTGACAACGATTATCCAATTCAAAGCAGCACTGGTACAC
 TCACTATCCGTGTGTGCTGCGATAATCAAGGAAACATGCAATCCTGCACCGCAGAAGCCCTGATCCT
 TTCAGCCGGCCTGAGCACGGGAGCTCTCGTTGCGATTCTACTCTGTGTCCTCATACTGCTTATTTTAGTC
 GTGTTGTTTGTGCAATTGAAGAGGCAAAGAAAAAGGAACCTCTGATAATTTCAAAGACAGATGTCGGGG
 ACAACATTGTGACCTACAACGATGAAGGCGGCGGGGAAGAAGTACCCAAGCTTTTACATTGGCACATT
 AAGGAATCCAGAGGCAAGAGAAGACAGTAACTTAGACGGGATGTAATGCCTGAAACTATTTTTCAGATA
 AGGAGGACTGTGCTCTGTGGGAAAATATTGATGTACAAGATTTTATCCATCGAAGATTAAGAAAACG
 ACGCAGACCAAGTGCACCTCCATATGATTGCTGGCAACGTATGCCTATGAAGGGAATGATTCCATAGC
 AGATTCGCTCAGTCTTTTGAATCTCTCACAGCTGATTGTAACCAAGATTATGATTACCTCAGTACTGG
 GGCCTCGTTTCAAAAACCTTGCCGATATGATGGGGGTGATGATAGTGACCGAGAC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG211785 representing NM_016279
 Red=Cloning site Green=Tags(s)


```
MRTYHYIPLFIWTFMHTVDTILLQEKPNLSYSSKKIAGLTKDDGKMLRRTKRGWMWNQFFLLEEYGTG
TQYVYVGLHTDQDKGDNLYILTGDGAGSLFVIDENTGDIHAAKLDREKSLYLRAKIDRKTGRQVE
PESEFIIKIHDINDNEPKFTKDLTYASVPEMSGVGTSVIQVTATDADDANYGNSAKVVYSILQGQPYFSV
DPESGIIKTALPMSRENREQYQVVIQAKDMGGQMGLSGTTTTVNITLTDVNNNPPRFPQSTYQFNSPES
VPLGTHLGRIKANDPDVGENAEMEYSIAEGDGADMFDVITDKDTQEGIIIVKQNLDFENQMLYTLRVDAS
NTHPDPFLHLGPFKDTAVVKISVEDIDPPVFTKVSYLEVDEDEVKEGSIIGQVTAYDPDARNLIKYS
VDRHTDMDRIFGIHSENGSIFTLKALDRESSPWHNITVTATEISNPKQSSHIPVFIIRILDINDHAPEFAM
YYETFVCENAKPGQLIQTVSMDKDDPPRGHKFFFEVPEFTLNPFTIVDNKDNTAGIMTRKDGYSRNK
MSTYLLPILIFDNDYPIQSSTGTLTIRVCACDNQGNMQSCTAEALILSAGLSTGALVAILLCVLLILLILV
VLF AALKRQRKKEPLIISKDDVRDNIVTYNDEGGGEEDTQAFDIGTLRNPEAREDSKLRDVPETIFQI
RRTVPLWENIDVQDFIHRRLKENDADPSAPPYDSLATYAYEGNDSIADSLSSLESLTADCNQDYDYLSDW
GPRFKKLADMYGGDDSDRD
```


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:


ACCN: NM_016279

ORF Size: 3072 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_016279.2 , NP_057363.2
RefSeq Size:	3060 bp
RefSeq ORF:	2370 bp
Locus ID:	1007
UniProt ID:	Q9ULB4
Cytogenetics:	5p14.1
Domains:	Cadherin_C_term, CA
Protein Families:	Transmembrane
Gene Summary:	<p>This gene encodes a type II classical cadherin from the cadherin superfamily, integral membrane proteins that mediate calcium-dependent cell-cell adhesion. Mature cadherin proteins are composed of a large N-terminal extracellular domain, a single membrane-spanning domain, and a small, highly conserved C-terminal cytoplasmic domain. The extracellular domain consists of 5 subdomains, each containing a cadherin motif, and appears to determine the specificity of the protein's homophilic cell adhesion activity. Type II (atypical) cadherins are defined based on their lack of a HAV cell adhesion recognition sequence specific to type I cadherins. [provided by RefSeq, Jul 2008]</p>