

Product datasheet for **RG212027**

Myosin IXA (MYO9A) (NM_006901) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	Myosin IXA
Synonyms:	CMS24
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



Cloning sites used for ORF Shuttling:

CTATAGGGCGCGCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGATCGCCGCGCCAGATCT

Restriction sites: EcoRI, BamHI, KpnI, RBS, Kozac Consensus, SgfI, AscI

CAAGCTTAACTAGCTAGCGGACCG ACG CGT ACG CGG CCG CTC GAG ATG GAG AGC GAC ---

T R T R P L E M E S D - - -

Restriction sites: HindIII, NheI, RsrII, MluI, NotI, XhoI, GFP Tag

--- GAA GAA AGA GTT TAA ACGGCCGCGCGGAGCT


- - E E R V Stop

ACCN:	NM_006901
ORF Size:	7644 bp



OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_006901.1 , NP_008832.1
RefSeq Size:	8473 bp
RefSeq ORF:	7647 bp
Locus ID:	4649
UniProt ID:	B2RTY4
Cytogenetics:	15q23
Domains:	IQ, RA, RhoGAP, myosin_head, DAG_PE-bind
Gene Summary:	This gene encodes a member of the myosin superfamily. The protein represents an unconventional myosin; it should not be confused with the conventional non-muscle myosin-9 (MYH9). Unconventional myosins contain the basic domains of conventional myosins and are further distinguished from class members by their tail domains. They function as actin-based molecular motors. Mutations in this gene have been associated with Bardet-Biedl Syndrome. [provided by RefSeq, Dec 2011]

Product images:



Circular map for RG212027