

## Product datasheet for **RG212076**

### **GNG4 (NM\_001098721) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** GNG4 (NM\_001098721) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** GNG4  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG212076 representing NM\_001098721  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAAAGAGGGCATGTCTAATAACAGCACCCTAGCATCTCCAAGCCAGGAAAGCTGTGGAGCAGCTAA  
AGATGGAAGCCTGTATGGACAGGGTCAAGGTCTCCAGGCAGCTGCGGACCTCCTGGCCTACTGTGAAGC  
TCACGTGCGGGAAGATCCTCTCATCATTCCAGTGCCTGCATCAGAAAACCCCTTTCGCGAGAAGAAGTTC  
TTTTGTACCATTCTC

**ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA**

**Protein Sequence:** >RG212076 representing NM\_001098721  
**Red=Cloning site Green=Tags(s)**  
  
MKEGMSNNSTTSISQARKAVEQLKMEACMDRVKVSQAAADLLAYCEAHVREDPLIIPVPASENPFREKKF  
FCTIL

**TRTRPLE - GFP Tag - V**

**Restriction Sites:** Sgfl-MluI



[View online »](#)



|                               |   |
|-------------------------------|---|
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>  |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol> |
| <b>RefSeq:</b>                | <a href="#">NM_001098721.1</a> , <a href="#">NP_001092191.1</a>   |
| <b>RefSeq Size:</b>           | 4997 bp   |
| <b>RefSeq ORF:</b>            | 228 bp  |
| <b>Locus ID:</b>              | 2786  |
| <b>UniProt ID:</b>            | <a href="#">P50150</a>  |
| <b>Cytogenetics:</b>          | 1q42.3  |
| <b>Protein Families:</b>      | Druggable Genome  |
| <b>Protein Pathways:</b>      | Chemokine signaling pathway   |
| <b>Gene Summary:</b>          | Guanine nucleotide-binding proteins (G proteins) are involved as a modulator or transducer in various transmembrane signaling systems. The beta and gamma chains are required for the GTPase activity, for replacement of GDP by GTP, and for G protein-effector interaction. [UniProtKB/Swiss-Prot Function]   |