

Product datasheet for **RG212077**

AMPD3 (NM_000480) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	AMPD3 (NM_000480) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	AMPD3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG212077 representing NM_000480
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCCTGTCGTCGCAACCCGCTGAGATGCCCGGCAGTTTCCCAAGCTGAACATCTCTGAAGTGGATG
 AGCAAGTCCGGCTCCTGGCGGAGAAGGTGTTGCTAAAGTGCTCCGAGAAGAGGACAGCAAAGATGCCCT
 GTCCTGTTCAGTGTCCAGAGGACTGCCCATCGGGCAAAGGAAGCCAAGGAGAGGGAGCTGCAGAAG
 GAGCTGGCAGAGCAGAAGTCTGTGGAGACCGCAAAAAGAAAGAAAGTTTCAAGATGATTCGGTCCCAAGT
 CCCTGTCTCTGCAATGCCGCCACAGCAAGATTGGAAGGGCCCCCGGCAGCCAGTCCGGCCATGTCTCC
 CACAACCCTGTGGTCACTGGAGCCACTTCCCTGCCACGCCAGCACCCATGCCATGCCTGAGTCCAG
 CGGGTACCATCAGCGGAGATTACTGTGCCGGATCACTTTGGAGGACTATGAGCAGGCAGCCAAGAGTC
 TGGCCAAGGCCAATGATCCGGGAGAAGTATGCGCGGCTCGCTACCACCGCTCCCGCGGATCACATC
 CCAGTACCTGGGTCACTCCGCGGGCGGATACTGCACCTCCGGAAGAGGGCCTTCCAGACTTCCACCCTCT
 CCACTGCCCCAGGAAGACCCCTACTGCCTGGATGATGCACCCCCAACCTGGATTACTTGGTCCACATGC
 AGGGGGGCATCCTCTTTGTGTATGATAACAAGAAGATGCTGGAGCACCAGGAGCCGCACAGCCTACCCTA
 CCCCAGCTGGAGACCTACACGGTGGACATGAGCCACATCCTGGCTCTCATCACCAGTGGCCCCACGAAA
 ACCTATTGTCACCGGCGACTGAACCTTCTGGAATCCAAGTTCAGCCTTCATGAGATGTTAAACGAAATGT
 CCGAGTTCAAAGAGTTGAAGAGTAACCCCCACCGGACTTCTATAACGTGAGAAAGGTGGACACACACAT
 CCATGCGGCCGCTGCATGAACCAAAAGCATCTGCTGCGTTCATCAAGCACACATACCAGACGGAGCCT
 GACAGGACTGTGGCAGAGAAGCGGGCCGGAAGATCACCTGCGCAGGTGTTTGACGGCTGCACATGG
 ACCCTACGACCTCACTGTGGACTCACTGGATGTCCACGCGGGCCGCGCAGACATTCACCCGCTTTGACAA
 GTTCAACTCCAAATACAACCCTGTGGGGCCAGTGAGCTGCGTGACCTGTATTTGAAAACCTGAAAACATAT
 CTGGGAGGAGAGTACTTTGCTCGGATGGTCAAGGAGGTTGCCCGGAGCTGGAGGAGAGCAAGTACCAGT
 ACTCAGAGCCACGGCTCTCCATCTACGGCCGAGTCTGAGGAGTGGCCAACCTGGCCTACTGGTTCAT
 CCAGCACAAAGTCTACTCTCCAACATGCGCTGGATCATCCAGGTGCCCGGATTATGACATATTTAGG
 TCAAAGAAGTGTGCCAACTTTGGGAAGATGCTGGAGAACATCTTCTGCCCTTTTCAAGGCCACTA
 TCAACCCCAAGATCATCGAGAGCTTACCTCTTCTTAAATATGTGACGGGTTTGACAGCGTGGATGA
 TGAGTCCAAGCACAGCGACCACATGTTTTCCGACAAGAGCCAAACCCGACGTCTGGACCAGTGAAGCAG
 AACCCACCTACAGCTACTACCTGTACTACATGTATGCCAACATCATGGTCTCAACAACCTCCGCAGGG
 AGCGCGGCTGAGCACGTTCTGTTCCGGCCGACTGTGGGAAGCCGGCTCCATCACCCACCTGGTGTCTC
 TGCCCTTCTCACTGCTGACAACATTTCCACGGGCTGCTCCTCAAGAAGAGTCCGGTATTGACAGTATCTC
 TACTACCTTGCTCAGATCCCCATTGCCATGTCTCCTTTAGCAACAACAGTTTGTTCCTCGAATATTTCA
 AGAACCTCTGAGGGAATTCCTACACAAGGACTGCATGTTTCTTTCCACCGATGACCCCATGCAGTT
 CCACTACACGAAGGAAGCACTTATGGAAGAATATGCCATTGCAGCTCAAGTGTGGAAGCTGAGCACCTGC
 GACCTGTGTGAGATCGCCAGGAACAGCGTGTGCAGAGCGGCTCTCGCATCAGGAAAAGCAAAGTTTC
 TGGGACAAAATTATTATAAAGAAGGACCTGAAGGAAATGATATTCGAAAGACAAATGTGGCTCAGATCCG
 GATGGCATTCCGATATGAGACCTTATGCAATGAGCTCAGCTTCTGTCTGATGCTATGAAATCAGAAGAG
 ATCACCGCCTTGACCAAC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG212077 representing NM_000480
 Red=Cloning site Green=Tags(s)


MALSSEPAEMPRQFPKLNISEVDEQVRLLAEKVFAKVLREEDSKDALSLFTVPEDCPIGQKEAKERELQK
 ELAEQKSVETAKRKKSKFMIRSQSLSLQMPPQQDWKGPPAASPAMSPTTPVVTGATSLPTPAPYAMPEFQ
 RVTISGDY CAGITLEDYEQAASLAKALMIREKYARLAYHRFPRITSQYLGHPRADTAPPEEGLPDFHPP
 PLPQEDPYCLDDAPPNLDYL VHMQGGILFVYDNKKMLEHQEPHSLPYPDLETYTVDMSHILALITDGPTK
 TYCHRRLNFLLESKFSLHEMLNEMSEFKELKSNPHRDFYNVRKVDTHIHAAACMNQKHLRFIKHTYQTEP
 DRTVAEKRGRKITLRQVFDGLHMDPYDLTVDSL DVHAGRQTFHRFDKFN SKYNPVGASELRDLYLKTENY
 LGGEYFARMVKEVARELEESKYQYSEPRLSIYGRSPEEWPNLAYWFIQHKVYSPNMRWIIQVPRIYDIFR
 SKKLLPNFGKMLENIFLPLFKATINPQDHRELHLFLKYVTGFDSVDDSEKHS DHMFSDKSPNPDVWTSEQ
 NPPYSYLYMYANIMVLNLRERGLSTFLFRPHCGEAGSITHLVSAFLTADNISHGLLLKKSPLVLYL
 YYLAQIPIAMSPLSNNSLFLEYSKNPLREFLHKGLHVSLSTDDPMQFHYTKEALMEEYIAAQVWKLSTC
 DLCEIARNSVLQSGLSHQEKQKFLGQNYKKEGPEGNDIRKTNVAQIRMAFRYETLCNELSFLSDAMKSEE
 ITALTN

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_000480

ORF Size: 2328 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_000480.3](#)

RefSeq Size: 4371 bp

RefSeq ORF: 2331 bp

Locus ID: 272

UniProt ID: [Q01432](#)

Cytogenetics:	11p15.4
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Purine metabolism
Gene Summary:	<p>This gene encodes a member of the AMP deaminase gene family. The encoded protein is a highly regulated enzyme that catalyzes the hydrolytic deamination of adenosine monophosphate to inosine monophosphate, a branch point in the adenylate catabolic pathway. This gene encodes the erythrocyte (E) isoforms, whereas other family members encode isoforms that predominate in muscle (M) and liver (L) cells. Mutations in this gene lead to the clinically asymptomatic, autosomal recessive condition erythrocyte AMP deaminase deficiency. Alternatively spliced transcript variants encoding different isoforms of this gene have been described. [provided by RefSeq, Jul 2008]</p>