

## Product datasheet for **RG212107**

### Ionotropic Glutamate receptor 2 (GRIA2) (NM\_000826) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ionotropic Glutamate receptor 2 (GRIA2) (NM_000826) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ionotropic Glutamate receptor 2
Synonyms:	GluA2; gluD-2; gluD-B; GluR-K2; GLUR2; GLURB; HBGR2; NEDLIB
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RG212107 representing NM\_000826  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

ATGCAAAAGATTATGCATATTTCTGTCCTCTTTCTCCTGTTTTATGGGACTGATTTTTGGTGTCTCTT  
 CTAACAGCATACAGATAGGGGGCTATTTCTAGGGCGCCGATCAAGAATACAGTGCATTTTCGAGTAGG  
 GATGGTTCAGTTTTCCACTTCGGAGTTCAGACTGACACCCACATCGACAATTTGGAGGTGGCAACAGC  
 TTCGCAGTCACTAATGCTTTCTGCTCCCAGTTTTCGAGAGGAGTCTATGCTATTTTTGGATTTTATGACA  
 AGAAGTCTGTAATACCATCACATCATTTCGGGAACACTCCACGTCTCCTTCATCACTCCCAGCTTCCC  
 AACAGATGGCACACATCCATTTGTCATTAGATGAGACCCGACCTCAAAGGAGCTCTCCTTAGCTTGATT  
 GAATACTATCAATGGGACAAGTTGCATACCTCTATGACAGTACAGAGGCTTATCAACTGCAAGCTG  
 TGCTGGATTCTGCTGCTGAAAAGAAATGGCAAGTACTGCTATCAATGTGGGAAACATTAACAATGACAA  
 GAAAGATGAGATGTACCGATCACTTTTTCAAGATCTGGAGTTAAAAAGGAACGGCGTGAATTCTGGAC  
 TGTGAAAGGGATAAAGTAAACGACATTGTAGACCAGGTTATTACCATTGGAAAACATGTTAAAGGGTACC  
 ACTACATCATTGCAAACTCTGGGATTTACTGATGGAGACCTATTAATAATCCAGTTTGGAGGTGCAATGT  
 CTCTGGATTTTCAGATAGTGGACTATGATGATTCGTTGGTATCTAAATTTATAGAAAAGATGGTCAACACTG  
 GAAGAAAAAGAATACCCTGGAGCTCACACAACAACAATTAAGTATACTTCTGCTCTGACCTATGATGCCG  
 TTCAAGTGATGACTGAAGCCTCCGCAACCTAAGGAAGCAAGAATTGAAATCTCCCGAAGGGGGAATGC  
 AGGAGACTGTCTGGCAAAACCCAGCAGTGCCTGGGACAAGGTGTAGAAAAGAAAAGGGCCCTCAAACAG  
 GTTCAGTTGAAGTCTCTCAGGAAATATAAAGTTTGACCAGAATGGAAAAAGAATAAATATAACAATTA  
 ACATCATGGAGCTCAAACTAATGGGCCCGGAAGATTGGCTACTGGAGTGAAGTGGCAAAAATGGTTGT  
 TACCCCTTACTGAGCTCCCTTCTGAAAATGACACCTCTGGGCTTGAGAATAAGACTGTTGTTGTCAACACA  
 ATTTTGAATCTCCGTATGTTATGATGAAGAAAAATCATGAAATGCTTGAAGCAATGAGCGCTATGAGG  
 GCTACTGTGTTGACCTGGCTGCAGAAAATCGCAAAACATTGTGGTTCAAGTACAAGTTGACAATTGTTGG  
 TGATGGCAAGTATGGGGCCAGGGATGCAGACACGAAAAATTTGGAATGGGATGGTTGGAGAATTGTATAT  
 GGGAAAGCTGATTTGCAATTGCTCCATTAATTAACCTTGTGAGAGAAGAGGTGATTGACTTCTCAA  
 AGCCCTTCATGAGCCTCGGATATCTATCATGATCAAGAAGCCTCAGAAGTCAAACAGGAGTGTTCCT  
 CTTTCTTGATCCTTAGCCTATGAGATCTGGATGTGCATTGTTTTGCCTACATTGGGGTCACTGTAGTT  
 TTATTCCTGGTCAAGCAGATTTAGCCCTACGAGTGGCACACTGAGGAGTTTGAAGATGGAAGAGAAACAC  
 AAAGTAGTGAATCAACTAATGAATTTGGGATTTTTAATAGTCTCTGGTTTTCTTGGGTGCCTTTATGCG  
 GCAAGGATGCGATATTTGCAAGATCCCTCTCTGGGCGCATTGTTGGAGGTGTGTGGTGGTTCTTTACC  
 CTGATCATAATCTCCTCTACACGGCTAACTTAGCTGCCTTCTGACTGTAGAGAGGATGGTGTCTCCCA  
 TCGAAAGTGTGAGGATCTTTCTAAGCAACAGAAATGCTTATGGAACATTAGACTCTGGCTCCACTAA  
 AGAGTTTTTTCAGGAGATCTAAAATTGCAGTGTGATAAAATGTGGACCTACATGCGGAGTGCAGGAGCCC  
 TCTGTGTTGTGAGGACTACGGCCGAAGGGTGGCTAGAGTGCAGGAGTCAAAGGGAAATATGCCTACT  
 TGTTGGAGTCCACGATGAACGAGTACATTGAGCAAAGGAAGCCTTGGCACACCATGAAAGTTGGTGGAAA  
 CCTGGATTCCAAAGGCTATGGCATCGCAACACCTAAAGGATCCTCATTAAAGAACCCAGTAAATCTTGCA  
 GTATTGAAACTCAGTGAAGCAAGGCGTCTTAGACAAGCTGAAAAACAATGGTGGTACGATAAAGGTGAAT  
 GTGGAGCAAGGACTCTGGAAGTAAAGAAAAGACCAGTGCCTCAGTCTGAGCAACGTTGCTGGAGTATT  
 CTACATCCTTGTGCGGGCCTTGGTTGGCAATGCTGGTGGCTTTGATTGAGTTCTGTTACAAGTCAAGG  
 GCCGAGGCGAAACGAATGAAGGTGGCAAAGAATGCACAGAATATAACCCATCTTCTCGCAGAATTAC  
 AGAATTTTGAACCTATAAGGAAGGTTACAACGTATATGGCATCGAAAGTGTAAAAAT

**ACGCGT**ACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:** >RG212107 representing NM\_000826  
 Red=Cloning site Green=Tags(s)

MQKIMHISVLLSPVLWGLIFGVSSNSIQIGGLFPRGADQEYSAFRVGMVQFSTSEFRLTPHIDNLEVANS  
 FAVTNAFCSQFSRGVYAIFGFYDKKSVNTITSFCGTLHVSFITPSFPTDGTTHPFVIQMRPDLKGALLSLI  
 EYYQWDFAYLYDSDRGLSTLQAVLDSAAEKWQVTAINVGNINNDKKDEMYRSLFQDLELKKERRVILD  
 CERDKVNDIVDQVITIGKHVKGYHYIIANLGFDTGDLLKIQFGGANVSGFQIVDYDDSLVSKFIERWSTL  
 EEKEYPGAHTTTIKYTSALTYDAVQVMTEAFRNLRKQRIEISRRGNAGDCLANPAVPWGQGVIEERALKQ  
 VQVEGLSGNIKFDQNGKRINYTIMELKTNGPRKIGYWEVDKMMVVTLELPSGNDTSGLENKTVVVT  
 ILESPYMMKKNHEMLEGNEREYEGYCVDLAAEIAKHCGFKYKLTIVGDGKYGARDADTKIWNMGVGLVY  
 GKADIAIAPLTITLVREEVIDFSKPFMSLGISIMIKKPKQSKPGVFSFLDPLAYEIWMCIVFAYIGVSVV  
 LFLVSRFSPYEWHTTEFDGRETQSSESTNEFGIFNSLWFSLGAFMRQGCDSRSLSGRIVGGVWFFFT  
 LIISSYANLAAFLTVERMVSPIESAEDLSKQTEIAYGTLDSGSTKEFFRRSKIAVFDKMWTYMRSAEP  
 SVFVRTTAEGVARVRKSKGKYAYLLESTMNEYIEQRKPCDTMKVGGNLDKSGYGIATPKGSSLRTPVNL  
 VLKLSAQGLDKLKNWYDKGECGAKDSGSKEKTSALSLSNVAGVFYILVGGGLGLAMLVALIEFCYKSR  
 AEAKRMKVAKNAQNINPSSSQNSQNFATYKEGYNVYGIESVKI

TRTRPLE - GFP Tag - V

**Restriction Sites:**

SgfI-MluI


**Cloning Scheme:**



<b>ACCN:</b>	NM_000826
<b>ORF Size:</b>	2649 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_000826.5</a>
<b>RefSeq Size:</b>	5755 bp
<b>RefSeq ORF:</b>	2652 bp
<b>Locus ID:</b>	2891
<b>UniProt ID:</b>	<a href="#">P42262</a>
<b>Cytogenetics:</b>	4q32.1
<b>Domains:</b>	lig_chan, ANF_receptor
<b>Protein Families:</b>	Druggable Genome, Ion Channels: Glutamate Receptors, Transmembrane
<b>Protein Pathways:</b>	Amyotrophic lateral sclerosis (ALS), Long-term depression, Long-term potentiation, Neuroactive ligand-receptor interaction

**Gene Summary:**

Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to a family of glutamate receptors that are sensitive to alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA), and function as ligand-activated cation channels. These channels are assembled from 4 related subunits, GRIA1-4. The subunit encoded by this gene (GRIA2) is subject to RNA editing (CAG->CGG; Q->R) within the second transmembrane domain, which is thought to render the channel impermeable to Ca(2+). Human and animal studies suggest that pre-mRNA editing is essential for brain function, and defective GRIA2 RNA editing at the Q/R site may be relevant to amyotrophic lateral sclerosis (ALS) etiology. Alternative splicing, resulting in transcript variants encoding different isoforms, (including the flip and flop isoforms that vary in their signal transduction properties), has been noted for this gene. [provided by RefSeq, Jul 2008]

**Product images:**


Circular map for RG212107