

## **Product datasheet for RG212437**

## MXI1 (NM\_005962) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: MXI1 (NM\_005962) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: MXI1

Synonyms: bHLHc11; MAD2; MXD2; MXI

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG212437 representing NM\_005962

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGAGCGGGTGAAGATGATCAACGTGCAGCGTCTGCTGGAGGCTGCCGAGTTTTTGGAGCGCCGGGAGC
GAGAGTGTGAACATGGCTACGCCTCTTCATTCCCGTCCATGCCGAGCCCCCGAGCTTCCAGCATTCAAAGCC
CCCACGGAGGTTGAGCCGGGCACAGAAACACAGCAGCGGGAGCAGCAACACCAGCACTGCCAACAGATCT
ACACACAATGAGCTGGAAAAGAATCGACGAGCTCATCTGCGCCTTTGTTTAGAACGCTTAAAAGTTCTGA
TTCCACTAGGACCAGACTGCACCCGGCACACAACACTTGGTTTGCTCAACAAAGCCAAAGCACACATCAA
GAAACTTGAAGAAGCTGAAAGAAAAAGCCAGCACCAGCTCGAGAATTTGGAACGAGAACAGAGATTTTTA
AAGTGGCGACTGGAACAGCTGCAGGGTCCTCAGGAGATGGAACGAATACGAATGGACAGCATTTGAAA
CTATTTCTTCAGATCGTTCTGATTCAGAGCGAGAGGAGTTGAAAGTGGACACACAGCAGCTTCC
CCATGGAGAAGTGGACAATATAAAGTACCACCAGCATCAGTGACATTGATGACCACAGCAGCCTGCCGAGT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Protein Sequence:** >RG212437 representing NM\_005962

Red=Cloning site Green=Tags(s)


MERVKMINVQRLLEAAEFLERRERECEHGYASSFPSMPSPRLQHSKPPRRLSRAQKHSSGSSNTSTANRS THNELEKNRRAHLRLCLERLKVLIPLGPDCTRHTTLGLLNKAKAHIKKLEEAERKSQHQLENLEREQRFL KWRLEQLQGPQEMERIRMDSIGSTISSDRSDSEREEIEVDVESTEFSHGEVDNISTTSISDIDDHSSLPS IGSDEGYSSASVKLSFTS


TRTRPLE - GFP Tag - V

**Restriction Sites:** 


Sgfl-Mlul

**Cloning Scheme:** 





## Plasmid Map:



**ACCN:** NM\_005962

ORF Size: 684 bp

ORIGENE

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 005962.5

 RefSeq Size:
 3272 bp

 RefSeq ORF:
 687 bp

 Locus ID:
 4601

 UniProt ID:
 P50539

Cytogenetics: 10q25.2

Domains: HLH

**Protein Families:** Druggable Genome, Transcription Factors

**Gene Summary:** Expression of the c-myc gene, which produces an oncogenic transcription factor, is tightly

regulated in normal cells but is frequently deregulated in human cancers. The protein encoded by this gene is a transcriptional repressor thought to negatively regulate MYC

function, and is therefore a potential tumor suppressor. This protein inhibits the

transcriptional activity of MYC by competing for MAX, another basic helix-loop-helix protein that binds to MYC and is required for its function. Defects in this gene are frequently found in patients with prostate tumors. Three alternatively spliced transcripts encoding different isoforms have been described. Additional alternatively spliced transcripts may exist but the products of these transcripts have not been verified experimentally. [provided by RefSeq, Jul

2008]