

Product datasheet for RG212780

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DECTIN 2 (CLEC6A) (NM_001007033) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DECTIN 2 (CLEC6A) (NM_001007033) Human Tagged ORF Clone

Tag: TurboGFP Symbol: DECTIN 2

Synonyms: CLEC4N; CLECSF10; dectin-2; hDECTIN-2

Mammalian Cell Neomycin

Selection:

Vector:

pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG212780 representing NM_001007033
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG212780 representing NM_001007033

Red=Cloning site Green=Tags(s)

MMQEQQPQSTEKRGWLSLRLWSVAGISIALLSACFIVSCVVTYHFTYGETGKRLSELHSYHSSLTCFSEG TKVPAWGCCPASWKSFGSSCYFISSEEKVWSKSEQNCVEMGAHLVVFNTEAEQNFIVQQLNESFSYFLGL SDPQGNNNWQWIDKTPYEKNVRFWHLGEPNHSAEQCASIVFWKPTGWGWNDVICETRRNSICEMNKIYL

TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





ACCN: NM 001007033

ORF Size: 627 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001007033.2</u>

 RefSeq Size:
 1613 bp

 RefSeq ORF:
 630 bp

 Locus ID:
 93978

 UniProt ID:
 Q6EIG7

 Cytogenetics:
 12p13.31




Protein Families:

Transmembrane

Gene Summary:

The protein encoded by this gene is a type II membrane receptor with an extracellular C-type lectin-like domain fold. The extracellular portion binds structures with a high mannose content and has been shown to recognize several pathogens, including C. elegans, S. cerevisiae, M. tuberculosis, C. neoformans, and house dust mite. When stimulated, the encoded protein initiates signalling through the CARD9-Bcl10-Malt1 pathway, leading to the induction of cytokines. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2015]

Product images:



Circular map for RG212780