

Product datasheet for **RG212952**

DPM3 (NM_018973) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: DPM3 (NM_018973) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: DPM3
Synonyms: CDG10; MDDGB15; MDDGC15
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG212952 representing NM_018973
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCTCTCCGTGGGCGGGCTTCGGTTGAGTTTGGTCCGCTTTTCCTTCTGCTCCTCAGGGGAGCATTGC
TTCCTTCTCTCGAGTGACCATGACGAAATTAGCGCAGTGGCTTTGGGGACTAGCGATCCTGGGCTCCAC
CTGGGTGGCCCTGACCACGGGAGCCTTGGGCTGGAGCTGCCCTTGTCTGCCAGGAAGTCTGTGGCCA
CTGCCCGCTACTTGCTGGTGTCCGCCGGCTGCTATGCCCTGGGCACTGTGGCTATCGTGTGGCACTT
TTCATGACTGCGAGGACCCGCACGCGAGCTGCAGAGCCAGATACAGGAGCCCCGAGCCGACTTAGCCCCG
CAGGGGGCTGCGCTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG212952 representing NM_018973
Red=Cloning site Green=Tags(s)
MLSVGGLRRLSLVRFSLLLRGLLPSLAVTMTKLAQWLWGLAILGSTWVALTTGALGLELPLSCQEVLWP
LPAYLLVSAGCYALGTVGYRVATFHDCEAARELQSQIQEARADLARRGLRF

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:



ACCN: NM_018973

ORF Size: 366 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


RefSeq: [NM_018973.3](#), [NP_061846.2](#)

RefSeq Size: 532 bp

RefSeq ORF: 369 bp

Locus ID:	54344
UniProt ID:	Q9P2X0
Cytogenetics:	1q22
Protein Families:	Transmembrane
Protein Pathways:	Metabolic pathways, N-Glycan biosynthesis
Gene Summary:	Dolichol-phosphate mannose (Dol-P-Man) serves as a donor of mannosyl residues on the luminal side of the endoplasmic reticulum (ER). Lack of Dol-P-Man results in defective surface expression of GPI-anchored proteins. Dol-P-Man is synthesized from GDP-mannose and dolichol-phosphate on the cytosolic side of the ER by the enzyme dolichyl-phosphate mannosyltransferase. The protein encoded by this gene is a subunit of dolichyl-phosphate mannosyltransferase and acts as a stabilizer subunit of the dolichyl-phosphate mannosyltransferase complex. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG212952