

# **Product datasheet for RG213101**

## GRB2 (NM 203506) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** GRB2 (NM\_203506) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: GRB2

Synonyms: ASH; EGFRBP-GRB2; Grb3-3; MST084; MSTP084; NCKAP2

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG213101 representing NM\_203506

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGAAGCCATCGCCAAATATGACTTCAAAGCTACTGCAGACGACGACGAGCTTCAAAAGGGGGGACA
TCCTCAAGGTTTTGAACGAAGAATGTGATCAGAACTGGTACAAGGCAGAGCTTAATGGAAAAGACGGCTT
CATTCCCAAGAACTACATAGAAATGAAACCACATCCGTTTGGAAACGATGTGCAGCACTTCAAGGTGCTC
CGAGATGGAGCCGGGAAGTACTTCCTCTGGGTGGTGAAGTTCAATTCTTTGAATGAGCTGGTGGATTATC
ACAGATCTACATCTGTCTCCAGAAACCAGCAGATATTCCTGCGGGACATAGAACAGGTGCCACAGCAGCC
GACATACGTCCAGGCCCTCTTTGACTTTGATCCCCAGGAGAGCTGGAGAGCTGGGCTTCCGCCGGGGAGAT
TTTATCCATGTCATGGATAACTCAGACCCCAACTGGTGGAAAGGAGCTTGCCACGGGCAGACCGGCATGT

TTCCCCGCAATTATGTCACCCCCGTGAACCGGAACGTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG213101 representing NM\_203506

Red=Cloning site Green=Tags(s)

MEAIAKYDFKATADDELSFKRGDILKVLNEECDQNWYKAELNGKDGFIPKNYIEMKPHPFGNDVQHFKVLRDGAGKYFLWVVKFNSLNELVDYHRSTSVSRNQQIFLRDIEQVPQQPTYVQALFDFDPQEDGELGFRRGD

FIHVMDNSDPNWWKGACHGQTGMFPRNYVTPVNRNV

TRTRPLE - GFP Tag - V

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### **Cloning Scheme:**





### Plasmid Map:



**ACCN:** NM\_203506

ORF Size: 528 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

#### GRB2 (NM\_203506) Human Tagged ORF Clone - RG213101

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 203506.2, NP 987102.1</u>

 RefSeq Size:
 3139 bp

 RefSeq ORF:
 531 bp

 Locus ID:
 2885

 UniProt ID:
 P62993

 Cytogenetics:
 17q25.1

**Protein Families:** Druggable Genome

**Protein Pathways:** Acute myeloid leukemia, B cell receptor signaling pathway, Chemokine signaling pathway,

Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Prostate cancer, Renal cell carcinoma, T cell

receptor signaling pathway

**Gene Summary:** The protein encoded by this gene binds the epidermal growth factor receptor and contains

one SH2 domain and two SH3 domains. Its two SH3 domains direct complex formation with proline-rich regions of other proteins, and its SH2 domain binds tyrosine phosphorylated sequences. This gene is similar to the Sem5 gene of C.elegans, which is involved in the signal

transduction pathway. Two alternatively spliced transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]