OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RG213201

TAZ (NM_181311) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TAZ (NM_181311) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	TAFAZZIN
Synonyms:	BTHS; CMD3A; EFE; EFE2; G4.5; LVNCX; TAZ; Taz1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG213201 representing NM_181311 Red=Cloning site Blue=ORF Green=Tags(s) TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC ATGCCTCTGCACGTGAAGTGGCCGTTCCCCGCGGTGCCGCCGCTCACCTGGACCCTGGCCAGCAGCGTCG TCATGGGCTTGGTGGGCACCTACAGCTGCTTCTGGACCAAGTACATGAACCACCTGACCGTGCACAACAG GGAGGTGCTGTACGAGCTCATCGAGAAGCGAGGCCCGGCCACGCCCCTCATCACCGTGTCCAATCACCAG TCCTGCATGGACGACCCTCATCTCTGGGGGATCCTGAAACTCCGCCACATCTGGAACCTGAAGTTGATGC GTTGGACCCCTGCAGCTGCAGACATCTGCTTCACCAAGGAGCTACACTCCCACTTCTTCAGCTTGGGCAA GTGTGTGCCTGTGTGCCGAGGAGATGGCGTCTACCAGAAGGGGATGGACTTCATTTTGGAGAAGCTCAAC CATGGGGACTGGGTGCATATCTTCCCAGAAGGGAAAGTGAACATGAGTTCCGAATTCCTGCGTTTCAAGT GGGGAATCGGGCGCCTGATTGCTGAGTGTCATCTCAACCCCATCATCCTGCCCCTGTGGCATGTCGGAAT GAATGACGTCCTTCCTAACAGTCCGCCCTACTTCCCCCGCTTTGGACAGAAAATCACTGTGCTGATCGGG AAGCCCTTCAGTGCCCTGCCTGTACTCGAGCGGCTCCGGGCGGAGAACAAGTCGGCTGTGGAGATGCGGA AAGCCCTGACGGACTTCATTCAAGAGGAATTCCAGCATCTGAAGACTCAGGCAGAGCAGCTCCACAACCA CCTCCAGCCTGGGAGA ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

View online »

Protein Sequence:

>RG213201 representing NM_181311
Red=Cloning site Green=Tags(s)

MPLHVKWPFPAVPPLTWTLASSVVMGLVGTYSCFWTKYMNHLTVHNREVLYELIEKRGPATPLITVSNHQ
SCMDDPHLWGILKLRHIWNLKLMRWTPAAADICFTKELHSHFFSLGKCVPVCRGDGVYQKGMDFILEKLN
HGDWVHIFPEGKVNMSSEFLRFKWGIGRLIAECHLNPIILPLWHVGMNDVLPNSPPYFPRFGQKITVLIG
KPFSALPVLERLRAENKSAVEMRKALTDFIQEEFQHLKTQAEQLHNHLQPGR

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_181311

ORF Size: 786 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_181311.4
RefSeq Size:	1829 bp
RefSeq ORF:	789 bp
Locus ID:	6901
UniProt ID:	Q16635
Cytogenetics:	Xq28
Protein Families:	ES Cell Differentiation/IPS, Transmembrane
Gene Summary:	This gene encodes a protein that is expressed at high levels in cardiac and skeletal muscle. Mutations in this gene have been associated with a number of clinical disorders including Barth syndrome, dilated cardiomyopathy (DCM), hypertrophic DCM, endocardial fibroelastosis, and left ventricular noncompaction (LVNC). Multiple transcript variants encoding different isoforms have been described. A long form and a short form of each of these isoforms is produced; the short form lacks a hydrophobic leader sequence and may exist as a cytoplasmic protein rather than being membrane-bound. Other alternatively spliced transcripts have been described but the full-length nature of all these transcripts is not known. [provided by RefSeq, Jul 2008]