

Product datasheet for **RG213290**

RICH2 (ARHGAP44) (NM_014859) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	RICH2
Synonyms:	NPC-A-10; RICH2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence: >RG213290 representing NM_014859
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAAGAAGCAGTTCAATCGCATGCGCCAGCTGGCCAACCAGACGGTGGGCAGGGCTGAAAAGACAGAAG
TTTTGAGTGAAGACCTTCTTCAGGTGGAGAAGCGTCTGGAGCTGGTGAAACAGGTGTCCACAGCACGCA
CAAGAAGCTCACCAGTGTCTGCAGGGCCAGCAAGGGGAGAGGGTGACAAGCGCTCCAAAAAGTTGCCT
TTGACAACACTGGCTCAGTGTCTGATGGAGGGGTGAGTATCCTGGGAGATGACACACTTCTTGGGAAGA
TGCTGAAACTCTGTGGAGAGACGGAGGACAAGCTGGCTCAGGAGCTGATACATTTTGAGTTGCAAGTAGA
GAGAGACGTGATTGAGCCCTGTTTTGCTGGCGGAGGTGGAAATCCCAATATTCAAAGCAGAGGAAA
CACTTAGCCAAGTTGGTGTGACATGGATTCTCACGAACCAGGTGGCAGCAGACTTCCAAGTCTTCAG
GTTTGTCCAGCAGCTTACAGCCTGCGGGTGCCAAGGCTGATGCCCTCAGGGAAGAAATGGAAGAGGCTGC
CAACAGAGTGGAGATTTGACGGGACCAGCTCTCAGCTGATATGTACAGTTTTGTGGCCAAAGAAATTGAC
TATGCCAACTACTTTCAAACGCTAATAGAAGTGAAGCTGAATACCACAGGAAGTCCCTGACACTATTGC
AGGCTGTATTGCCTCAGATCAAAGCACAACAGGAGGCTGGGTAGAGAAGCCTTCCTTCGGGAAGCCGCT
GGAGGAGCACCTCACCATCAGCGGCCGGGAGATCGCCTTCCCCATCGAGGCGTGTGTGACCATGCTGCTT
GAGTGTGGGATGCAGGAGGAGGACTCTTCCGAGTAGCCCCCTCTGCCTCCAACTGAAGAAGCTGAAAG
CGGCCCTGGACTGCTGCGTGGTGGATGTGCAGGAGTACTCGGCAGACCCCAACGCAATTGCAAGGAGCTTT
GAAATCTTACTCCGAGAGTTGCCAGAACCTCTTATGACCTTTGAACTCTATGATGAGTGGATCCAGGCT
TCCAATGTCCAGGAGCAAGACAAGAAGCTTCAGGCTCTATGGAATGCTTGTGAAAAGTTGCCAAGGCCA
ATCACAACAACATCCGATACTTGATAAAATTTTATCCAAGCTGTCAGAATATCAAGATGTAACAAGAT
GACTCCCAAGTAATATGGCAATTGTTTTAGGACCCAACCTCCTATGGCCACAAGCAGAAGGGAACATTACA
GAGATGATGACCACAGTGTGCTGCAAAATTGTTGGGATCATTGAACCTATCATCCAGCATGCAGACTGGT
TCTTCCCTGGGGAGATAGAGTTCAACATTACTGGCAATTATGGGAGTCCAGTACACGTGAACCATAATGC
CAACTACAGCTCAATGCCCTCCCAGACATGGACCTGCTGACCGGCCAGCCCGAGCAGGCCCGCCGG
CCCCTCAGCGTCGCCACGGATAATATGATGCTGGAGTTTTACAAAAGGATGGCCTTAGGAAAAATCCAAA
GCATGGGTGTGAGGGTCATGGACACAACTGGGTGGCTCGAAGAGGCTCCTCGGCCGGTCGAAAAGTGTC
CTGCGCCCCGCCCTCCATGCAGCCTCCCGCCCCGCCGCGAGCTGGCTGCGCCCCCTGCCTTCGCCGCTG
CCGGAGCAGCCCCTGACAGCCCCGCGCCCCCGCGCTCTCTCCATCCGGCCTGGGCCTCCAGCCTGGGC
CCGAGCGCACCAGCACAAAAAGCAAGGAATTTCTCCAGGCTCTGCACAGAAAGGAAGTCCAGGCTC
CAGCCAGGGCAGACCTGTGCAGGGACTCAACCAGGGGCTCAACCTGGAGCTCAGCCGGGCGCCAGCCCC
AGCCCCAGCCAGCCGCTGCAGACCAGAGTCTCACACCTCCGGAAAGTTTCAAAGAAGCTGGCACCGA
TTCCACCAAGGTCCCCTTTGGCCAGCCGGGGCTATGGCAGACCAGTCCGCTGGCCAGCTGTCCCCAGT
CAGCCTGTCCCCACCCCGCCAGCACCCCGTACCCCTATGGACTGAGCTACCCTCAGGGGTACTCCTTG
GCCTCGGGCCAGCTCTCCCAGCTGCAGCTCCTCCCCTGGCCTCTCCTTCTGTCTTTACAAGCACTTTGA
GAAAATCGCGGCCACTCCTAAGCCGCGACAGAGACCTACTCTGCCGCTCCTCAGCCTCCACAGTAAA
CCTCTCGGCCTCTAGTCCACAGTCCACGGAGGCCCCCATGCTAGATGGCATGTCCCCTGGGAAAAGCATG
TCTACAGATCTTGTCCACTTTGATATTCCTCGATCCACATAGAGCTCGGGTCGACGCTCCGCTGAGTC
CCCTGGAGCACATGCGGCGACACTAGTAAGTACAAGAGGAGTCTGGAGGAGGAGTCTGAGAGCACCGC
CCTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG213290 representing NM_014859

Red=Cloning site Green=Tags(s)

MKKQFNRMRLANQTVGRAEKTEVLSEDLLQVEKRLELVKQVSHSTHKKLTACLQGGQGAEDKRSKKLP
LTTLAQCLMEGSAILGDDTLGKMLKLCGETEDKLAQELIHFELQVERDVIEPLFLLAEVEIPNIQQRK
HLAKLVLDMDSSRTRWQQTSSSGLSSSLQPAGAKADALREEMEEAANRVEICRDQLSADMSFVAKEID
YANYFQTLIEVQAEYHRKSLTLLQAVLPQIKAQQEAWVEKPSFGKPLEEHLTISGREIAFPIEACVTMLL
ECGMQEEGLFRVAPSASKLKKLKAALDCCVVDVQEYSADPHAIAAGALKSYLRELPEPLMTFELYDEWIIQA
SNVQEQDKKLQALWNACEKLPKANHNHNYRILKFLSKLSEYQDVNKMTPSNMAIVLGPNNLLWPQAEGNIT
EMMTTVSLQIVGIIPIIQHADWFFPGEIEFNITGNYGSPVHVNNHANYSSMPSDMDPADRRQPEQARR
PLSVATDNMMLEFYKDGRLRKIQSMGVRVMDTNWVARRGSSAGRKVSCAPPSMQPPAPPAELAPLPSPL
PEQPLDSPAAPALSPSGLGLQPGPERTSTTKSKELSPGSAQKGGSPGSSQGTACAGTQPGAQPGAQPGASP
SPSQPPADQSPHTLRKVSKKLAPIPKVPFGQPGAMADQSAGQLSPVSLSPTPPSTSPYGLSYPQGYSL
ASGQLSPAAPPLASPSVFTSTLSKSRPTPKPRQRTLPQPPTVNLSSASPQSTEAPMLDGMSPGESM
STDLVHFDIPSIHIELGSTLRLSPLEHMRRHSVTDKRDSEEESESTAL


TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



ACCN:

NM_014859

ORF Size:

2454 bp

OTI Disclaimer:


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_014859.3 , NP_055674.3
RefSeq Size:	4227 bp
RefSeq ORF:	2457 bp
Locus ID:	9912
UniProt ID:	Q17R89
Cytogenetics:	17p12
Domains:	RhoGAP, BAR
Gene Summary:	GTPase-activating protein (GAP) that stimulates the GTPase activity of Rho-type GTPases. Thereby, controls Rho-type GTPases cycling between their active GTP-bound and inactive GDP-bound states. Acts as a GAP at least for CDC42 and RAC1 (PubMed:11431473). In neurons, is involved in dendritic spine formation and synaptic plasticity in a specific RAC1-GAP activity (By similarity). Limits the initiation of exploratory dendritic filopodia. Recruited to actin-patches that seed filopodia, binds specifically to plasma membrane sections that are deformed inward by acto-myosin mediated contractile forces. Acts through GAP activity on RAC1 to reduce actin polymerization necessary for filopodia formation (By similarity). In association with SHANK3, promotes GRIA1 exocytosis from recycling endosomes and spine morphological changes associated to long-term potentiation (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG213290