

Product datasheet for **RG213342**

THRAP3 (NM_005119) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	THRAP3 (NM_005119) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	THRAP3
Synonyms:	BCLAF2; TRAP150
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG213342 representing NM_005119
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGTCAAAAACAACAATCCAAGTCTGGATCTCGCTCTTCTCGCTCAAGATCTGCATCAAGATCTCGTT
 CTGTTTCATTTTCGAAGTCTCGGTCCCGAAGCCGATCTCTCTCGTTCAAGGAAGCGCAGGCTGAGTTC
 TAGGTCTCGTTCCAGATCATATTCTCCAGCTCATAACAGAGAAAAGAAACCCCAAGAGTATATCAGAAT
 CGGGATTTCCGAGGTCAACAACAGAGGCTATAGAAGGCCCTATTATTTCCGTGGGCGTAACAGAGGCTTTT
 ATCCATGGGGCAATATAACCGAGGAGGCTATGGAACTACCGCTCAAATGGCAGAATTACCGCAAGC
 ATACAGTCTCGTCGAGGCCGTTCAAGATCCCGGTCCCAAGAGAAGGTCCCCTTACCAAGGTCCAGG
 AGCCATTTAGAACTCTGATAAGTCGTCTTCTGACCGGTCAAGGCGCTCCTCATCTCCGTTCTTCT
 CCAACCATAGCCGAGTTGAATCTTCTAAGCGCAAGTCTGCAAAGGAGAAAAAGTCTCTTCTAAGGATAG
 CCGGCCATCTCAGGCTGCCGGGATAACCAGGGAGATGAGCCAAGGAGCAGACATTTCTCGGAGGCACC
 TCTCAAGATACAAAAGCATCTGAGAGCTCGAAGCCATGGCCAGATGCCACCTACGGCACTGGTTCTGCAT
 CACGGGCCTCAGCAGTTTCTGAGCTGAGTCTCGGGAGCGAAGCCAGCTCTCAAAAGCCCCCTCCAGTC
 TGTGGTGGTGAGGCGGGGTACCCCGTCTAGCCCCGTGCCAAAACCTAGTCTCCACTTTCCAGCACA
 TCCCAGATGGGCTCAACTCTGCCGAGTGGTGCCGGGTATCAGTCTGGGACACCAAGGTCCAGTTCGACC
 ATGGTTCTGGGTCCCTGAGTCCATCCAAAAGAGCCCTGTGGGTAAAGTCCACCATCCACTGGCTCCAC
 ATATGGCTCATCTCAGAAGGAGGAGTGTCTGTTTCCAGGAGGAGCAGCCTATACAAAGAGGTATCTAGAA
 GAGCAGAAGACAGAGAATGGAAAAGATAAGGAACAGAAAACAACAATACCGATAAAGAAAAATAAAG
 AGAAAGGAGCTTCTCTGACACAGGCTTGGTGATGGAAAAATGAAATCTGATTCTTTGCTCCAAAAC
 TGATTCTGAGAAGCCTTTTCGGGGCAGTCAGTCTCCAAAAGGTATAAGCTCCGAGATGACTTTGAGAAG
 AAGATGGCTGACTTCCACAAGGAGGAGATGGATGATCAAGATAAGGACAAAGCTAAGGGAAGAAAGGAAT
 CTGAGTTTGATGATGAACCCAAATTTATGTCTAAAGTCAAGGTGCAAACAAAACAGGAGGAGGAGAA
 GTCAGGCAAAATGGGAGGGCTGGTATATGCACCTCCAGGGAAGGAAAAGCAGAGAAAAACAGAGGAGCTG
 GAGGAGGAGTCTTTCCAGAGAGATCCAAAAGGAAGTCCGGGCAAGAGAAGCGAAGGTGGGCACAGGG
 GCTTTGTGCTGAGAAGAATTTCCGAGTACTGCTTATAAAGCAGTCCAGGAGAAAAGTCTATCACCTCC
 CCCAAGAAAGACCTCTGAGAGCCGAGACAAGTGGGAGCGAAAGGAGATTTCCACAGGAAAGTCTTCC
 TTTTCCATTACTCGAGAGGCACAGTCAATGTCCGGATGGACTCTTTTGATGAGGACCTCGCACGCCCA
 GTGGCTTATTGGCTCAGGAACGCAAGCTTTGCCGAGATCTAGTCCATAGCAACAAAAGGAACAGGAGTT
 TCGTTCCATTTTCCAGCACATACATCAGCTCAGTCTCAGCGTAGCCCCCAGAACTGTTTGCCCAACAT
 ATAGTGACCATTGTTACCATGTTAAAGAGCATCACTTTGGGTCTCAGGAATGACATTACATGAACGCT
 TTAATAATACCTAAAGAGAGGAACTGAGCAGGAGGCAGCCAAAACAAGAAAAGCCAGAGATACACAG
 GAGAATAGACATTTCCCCAGTACATTCAGAAAACATGGTTTGGCTCATGATGAAATGAAAAGTCCCCGG
 GAACCTGGCTACAAGGCTGAGGGAAAATACAAAGATGATCCTGTTGATCTCCGCCTTGATATTGAACGTC
 GTAATAAACATAAGGAGAGAGATCTTAAACGAGGTAATCGAGAGAATCAGTGGATCCCGAGACTCCAG
 TCACTCAAGGAAAGGTGAGTCAAGAAAACAGAGAAAACCTATAAAGGATCAAAGAAAACAGAAAGCAT
 CGGAGAGCAAGAGACAGTCCAGATCCTCCTCTTCCCTCCAGTCATCTCACTCTACAAAGCAGAAG
 AGTACACTGAAGAGACAGAGGAAAGAGAGGAGAGCACCAGGGCTTTGACAAATCAAGACTGGGGACCAA
 AGACTTTGTGGTCCAAGTGAAAGAGGAGGTGGCAGAGCTCGAGGAACCTTTTCAAGTTTCCAGCCAGAGGA
 AGAGGCTGGGGCAGAGGCAACTACTCTGGGAACAATAACAACAACAGCAACAACGATTTTCAAAAAAGAA
 ACCGGGAAGAGGAGTGGGACCCAGAGTACACCCAAAAGCAAGAAGTATTACTTGCATGATGACCGTGA
 AGGCGAAGGCAGTGACAAGTGGGTGAGCCGGGGCCGGGGCCGAGGAGCCTTCTCGGGTCCGGGGCCGG
 TTCATGTTCCGGAATCAAGTACCAGCCCAAGTGGGCCATGACAAGTTCAGTGGGAGGAAGGGGAGA
 TTGAAGACGACGAGAGTGGGACAGAGAACCAGAAAGAGAAGGACAATATACAGCCCAACACCGAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG213342 representing NM_005119
 Red=Cloning site Green=Tags(s)

```


MSKTNKSKSGSRSSRSASRSRSLRSLRKRRLSSRSRSPAHNRERNHPRVYQN
RDFRGHNRYRRPYFRGRNRFYPWGQYNRGGYGNYSNWQNYRQAYSPRRGRSRSPKRRSPSPRSR
SHSRNSDKSSSDRSRRSSSSRNHSRVESKRKSAKEKSSSKDSRPSQAAGDNQGDAAEQTFSGGT
SQDTKASESSKPWPDATYGTGSASRASAVSELSPRERSPALQSPLQSVVRRRSPRPSPVPKPSPLSST
SQMGSTLPSGAGYQSGTHQGFHDHGSGLSPSKSPVGKSPSTGSTYGSQKEESAASGGAAYTKRYLE
EQKTENGDKQKQNTDKEKIKEKGSFSDTGLGDGKMSDSFAPKTDSEKFRGSQSPKRYKLRDDFEK
KMADFHKEEMDDQDKAKGRKESEFDDEPKFMSKVIKANKQEEESGKWEGLVYAPGKEKQRKTEEL
EEESFPERSKEDRGKRSEGGHRGFVPEKNFRVTAYKAVQEKSSSPPRKTSES RDKLGA GDFTGKSS
FSITREAQVNRMDSFDEDLARPSGLLAQERKLCRDLVHSNKKEQEFRSIFQHIQSAQSQRSPSELFAQH
IVTIVHHVKEHHFGSSGMLHERFTKYLKRGTEQEAANKKSPEIHRRIDISPSTFRKHGLAHDEMKS PR
EPGYKAEQKYPVLDRLDIERRKKHKERDLKRGKSRESVDSRDSHRSRERSAEKTEKTHKGSKKQKKH
RRARDRSSSSSSQSSHSYKAEYETEEREESTTGFDKSRGKDFVGP SERGGGRARGTFFQFRARG
RGWGRGNYSNNNNNSNDFQKRNREEEWDPEYTPKSKYYLHDDREGE GSKWVSRGRGRGAFPRGRGR
FMFRKSSTSPKWAHDKFSGEEGIEDDESGTENREEKDNIQPTTE
  
```

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_005119

ORF Size: 2865 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005119.4
RefSeq Size:	3610 bp
RefSeq ORF:	2868 bp
Locus ID:	9967
UniProt ID:	Q9Y2W1
Cytogenetics:	1p34.3
Protein Families:	Druggable Genome, Transcription Factors

Gene Summary:

Involved in pre-mRNA splicing. Remains associated with spliced mRNA after splicing which probably involves interactions with the exon junction complex (EJC). Can trigger mRNA decay which seems to be independent of nonsense-mediated decay involving premature stop codons (PTC) recognition. May be involved in nuclear mRNA decay. Involved in regulation of signal-induced alternative splicing. During splicing of PTPRC/CD45 is proposed to sequester phosphorylated SFQ from PTPRC/CD45 pre-mRNA in resting T-cells. Involved in cyclin-D1/CCND1 mRNA stability probably by acting as component of the SNARP complex which associates with both the 3' end of the CCND1 gene and its mRNA. Involved in response to DNA damage. Is excluded from DNA damage sites in a manner that parallels transcription inhibition; the function may involve the SNARP complex. Initially thought to play a role in transcriptional coactivation through its association with the TRAP complex; however, it is not regarded as a stable Mediator complex subunit. Cooperatively with HELZ2, enhances the transcriptional activation mediated by PPARG, maybe through the stabilization of the PPARG binding to DNA in presence of ligand. May play a role in the terminal stage of adipocyte differentiation. Plays a role in the positive regulation of the circadian clock. Acts as a coactivator of the CLOCK-ARNTL/BMAL1 heterodimer and promotes its transcriptional activator activity and binding to circadian target genes (PubMed:24043798).[UniProtKB/Swiss-Prot Function]

Product images:

Circular map for RG213342