

Product datasheet for **RG213623**

NLRP3 (NM_001079821) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NLRP3 (NM_001079821) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NLRP3
Synonyms:	AGTAVPRL; All; AVP; C1orf7; CIAS1; CLR1.1; DFNA34; FCAS; FCAS1; FCU; KEFH; MWS; NALP3; PYPAF1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG213623 representing NM_001079821 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAAGATGGCAAGCACCCGCTGCAAGCTGGCCAGGTACCTGGAGGACCTGGAGGATGTGGACTTGAAGA
AATTTAAGATGCACTTAGAGGACTATCCTCCCCAGAAGGGCTGCATCCCCCTCCCGAGGGGTGAGACAGA
GAAGGCAGACCATGTGGATCTAGCCACGCTAATGATCGACTTCAATGGGGAGGAGAAGGCGTGGCCATG
GCCGTGTGGATCTTCGCTGCGATCAACAGGAGAGACCTTTATGAGAAAGCAAAAAGAGATGAGCCGAAGT
GGGTTTCCAGATAATGCACGTGTTTCGAATCCCCTGTGATATGCCAGGAAGACAGCATTGAAGAGGAGTG
GATGGGTTTACTGGAGTACCTTTTCGAGAATCTCTATTTGTAATAAAGAAAGATTACCGTAAGAAGTAC
AGAAAGTACGTGAGAAGCAGATTCAGTGCATTGAAGACAGGAATGCCCGTCTGGGTGAGAGTGTGAGCC
TCAACAAACGCTACACACGACTGCGTCTCATCAAGGAGCACCGGAGCCAGCAGGAGAGGGAGCAGGAGCT
TCTGGCCATCGGCAAGACCAAGACGTGTGAGAGCCCCGTGAGTCCCATTAAAGATGGAGTTGCTGTTTGC
CCCGATGATGAGCATTCTGAGCCTGTGCACACCGTGGTGTTCAGGGGGCGGCAGGGATTGGGAAAAACA
TCCTGGCCAGGAAGATGATGTTGGACTGGGCGTCGGGGACACTCTACCAAGACAGTTTACTATCTGTT
CTATATCCACTGTGAGAGGTGAGCCTTGTGACACAGAGGAGCCTGGGGACCTGATCATGAGCTGCTGC
CCCAGCCAAACCCATCCACAAGATCGTGAGAAAACCTCCAGAATCCTCTTCTCATGGACGGCT
TCGATGAGCTGCAAGGTGCCTTTGACGAGCACATAGGACCGCTCTGCACTGACTGGCAGAAGGCCGAGCG
GGGAGACATTCTCTGAGCAGCCTCATCAGAAAGAAGCTGCTTCCGAGGCCTCTCTGCTCATCACCAGC
AGACCTGTGGCCCTGGAGAACTGCAGCACTTGCTGGACCATCCTCGGCATGTGGAGATCCTGGGTTTCT
CCGAGGCCAAAAGGAAAGAGTACTTCTTCAAGTACTTCTCTGATGAGGCCAAGCCAGGGCAGCCTTCAG
TCTGATTACAGGAGAACGAGGTCTCTTACCATGTGCTTCCATCCCCCTGGTCTGCTGGATCGTGTGCACT
GGACTGAAACAGCAGATGGAGAGTGGCAAGAGCCTTGCCAGACATCCAAGACCACCACCGCGGTGTACG
TCTTCTTCTTCCAGTTTGTGTCAGCCCCGGGAGGGAGCCAGGAGCACGGCCTCTGCGCCACCTCTG



[View online »](#)

```
GGGGCTGCTCTTTGGCTGCAGATGGAATCTGGAACCGAAAATCCTGTTTGAGGAGTCCGACCTCAGG
AATCATGGACTGCAGAAGGCGGATGTGTCTGCTTTCTGAGGATGAACCTGTTCCAAAAGGAAGTGGACT
GCGAGAAGTTCTACAGCTTCATCCACATGACTTTCCAGGAGTTCTTTGCCGCCATGTACTACCTGCTGGA
AGAGGAAAAGGAAGGAAGGACGAACGTTCCAGGGAGTCGTTTGAAGCTTCCCAGCCGAGACGTGACAGTC
CTTCTGGAAAATATGGCAAATTCGAAAAGGGGTATTTGATTTTTGTTGTACGTTTCTCTTTGGCCTGG
TAAACCAGGAGAGGACCTCCTACTTGGAGAAGAAATTAAGTTGCAAGATCTCTCAGCAAAATCAGGCTGGA
GCTGCTGAAATGGATTGAAGTGAAGCCAAAGCTAAAAAGCTGCAGATCCAGCCAGCCAGCTGGAATTG
TTCTACTGTTTGTACGAGATGCAGGAGGAGGACTTCGTGCAAAGGCCATGGACTATTTCCCAAGATTG
AGATCAATCTCTCCACCAAGAAATGGACCACATGGTTTTCTCTTTTGCATTGAGAAGTGCATCGGGTGG
GTCACTGTCCCTGGGTTTCTCCATAACATGCCCAAGGAGGAAGAGGAGGAGGAAAAGGAAGGCCGACAC
CTTGATATGGTGCAGTGTGCTCCCAAGCTCCTCTCATGCTGCCTGTTCTCATGGATTGGTGAACAGCC
ACCTCACTCCAGTTTTTGGCGGGCCTTTTTCAGTTCTGAGCACCAGCCAGAGTCTAACTGAATTGGA
CCTCAGTGACAATCTCTGGGGGACCCAGGGATGAGAGTGTGTGTAACGCTCCAGCATCCTGGCTGT
AACATTCGGAGATTGTGGTTGGGGCGCTGTGCCCTCTCGCATGAGTGTCTCGACATCTCCTTGGTCC
TCAGCAGCAACCAGAAGCTGGTGGAGCTGGACCTGAGTGACAACGCCCTCGGTGACTTCGGAATCAGACT
TCTGTGTGTGGGACTGAAGCACCTGTTGTGCAATCTGAAGAAGCTCTGGTTGGTCAAGTGCCTCACA
TCAGCATGTTGTGAGGATCTTGATCAGTATTGAGCACCAGCCATTCCCTGACCAGACTCTATGTGGGGG
AGAATGCCTTGGGAGACTCAGGAGTCGCAATTTTATGTGAAAAAGCCAAGAATCCACAGTGAACCTGCA
GAAACTGGGGTGGTGAATCTGGCCTTACGTCAGTCTGTTGTTGAGCTTTGCTCGGTACTCAGCACT
AATCAGAATCTCACGCACCTTTACCTGCGAGGCAACACTCTCGGAGACAAGGGGATCAAACACTCTGTG
AGGGACTCTTGCACCCGACTGCAAGCTCAGGTGTTGGAATTAGACAACGCAACCTCACGTACACTG
CTGCTGGGATCTTCCACACTTCTGACCTCCAGCCAGAGCCTGCGAAAGCTGAGCCTGGGCAACAATGAC
CTGGGCGACCTGGGGTTCATGATGTTCTGTGAAGTGTGAAACAGCAGAGCTGCCTCTCGACAACCTGG
GGTTGCTGAAAATGATTTCAATTATGAGACAAAAAGTGCCTTAGAAACACTTCAAGAAGAAAAGCCTGA
GCTGACCGTCGCTTTGAGCCTTCTTGG
```

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG213623 representing NM_001079821

Red=Cloning site Green=Tags(s)

```
MKMASTRCKLARYLEDLEDVLDLKKFKMHLEDYPPQKGCIPRPGQTEKADHVDLATLMIDFNNGEEKAWAM
AVWIFAAINRRDLYEKAKRDEPKWGSNARVSNPTVICQEDSIEEEWMGLLEYLSRISICKMKKDYRKKY
RKYVRSRFQCIEDRNARLGEVSLNKRYTRLRIKEHRSQQEREQELLAIGKTKTCEPVSPIMELLFD
PDDEHSEPVHTVVFQGAAGIGKTLARKMMLDWSGTLYQDRFDYLYIHCREVSLVTQRSLGDLIMSCC
PDPNPPIHKIVRKPSRILFLMDGFDELQGFDEHIGPLCTDWQKAERGDILLSSLIRKKLLPEASLLITT
RPVALEKQLHLLDHPRHVEILGFSEAKRKEYFFKYFSDEAQAARAAFSLIQENEVLFMCFIPLVCWIVCT
GLKQQMESGKSLAQTSKTTTAVYVFFLSLLQPRGGSQEHGLCAHLWGLCSLAADGIWNQKILFEESDLR
NHGLQKADVSAFLRMNLFQKEVDCEKFYSFIHMTFQEFFAAMYLLLEEEKEGRTNVPGRSLKLPDRDVTY
LLENYKFEKGYLIFVVRFLFGLVNQERTSYLEKKLSCKISQQIRLELLKWIEVKAKAKKLQIQPSQLEL
FYCLYEMQEEDFVQRAMDYFPKIEINLSTRMDHMVSSFCIENCHRVESLSLGFHNMPKEEEEEKEGRH
LDMVQCVLPSSSHAACSHGLVNSHLTSSFCRGLF SVLSTSQSL TELDLDNSLDGDPGMRVLCETLQHPGC
NIRRLWLGRGCLSHECCFDISLVLSSNQKLVLDLSDNALGDFGIRLLCVGLKHLLENLKKLWLVSCCLT
SACCQDLASVLSHSLTRLVYGENALGDSGVAILEKAKNPQC�LQKGLVNSGLTSVCCSALSSVLST
NQNLTHLYLRGNTLGDKGIKLLCEGLLHPDCKLQVLELDNCNL TSHCCWDLSTLLTSSQSLRKL SLGNND
LGDLGVMMFCEVLKQQSCLLQNLGLSEMYFNYETKSALETLQEEKPELTVVFEPSP
```

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001079821

ORF Size: 3108 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001079821.1 , NP_001073289.1
RefSeq Size:	3845 bp
RefSeq ORF:	3105 bp
Locus ID:	114548
UniProt ID:	Q96P20
Cytogenetics:	1q44
Protein Families:	Druggable Genome
Protein Pathways:	NOD-like receptor signaling pathway
Gene Summary:	<p>This gene encodes a pyrin-like protein containing a pyrin domain, a nucleotide-binding site (NBS) domain, and a leucine-rich repeat (LRR) motif. This protein interacts with the apoptosis-associated speck-like protein PYCARD/ASC, which contains a caspase recruitment domain, and is a member of the NLRP3 inflammasome complex. This complex functions as an upstream activator of NF-kappaB signaling, and it plays a role in the regulation of inflammation, the immune response, and apoptosis. The SARS-CoV 3a protein, a transmembrane pore-forming viroporin, has been shown to activate the NLRP3 inflammasome via the formation of ion channels in macrophages. Mutations in this gene are associated with familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome, neonatal-onset multisystem inflammatory disease (NOMID), keratoendotheliitis fugax hereditaria, and deafness, autosomal dominant 34, with or without inflammation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Alternative 5' UTR structures are suggested by available data; however, insufficient evidence is available to determine if all of the represented 5' UTR splice patterns are biologically valid. [provided by RefSeq, Aug 2020]</p>