

Product datasheet for **RG213772**

CD117 (NM_001093772) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CD117 (NM_001093772) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CD117
Synonyms:	C-Kit; CD117; MASTC; PBT; SCFR
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG213772 representing NM_001093772
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGAGGCGCTCGGGCGCCTGGGATTTCTCTGCGTTCTGCTCCTACTGCTTCGCGTCCAGACAGGCT
 CTCTCAACCATCTGTGAGTCCAGGGAAACCGTCTCCACCATCCATCCATCCAGGAAAATCAGACTTAAT
 AGTCCGCGTGGGCGACGAGATTAGGCTGTTATGCACTGATCCGGGCTTTGTCAAATGGACTTTTGTAGATC
 CTGGATGAAACGAATGAGAATAAGCAGAATGAATGGATCACGAAAAGGCAGAAGCCACCAACACCGGCA
 AATACACGTGCACCAACAAACACGGCTTAAGCAATTCATTTATGTGTTTGTAGAGATCTGCCAAGCT
 TTTCTTGTGACCGCTCCTTGTATGGGAAAGAAGACAACGACACGCTGGTCCGCTGTCTCTCACAGAC
 CCAGAAGTGACCAATTATCCCTCAAGGGTGCCAGGGGAAGCCTTCCCAAGGACTTGAGGTTTATTC
 CTGACCCCAAGGCGGCATCATGATCAAAGTGTGAAACGCGCCTACCATCGGCTCTGTCTGCATTGTT
 TGTGGACCAGGAGGCAAGTCAGTGTCTGCGAAAAATTCATCCTGAAAGTGAGGCCAGCCTTCAAAGCT
 GTGCTGTGTGTCTGTGTCAAAGCAAGCTATCTTCTTAGGGAAGGGGAAGAATTCACAGTGACGTGCA
 CAATAAAGATGTGTCTAGTTCTGTGTACTCAACGTGGAAGAGAAAACAGTCAGACTAAACTACAGGA
 GAAATATAATAGCTGGCATCACGGTACTTCAATTATGAACGTACAGCAACGTTGACTATCAGTTCAGCG
 AGAGTTAATGATTCTGGAGTGTTTATGTTATGCAATAAATACTTTGGATCAGCAATGTCACAACAA
 CCTTGGAAAGTAGATAAAGGATTCATTAATATCTTCCCATGATAAACAACACTACAGTATTTGTAACGA
 TGGAGAAAATGTAGATTTGATTGTTGAATGAAGCATTCCCAAGCTGAGAATGAAAGTAATATCAGATACG
 TAAGTGAACCTTCACTGATAAATGGGAAGATTATCCCAAGCTGAGAATGAAAGTAATATCAGATACG
 TGACGTCAATGCTGCCATAGCATTAAATGTTTATGTTGAATACAAAACAGAAATCCTGACTTACGACAGG
 CTCGTGAATGGCATGCTCCAATGTGTGGCAGCAGGATTCCAGAGCCACAATAGATTGGTATTTTGTG
 CAGGAACTGAGCAGAGATGCTCTGCTTCTGACTGCCAGTGGATGTGCAGACACTAAACTCATCTGGGCC
 ACCGTTTGGAAAGCTAGTGGTTCAGAGTTCTATAGATTCTAGTGCATTCAAGCACAATGGCACGTTGAA
 TGTAAGGCTTACAACGATGTGGCAAGACTTCTGCCTATTTAACTTTGCATTTAAAGAGCAATCCATC
 CCCACACCCTGTTCACTCCTTTGCTGATTGGTTTCGTAATCGTAGCTGGCATGATGTGCATTATTGTGAT
 GATTCTGACCTACAAATATTTACAGAAACCCATGTATGAAGTACAGTGGAAAGTTGTTGAGGAGATAAAT
 GGAACAATTATGTTTACATAGACCCAACAACAACCTTCTTATGATCACAATGGGAGTTTCCAGAAACA
 GGCTGAGTTTTGGGAAAACCTGGGTGCTGGAGCTTTCGGGAAGGTTGTTGAGGCAACTGCTTATGGCTT
 AATTAAGTCAGATGCGGCCATGACTGTCGCTGTAAGATGCTCAAGCCGAGTGCCCAATTTGACAGAACGG
 GAAGCCCTCATGTCTGAACCTCAAAGTCTGAGTTACCTTGGTAATCACATGAATATTGTGAATCTACTTG
 GAGCCTGCACCATTGGAGGGCCACCCTGGTCATTACAGAATATTGTTGCTATGGTGATCTTTTGAATTT
 TTTGAGAAGAAAACGTGATTCATTTATTTGTTCAAAGCAGGAAGATCATGCAGAAGCTGCACTTTATAAG
 AATCTTCTGCATTCAAAGGAGTCTTCTGCAGCGATAGTACTAATGAGTACATGGACATGAAACCTGGAG
 TTTCTTATGTTGTCCCAACCAAGGCCGACAAAAGGAGATCTGTGAGAATAGGCTCATACATAGAAGAGA
 TGTGACTCCCGCCATCATGGAGGATGACGAGTTGGCCCTAGACTTAGAAGACTTGTGAGCTTTTCTTAC
 CAGGTGGCAAAGGCATGGCTTTCCTCGCCTCCAAGAATTGATTACAGAGACTTGGCAGCCAGAATA
 TCTCCTTACTCATGGTCGGATCACAAGATTTGTGATTTTGGTCTAGCCAGAGACATCAAGAATGATTC
 TAATTATGTGGTTAAAGGAAACGCTCGACTACCTGTGAAGTGGATGGCACCTGAAAGCATTTTCAACTGT
 GTATACACGTTTGAAGTGACGCTGGTCTATGGGATTTTCTTTGGGAGCTGTCTCTTTAGGAAGCA
 GCCCTATCCTGGAAATGCCGGTCGATTCTAAGTTCTACAAGATGATCAAGGAAGGCTTCCGGATGCTCAG
 CCCTGAACACGCACCTGCTGAAATGTATGACATAATGAAGACTTGTGGGATGCAGATCCCTAAAAAGA
 CCAACATTCAAGCAAATGTTTCAGCTAATTGAGAAGCAGATTTAGAGAGACCAATCATATTTACTCCA
 ACTTAGCAAACCTGCAGCCCAACCGACAGAAGCCCGTGGTAGACCATTCTGTGCGGATCAATTCTGTGCG
 CAGCACCGCTTCTCTCCAGCCTCTGCTTGTGCACGACGATGTC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG213772 representing NM_001093772
Red=Cloning site Green=Tags(s)

```
MRGARGAWDFLCVLLLLLRVQTGSSQPSVSPGEPSPPSIHPGKSDLIVRVGDEIRLLCTDPGFVKWTFEI
LDETENKQNEWITEKAEATNTGKYTCTNKHGLSNSIYVVRDPAKLFLVDRSLYGKEDNDTLVRCPLTD
PEVTNYSLKGCCQKPLPKDLRFIPDPKAGIMIKSVKRAYHRLCLHCSVDQEGKSVLSEKFILKVRPAFKA
VPVVSVKASYLLREGEEFTVTCTIKDVSSSVYSTWKRENSQTKLQEKYNSWHHGDFNYERQATLTISSA
RVNDSGVFMCYANNTFGSANVTTTLEVDKGFINIFPMINTTVFVNDGENVDLIVEYEAFFKPEHQWIIY
MNRFTFDKWEDYPKSENE SNIRYVSELHLTRLKGTGGTYTFLVNSDVNAAIAFNVYVNTKPEILTYDR
LVNGMLQCVAAGFPEPTIDWYFCPGTEQRCSASVLPVDVQTLNSSGPPFGKLVVQSSIDSSAFKHNGTVE
CKAYNDVGKTSAYFNFAFKEQIHPHTLFTPLLIGFVIVAGMMCIIVMILTYKYLQKPMYEVQWKVVEEIN
GNNYVYIDPTQLPYDHWKWFPRNRLSFGKTLGAGAFGKVEATAYGLIKSDAAMTVAVKMLKPSAHLTER
EALMSELKVL SYLGNHMNI VNLGACTIGGPTLVITEYCCYGDLLNFLRRKRDSFICSKQEDHAEALYK
NLLHSESSSDSTNEYMDMKPGVSYVPTKADKRRSVRIGSYIERDVT PAIMEDDELALDLEDLLSFSY
QVAKGMAFLASKNCIHRDLAARNILLTHGRITKICDFGLARDIKNDSNYVVKGNARLPVKWMAPE SIFNC
VYTFESDWSYGI FLWELFSLGSSPYGMPVDSKFYKMIKEGFRMLSPEHAPAEMYDIMKTCWDADPLKR
PTFKQIVQLIEKQISESTNHIYSNLANCSPNRQKPVVDH SVRINSV GSTASSQPLL VHDDV
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_001093772

ORF Size: 2916 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001093772.1 , NP_001087241.1
RefSeq Size:	5178 bp
RefSeq ORF:	2919 bp
Locus ID:	3815
UniProt ID:	P10721
Cytogenetics:	4q12
Protein Families:	Adult stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Protein Kinase, Stem cell - Pluripotency, Transmembrane
Protein Pathways:	Acute myeloid leukemia, Cytokine-cytokine receptor interaction, Endocytosis, Hematopoietic cell lineage, Melanogenesis, Pathways in cancer
Gene Summary:	This gene encodes a receptor tyrosine kinase. This gene was initially identified as a homolog of the feline sarcoma viral oncogene v-kit and is often referred to as proto-oncogene c-Kit. The canonical form of this glycosylated transmembrane protein has an N-terminal extracellular region with five immunoglobulin-like domains, a transmembrane region, and an intracellular tyrosine kinase domain at the C-terminus. Upon activation by its cytokine ligand, stem cell factor (SCF), this protein phosphorylates multiple intracellular proteins that play a role in in the proliferation, differentiation, migration and apoptosis of many cell types and thereby plays an important role in hematopoiesis, stem cell maintenance, gametogenesis, melanogenesis, and in mast cell development, migration and function. This protein can be a membrane-bound or soluble protein. Mutations in this gene are associated with gastrointestinal stromal tumors, mast cell disease, acute myelogenous leukemia, and piebaldism. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2020]

Product images:



Circular map for RG213772