

## **Product datasheet for RG213934**

## VTI1A (NM\_145206) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** VTI1A (NM\_145206) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: VTI1A

**Synonyms:** MMDS3; MVti1; Vti1-rp2; VTI1RP2

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG213934 representing NM\_145206

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCGTCCGACTTCGAAGGTTACGAGCAGGACTTCGCGGTGCTCACTGCAGAGATCACCAGCAAGATTG
CGAGGGTCCCACGACTCCCGCCTGATGAAAAGAAACAGATGGTTGCAAATGTGGAGAAACAGCTTGAAGA
AGCGAAAGAACTGCTTGAACAGATGGATTTGGAAGTCCGAGGAGATACCACCCCAAAGTCGAGGGATGTAC
AGCAACAGAATGAGAAGCTACAAACAAGAAATGGGAAAACTCGAAACAGATTTTAAAAGGTCACGGATCG
CCTACAGTGACGAAGTACGGAATGAGCTCCTGGGGGATGATGGGAATTCCTCAGAGAACCAGAGGCACA
TCTGCTCGATAACACAGAGAGGCTGGAAAAGGTCATCTCGGAGACTAGAGGCTGGATACCAAATAGCAGTG
GAAACCGAGCAAATTGGTCAGGAGATGTTGGAAAACCTTAGTCATGACAGAGAAAAGATACAGCGAGCAC
GTGAAAGACTTCGGGAAACAGATGCTAATTTGGGAAAAAGCTCCAGGATTCTGACAGGGATGTTGCGAAG
AATCATCCAGAACCGCATCCTGCTCGTCATCCTAGGGATCATCGTGGTCATCACCATCCTGATGGCGATC

ACTTTTCTGTCAGAAGACAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RG213934 representing NM\_145206

Red=Cloning site Green=Tags(s)


MSSDFEGYEQDFAVLTAEITSKIARVPRLPPDEKKQMVANVEKQLEEAKELLEQMDLEVREIPPQSRGMY SNRMRSYKQEMGKLETDFKRSRIAYSDEVRNELLGDDGNSSENQRAHLLDNTERLERSSRRLEAGYQIAV ETEQIGQEMLENLSHDREKIQRARERLRETDANLGKSSRILTGMLRRIIQNRILLVILGIIVVITILMAI TFSVRRH


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

**Cloning Scheme:** 





**ACCN:** NM\_145206

ORF Size: 651 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 145206.4</u>

 RefSeq Size:
 4401 bp

 RefSeq ORF:
 654 bp

 Locus ID:
 143187

 UniProt ID:
 Q96AJ9

 Cytogenetics:
 10q25.2

**Domains:** V-SNARE

**Protein Families:** Transmembrane

**Protein Pathways:** SNARE interactions in vesicular transport


Gene Summary: The protein encoded by this gene is a member of the family of soluble N-ethylmaleimide-

sensitive fusion protein-attachment protein receptors (SNAREs) that function in intracellular trafficking. This family member is involved in vesicular transport between endosomes and the trans-Golgi network. It is a vesicle-associated SNARE (v-SNARE) that interacts with target membrane SNAREs (t-SNAREs). Polymorphisms in this gene have been associated with binocular function, and also with susceptibility to colorectal and lung cancers. A recurrent rearrangement has been found between this gene and the transcription factor 7-like 2 (TCF7L2) gene in colorectal cancers. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Dec 2015]



## **Product images:**



Circular map for RG213934