

## Product datasheet for **RG214235**

### SEMA6D (NM\_153618) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	SEMA6D (NM_153618) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SEMA6D
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG214235 representing NM_153618 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAGGGTCTTCCTGCTTTGTGCCTACATACTGCTGCTGATGGTTTCCAGTTGAGGGCAGTCAGCTTTC  
CTGAAGATGATGAACCCCTTAATACTGTGCGACTATCACTATTCAAGGCAATATCCGGTTTTAGAGGACG  
CCCTTCAGGCAATGAATCGCAGCACAGGCTGGACTTTCAGCTGATGTTGAAAATTCGAGACACACTTTAT  
ATTGCTGGCAGGGATCAAGTTTATACAGTAACTTAAATGAAATGCCAAAACAGAAGTAATACCCAACA  
AGAACTGACATGGCGATCAAGACAACAGATCGAGAAAACGTGCTATGAAAGGCAAGCATAAAGATGA  
ATGCCACAACCTTATCAAAGTATTTGTTCCAAGAACGATGAGATGGTTTTTGTGTTGGTACCAATGCA  
TTCAATCCCATGTGTAGATACTACAGGTTGAGTACCTTAGAATATGATGGGAAGAAATTAGTGGCTGG  
CAAGATGCCCATTTGATGCCAGACAAACCAATGTTGCCCTCTTTGCTGATGGGAAGCTGTATTCTGCCAC  
AGTGGCTGACTTCTGGCCAGCGATGCCGTTATTTATCGAAGCATGGGTGATGGATCTGCCCTTCGCACA  
ATAAAATATGATTCCAAATGGATAAAAGAGCCACACTTCTTCATGCCATAGAATATGGAACTATGTCT  
ATTTCTTCTTCGAGAAATCGTGTGCAACATAAATTTAGGCAAGGCTGTGATTCCCGCGTGGCCCCG  
CATATGTA AAAACGACATGGGTGGTCCAGCGGGTCTGGAGAAACACTGGACTTCATTCTAAAGGCT  
CGGCTGAAGTGTCTGTCCCTGGAGATTCGTTTTCTACTTTGATGTTCTGCAGTCTATTACAGACATAA  
TACAAATCAATGGCATCCCCTGTGGTGGGGTGTACCACGAGCTCAATAGCATCCCTGGTTCTGC  
TGCTGTGCATTTAGCATGGATGACATTGAAAAGTATTCAAAGGACGGTTAAGGAACGAAAACTCCA  
GATTCTGTTTGGACAGCAGTTCCCGAAGACAAAGTGCCAAAGCCAAGGCCTGGCTGTTGTGCAAAACACG  
GCCTTGCCGAAGCTTATAAAACCTCCATCGATTCCCGGATGAACTCTGTCAATTCATCAATCTCATCC  
CCTGATGGACTCTGCCGTTCCACCCATTGCCGATGAGCCCTGGTTCACAAAGACTCGGGTCAGGTACAGA  
CTGACGGCCATCTCAGTGGACCATTCAGCCGACCCTACCAGAACTACACAGTCACTTTGTTGGCTCTG  
AAGCTGGCATGGTACTTAAAGTTCTGGCAAAGACCAGTCTTTCTCTTTGAACGACAGCGTATTACTGGA  
AGATTGAAGCCTACAACCATGCAAAGTGCAGTGTGAGAATGAGGAAGACAAAAGGTCATCTCATT  
CAGTTGGATAAAGATCACCACGCTTATATGATGGCGTTCTAGTGCATTATCCGCATCCCTCAGTC  
GCTGTGAGCGTTATGGATCATGTAAAAGTCTGTATTGCATCTCGTGACCCGATTGTGGCTGGTTAAG



[View online »](#)

```

CCAGGGATCCTGTGGTAGAGTGACCCAGGGATGCTTGTCTGAAGGATATGAACAAGACACAGAATTCGGC
AACACAGCTCATCTAGGGGACTGCCATGAAATTTTGCCTACTTCAACTACACCAGATTACAAAATATTTG
CGGGTCCAACATCTGACATGGAGGTATCTTTCATCTTCTGTTACCAATGGCAAGTATCCCGAAATCAC
ACCTAAAGTGATTGATACCTGGAGACCTAAACTGACAAGCTCTCGGAAATTTGTAGTTC AAGATGATCCA
AACACTTCTGATTTTACTGATCCTTTATCGGGTATCCCAAAGGGTGTACGATGGGAAGTCCAGTCTGGAG
AGTCCAACCAGATGGTCCACATGAATGTCTCATCACCTGTGTCTTTGCTGCTTTTGTGTTTGGGGGCATT
CATTGCGAGGTGTGCAGTATACTGCTATCGAGACATGTTTGTTCGAAAAACAGAAAGATCCATAAAGAT
GCAGAGTCCGCCAGTCATGCACAGACTCCAGTGGAAAGTTTGGCCAAACTGAATGGTCTCTTTGACAGCC
CTGTCAAGGAATACCAACAGAATATTGATTCTCCTAAACTGTATAGTAACCTGCTAACCAAGTCCGAAAGA
GCTACCACCCAATGGAGATACTAAATCCATGGTAAATGGACCATCGAGGGCAACCTCCAGAGTTGGCTGCT
CTTCTACTCTGAGTCTACACCCGTGCTTACCAGAAGACCCTGCAGGCCATGAAGAGCCACTCAGAAA
AGGCCCATGGCCATGGAGCTTCAAGGAAAGAAACCCCTCAGTTTTTCCGTCTAGTCCGCCACCTCATT
CCCATTAAGTATGGGCATATCCCCAGTCCATTGTTCTTCCAAATGCTACCCATGACTACAACACGTCT
TTCTCAAACCTCAATGCTCACAAGCTGAAAAGAAGCTTCAAACATTGATCACCTCTCACAAGTCTAT
CCAGTAAGAGAGATCACCGGCTTCTGTTGATTCCAGAAATACCCTCAATGATCTCTGAAGCATCTGAA
TGACCCAAATAGTAACCCCAAAGCCATCATGGGAGACATCCAGATGGCACACCAGAACTTAAATGCTGGAT
CCCATGGGATCGATGCTGAGGTCCACCTAAAGTCCCTAACCGGGAGGGATCGCTATACTCCCTCCTT
CAACTCTCCCAAGAAATAGCCCAACCAAGCGAGTGGATGTCCCAACCACTCCTGGAGTCCCAATGACTTC
TCTGGAAGACAAAGAGGTTATCACAAAATTCCTCCAGAGGCACTCTATATCTGCTATGCCTAAAAAC
TAAACTACCAAATGGTGTGTTTGTATCCAGACAGCCTAGTATGAACCGTGGAGGATATATGCCACCC
CCACTGGGGCGAAGGTGGACTATATTCAGGGAACACCAGTGAAGTTCATCTGCAGCCTCCCTCTCCAG
ACAGAGCAGCTACACCAGTAATGGCACTTCTTAGGACGGGACTAAAGAGGACCGCTCTTAAACCT
GACGTGCCACAAAGCCTTCTTTGTTCTCAAACCCATCTGTGACAGCACTGAACAAATACACATAC

```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:**

>RG214235 representing NM\_153618  
 Red=Cloning site Green=Tags(s)

```

MRVFLLCAYILLMLVMSQLRAVSFPEDDEPLNTVDYHYSRQYVFRGRPSGNE SQHRLDFQLMLKIRDITLY
IAGRDQVYTVNLEMPKTEVIPNKKLTWRSRQQDRENCAMKGKHKDECHNFIKVFVPRNDEMVFVCGTNA
FNPMCRYRLSTLEYDGEEISGLARCPFDARQTNVALFADGKLYSATVADFLASDAVIYRSMGDGSALRT
IKYDSKWIKEPHFLHAIIEYGNVYVFFREIAVEHNNLGKAVYSRVARICKNDMGGSQRVLEKHWTSFLKA
RLNCSVPGDSFFYFDVLQSITDIIQINGIPTVVGVFTTQLNSIPGSAVCAF SMDDIEKVFKGRFKEQKTP
DSVWTAVPEDKVPKPRPGCCAKHGLAEAYKTSIDFPDETL SFIKSHPLMDSAVPPIADEPWF TKTRVYR
LTAISVDHSAGPYQNYTVIFVGSEAGMVLKVLAKTSPFSLNDSVLLLEEIEAYNHAKCSAENEEDKKVISL
QLDKDHHALYVAFSSCIIRIPLSRCERYGSCCKSCIASRDPYCGWL SQGSCGRVTPGMLAEGYEQDTEFG
NTAHLGDCHIEILPTSTTPDYKIFGGPTSDMEVSSSVTTMASIPEITPKVIDTWRPKLTSSRKFVQDDP
NTSDFTDPLSGIPKGVREVEVQSGESNQMVHMVNLITCVFAAFVLGAFIAGVAVYCYRDMFVRKNRKIHKD
AESAQSCTDSSGSFAKLNGLFDSVPVKEYQQNIDSPKLYSNLLTSRKE LPPNGDTKSMVMDHRGQPPELAA
LPTPESTPVLHQKTLQAMKSHSEKAHGHGASRKETPQFFPSSPPPHSPLSHGHIPSAIVLPNATHDYNTS
FSNSNAHKAIEKLLQNIHPLTKSSSKRDHRRSVD SRNTLNDLLKHLNDPNSNPKAIMGDIQMAHQNLMLD
PMGSMSEVPPKVPNREASLYSPPSTLPRNSPTKRVDPVPTTPGVPM TSLERQRYHKNSSQRHSISAMPKN
LNSPNGVLLSRQPSMNRGGYMPPTGAKVDYIQGTPVSVHLQPSLSRQSSYTSNGTL PRTGLKRTPSLKP
DVPPKPSFVPQTPSVRPLNKYTY


```

TRTRPLE – GFP Tag – V

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**

**Plasmid Map:**


**ACCN:** NM\_153618

**ORF Size:** 3219 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_153618.2</a>
<b>RefSeq Size:</b>	6109 bp
<b>RefSeq ORF:</b>	3222 bp
<b>Locus ID:</b>	80031
<b>UniProt ID:</b>	<a href="#">Q8NFY4</a>
<b>Cytogenetics:</b>	15q21.1
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Axon guidance
<b>Gene Summary:</b>	Semaphorins are a large family, including both secreted and membrane associated proteins, many of which have been implicated as inhibitors or chemorepellents in axon pathfinding, fasciculation and branching, and target selection. All semaphorins possess a semaphorin (Sema) domain and a PSI domain (found in plexins, semaphorins and integrins) in the N-terminal extracellular portion. Additional sequence motifs C-terminal to the semaphorin domain allow classification into distinct subfamilies. Results demonstrate that transmembrane semaphorins, like the secreted ones, can act as repulsive axon guidance cues. This gene encodes a class 6 vertebrate transmembrane semaphorin that demonstrates alternative splicing. Several transcript variants have been identified and expression of the distinct encoded isoforms is thought to be regulated in a tissue- and development-dependent manner. [provided by RefSeq, Nov 2010]