

#### **OriGene Technologies, Inc.**

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RG214318

#### G protein alpha S (GNAS) (NM\_080426) Human Tagged ORF Clone

### **Product data:**

Product Type:	Expression Plasmids
Product Name:	G protein alpha S (GNAS) (NM_080426) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	G protein alpha S
Synonyms:	AHO; C20orf45; GNAS1; GPSA; GSA; GSP; NESP; PITA3; POH; SCG6; SgVI
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RG214318 representing NM_080426 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGGCTGCCTCGGGAACAGTAAGACCGAGGACCAGCGCAACGAGGAGAAGGCGCAGCGTGAGGCCAACA AAAAGATCGAGAAGCAGCTGCAGAAGGACAAGCAGGTCTACCGGGCCACGCACCGCCTGCTGCTGCGG TGCTGGAGAATCTGGTAAAAGCACCATTGTGAAGCAGATGAGGATCCTGCATGTTAATGGGTTTAATGGA GACAGTGAGAAGGCAACCAAAGTGCAGGACATCAAAAACAACCTGAAAGAGGCGATTGAAACCATTGTGG CCGCCATGAGCAACCTGGTGCCCCCGTGGAGCTGGCCAACCCCGAGAACCAGTTCAGAGTGGACTACAT CCTGAGTGTGATGAACGTGCCTGCTGCTGCCACCGACCACCCGAGCACCAGCTGATGACGACCCAGTGGG GAGGATGAAGGAGTGCGTGCCTGCTACGAACGCTCCAACGAGCTGATTGACTGTGCCCAGTACT


TCCTGGACAAGATCGACGTGATCAAGCAGGCTGACTATGTGCCGAGCGATCAGGACCTGCTTCGCTGCCG TGTCCTGACTTCTGGAATCTTTGAGACCAAGTTCCAGGTGGACAAAGTCAACTTCCACATGTTTGACGTG GGTGGCCAGCGCGATGAACGCCGCAAGTGGATCCAGGTGGCTTCAACGATGTGACTGCCATCATCTTCGTGG TGGCCAGCAGCAGCTACAACATGGTCATCCGGGAGGACAACCAGACCAACCGCCTGCAGGAGGGCTCTGAA CCTCTTCAAGAGCATCTGGAACAACAGATGGCTGCGCACCATCTTCGTGATCCTGTTCCTCAACAAGCAA GATCTGCTCGCTGAGAAAAGTCCTTGCTGGGAAATCGAAGATTGAGGACTACTTTCCAGAATTTGCTCGCT ACACTACTCCTGAGGATGCTACTCCCGAGCCCGGGAGAGGACCCACGCGTGACCCGGGCCAAGTACTTCAT TCGAGATGAGTTTCTGAGGATCAGCACTGCCAGTGGAGATGGGCGTCACTACTGCTACCTCATTTCCAC TGCGCTGTGGACACTGAGAACATCCGCGTGTGTTCAACGACTGCCGTGACATCATTCAGCGCATGCAC TTCGTCAGTACGAGCTGCTC

ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Hind III	Nhe I	Rsr II	MI	u I		N	otl	X	hol			GFP T	ag			
CAAGCTTAA	CTAGCTAGO	CGGACCG	ACG	CGT	ACG	CGG	CCG	CTC	GAG	ATG	GAG	AGC	GAC			
			т	R	т	R	P	L	E	M	E	S	D	-	-	
		Pr	ne l	F	se I											

ACCN:	NM_080426
ORF Size:	1140 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

<b>ORIGENE</b> G prot	ein alpha S (GNAS) (NM_080426) Human Tagged ORF Clone – RG214318
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 080426.4</u>
RefSeq Size:	1551 bp
RefSeq ORF:	1143 bp
Locus ID:	2778
UniProt ID:	<u>095467</u>
Cytogenetics:	20q13.32
Domains:	G-alpha
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	Calcium signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling pathway, Long-term depression, Melanogenesis, Taste transduction, Vascular smooth muscle contraction, Vibrio cholerae infection
Gene Summary:	This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, and this DMR is commonly found in imprinted genes and correlates with transcript expression. An antisense transcript is produced from an overlapping locus on the opposite strand. One of the transcripts produced from this locus, and the antisense transcript, are paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Multiple transcript variants encoding different isoforms have been found for this gene. Mutations in this gene result in pseudohypoparathyroidism type 1a, pseudohypoparathyroidism type 1b, Albright hereditary osteodystrophy, pseudopseudohypoparathyroidism, McCune-Albright syndrome, progressive osseus heteroplasia, polyostotic fibrous dysplasia of bone, and some pituitary tumors. [provided by RefSeq, Aug 2012]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



## **Product images:**



Circular map for RG214318

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US